


Wherry



**EHLASS
REPORT
FOR
IRELAND
1996**

European Home and Leisure Accident Surveillance System



REPORT FOR IRELAND

1996

European Home and Leisure Accident Surveillance System(EHLASS)

TABLE OF CONTENTS

	Page
<u>INTRODUCTION</u>	
General Demographic and Health Services Data	1-2
General Demographic Data	1
Health Services Data	2
Accidents in Ireland	3
The EHLASS Survey	4-5
<u>MAIN RESULTS, IRELAND, 1996</u>	
Accidents by Age Group and Sex	6-7
Accidents by Month, Day and Time	8
Accident Mechanism	9
Place of Occurrence of Accidents	10
Activity at Time of Accident	11
Type of Injury Sustained	12
Part of Body Injured	13
Type of Treatment	14
Hospitalisation	15-17
Length of Stay	15
Accident Mechanism: Length of Stay and Hospitalisation Rate	16
Type of Injury: Length of Stay and Hospitalisation Rate	17
Products Related to the Accident	18-22
Product Involved in Accident	18
Product Causing Injury	19
Product Involved in Accident by Age Group	20
Product Causing Injury by Age Group	21
Type of Injury Associated with Product	22
<u>CONCLUSIONS</u>	
Key Facts and Comments	23-24
Accident Prevention Initiatives	25-26

APPENDIX

	Page
Detailed Tables of Results	27-86
Accident Mechanism	27-35
Place of Occurrence	36-41
Activity at Time of Accident	42-47
Principal Injury Diagnosis	48-56
Part of Body Injured	57-59
Treatment and Follow-up	60-62
Product Involved in Accident	63-74
Product Causing Injury	75-86


INTRODUCTION

GENERAL DEMOGRAPHIC DATA

The table and graph below show population census figures for Ireland by age and sex for 1991. Results from the 1991 Census of Population give a total population of 3,525,719.

POPULATION BY AGE AND SEX, 1991

AGE GROUP	MALES		FEMALES		TOTAL	
	NUMBER	%	NUMBER	%	NUMBER	%
0-4	140,564	8.0	133,179	7.5	273,743	7.8
5-9	163,346	9.3	155,157	8.8	318,503	9.0
10-14	178,928	10.2	169,400	9.6	348,328	9.9
15-19	171,408	9.8	163,618	9.2	335,026	9.5
20-24	136,479	7.8	130,093	7.3	266,572	7.6
25-29	120,660	6.9	125,661	7.1	246,321	7.0
30-34	123,168	7.0	125,903	7.1	249,071	7.1
35-39	118,724	6.8	119,165	6.7	237,889	6.7
40-44	113,856	6.5	111,827	6.3	225,683	6.4
45-49	95,443	5.4	92,319	5.2	187,762	5.3
50-54	79,861	4.6	76,945	4.3	156,806	4.4
55-59	71,665	4.1	70,884	4.0	142,549	4.0
60-64	65,591	3.7	68,975	3.9	134,566	3.8
65-69	60,956	3.5	69,796	3.9	130,752	3.7
70-74	49,183	2.8	60,142	3.4	109,325	3.1
75-79	35,713	2.0	48,369	2.7	84,082	2.4
80-84	18,965	1.1	30,336	1.7	49,301	1.4
85+	8,908	0.5	20,532	1.2	29,440	0.8
TOTAL	1,753,418	49.7	1,772,301	50.3	3,525,719	100.0



HEALTH SERVICES DATA

The public health services in Ireland are administered through eight regional health boards. Acute hospital services are provided by two types of hospitals: health board hospitals and voluntary hospitals. Health board hospitals are managed by the health boards. Voluntary hospitals are owned and operated by religious orders or incorporated by charter and work under lay boards of governors. Both types of hospitals are funded by the State. The table which follows gives total numbers of hospitals, average number of in-patient beds available and discharges by type of hospital. Long stay units and psychiatric hospitals are not included in these figures. Data on private health care are not readily available.

ACUTE PUBLIC HOSPITALS SUMMARY STATISTICS, 1995

TYPE OF HOSPITAL	Number of Hospitals	Average Number of In-Patient Beds Available*	Number of Discharges*
HEALTH BOARD	36	6,488	308,356
VOLUNTARY	27	5,465	220,462
TOTAL	63	11,953	528,818
per 100,000 population	1.8	332	14,696

Source: Department of Health In-Patient Activity System.

* Provisional figures.

The total number of wholetime equivalent personnel employed in the operation and administration of the public health services in 1995 was 65,169. The numbers employed in the categories of medical/dental, nursing, and para-medical professions are shown in the table below. The rate per 100,000 population for each of these categories is also given. The figures below do not include general practitioners. However, in 1995, there were 1,652 GP's paid on a fee-per-panel patient basis for the provision of services to those entitled to free GP services. The number of health professionals employed in the provision of private health care is not known.

EMPLOYMENT OF MEDICAL/DENTAL, NURSING AND PARA-MEDICAL PERSONNEL IN THE PUBLIC HEALTH SERVICES, 1995

PROFESSION	NUMBERS EMPLOYED	PER 100,000 POPULATION
Medical/Dental	4,578	127
Nursing	27,359	760
Para-Medical	5,344	149
TOTAL	37,281	1036

Source: Department of Health Personnel Census System.

Note: Numbers refer to wholetime equivalents.

ACCIDENTS IN IRELAND

DEATHS FROM ACCIDENTS

In 1991 there were 1,109 deaths attributable to accidents. The principal causes were road vehicle accidents (446 deaths, 40.2%), accidental falls (269 deaths, 24.3%), and fire/burns (65 deaths, 5.9%). Accidents account for approximately 4% of all deaths and rank fourth after cardiovascular disease, cancer, and respiratory system diseases.

For deaths to persons under 45 years of age (excluding infant deaths), accidents are the principal cause of death and are responsible for almost a third of all deaths under this age. In this age group, by far the most common cause of accidental death was road traffic accidents (283 deaths, 55.4%). Accidental drowning ranked second (41 deaths, 8.0%), and accidental falls ranked equal third with accidental poisoning (29 deaths, 5.7%).

The table below sets out frequencies and percentages for principal causes of death in 1991.

**PRINCIPAL CAUSES OF DEATH, 1991
FOR ALL AGES AND FOR PERSONS AGED 1-44 YEARS**

CAUSE OF DEATH	All Ages	Percent	1-44 years	Percent
Circulatory Diseases	14,210	45.4	222	13.5
Cancer	7,267	23.2	348	21.2
Respiratory Diseases	4,378	14.0	70	4.3
ACCIDENTS	1,109	3.5	511	31.1
Other Causes	4,341	13.9	490	29.9
TOTAL	31,305	100.0	1,641	100.0

Source: Annual Report on Vital Statistics, 1991.

HOSPITALISATION FROM ACCIDENTS

The Hospital In-Patient Enquiry (HIPE) system shows that for 1996, over 10% of hospital in-patient discharges were attributable to accidental injuries. This figure is considerably higher for the younger age groups as shown in the table below.

**HOSPITALISATION DUE TO ACCIDENTS
NUMBER AND PERCENT OF TOTAL, 1996**

	1-14 years	15-24 years	25-44 years	All Ages
Accidents	11,140	10,344	9,849	45,354
% of Total Discharges	17.6	21.7	11.8	10.8

Source: Hospital In-Patient Enquiry, 1996.

Note: The HIPE system has approximately 94% coverage of acute hospital in-patient discharges.

THE EHLASS SURVEY

ORIGINS AND PURPOSE OF EHLASS

In December 1994 the decision introducing the European Home and Leisure Accidents Surveillance System (EHLASS) for the years 1994 to 1997 was signed by the Presidents of the European Parliament and Council. Initially it was established as a five year demonstration project in April 1986. The objective of the system was to monitor home and leisure accidents in a harmonised manner to determine their causes, the circumstances of their occurrence, and their consequences and, most importantly, to provide information on the consumer products involved. Armed with accurate information, it was felt that consumer policy could be directed at the most important problems and products and the best possible value could be secured from available resources.

Data collection systems were set up for the collection of EHLASS data in the casualty departments of selected hospitals in each of the member states, and the information was subsequently returned centrally to the European Commission in Brussels. Extensive analysis was undertaken in 1987 and 1988 on 778,838 accidents documented throughout the EU. However, centralised analysis of EHLASS data proved problematic in terms of co-ordination, data quality and accessibility, and the decision was taken in 1989 that each member state should produce its own annual EHLASS report in a harmonised format specified by the European Commission. The present report is the seventh annual harmonised EHLASS report for Ireland, and it is hoped that the analyses which it contains will stimulate further interest in the value of EHLASS data in effecting improvements in consumer safety.

EHLASS IN IRELAND

Data collection began in Ireland in April, 1986 in Cork University Hospital and Mayo General Hospital, Castlebar. Two people are employed in each hospital on the collection of data and coding of forms. In Cork University two nurses are employed while in Mayo General the work is carried out by two clerical staff. In addition the Hospital Administrator, Medical Records Officer and Casualty staff in each hospital assist in overseeing the system. Forms are sent to the Department of Health where they are individually checked for completeness and validity; they are then sent to a private company for computer punching.

The inclusion and coding guidelines established at EU level have been followed throughout in the collection of EHLASS data. Essentially EHLASS includes all home and leisure accidents where the persons involved sought treatment at the casualty department of either of the two hospital involved in the survey. Excluded from the survey are accidents on the road, accidents at work, and suicide attempts.

The two participating hospitals in Ireland dealt with 9,271 EHLASS accidents in 1996. Cork University Hospital accounted for

5,574 accidents while Mayo General Hospital accounted for the remaining 3,697 (see table below). The catchment areas of the two hospitals differ as Mayo General serves a large and predominately rural area whereas Cork University operates in an urban area.

Although the two hospitals together serve a reasonably varied urban/rural population base, it is not felt that these areas are sufficiently definable or representative to arrive at national estimates or to calculate relative risks. These calculations will not be possible until a hospital in the main urban area, Dublin, is included in the survey. Nevertheless, EHLASS data is very valuable in showing the distribution of accidents and their consequent injuries and in identifying products associated with high risk.

HOSPITALS PARTICIPATING IN THE EHLASS SURVEY 1996

HOSPITAL	Average Number of In-Patient Beds Available*	Number of Discharges*	EHLASS Accidents
Cork University	542	28,912	5,574
Mayo General	217	13,858	3,697

Source: Department of Health In-Patient Activity System.

* Provisional figures.

USE OF EHLASS DATA

EHLASS is the only source of detailed information on home and leisure accidents in Ireland. Some general information is available through the Hospital In-Patient Enquiry (HIPE) system but this concentrates on medical diagnoses rather than on specific causes of accidents. While EHLASS data is not fully exploited, its use is increasing. In particular, it is hoped to increase the use of EHLASS in identifying risks associated with specific products.

The following current areas of use can be identified (see USE OF EHLASS DATA, p. 26a for more details):


- input into Health Promotion initiatives;
- provision of data to domestic consumer organisations;
- analyses for international comparisons;
- determination of impact of accidents in the Health Services;
- identification of dangerous products.

As stated previously, the lack of a participating EHLASS hospital in the Dublin area makes it difficult at present to use EHLASS data for the purposes of deriving national estimates and risks (see IMPROVEMENTS TO EHLASS, p. 26a).


**MAIN RESULTS
IRELAND
1996**

ACCIDENTS BY AGE GROUP AND SEX

ACCIDENT DISTRIBUTION BY AGE: MALES



ACCIDENT DISTRIBUTION BY AGE: FEMALES




ESTIMATION OF NATIONAL TOTALS

Reliable estimates of total home and leisure accidents occurring in Ireland cannot be based on the present EHLASS survey results. While it is thought that the hospitals involved in the survey represent a reasonable cross-section of urban and rural communities, the size of each hospital's catchment area is not sufficiently precise to allow for the extrapolation of the data to produce national estimates.


It is hoped that further specification of catchment areas and/or the addition of a representative hospital in the Dublin area to the EHLASS survey may make the determination of national estimates of accidents and relative risk feasible in future reports.

ACCIDENTS BY MONTH, DAY AND TIME


ACCIDENTS BY MONTH



ACCIDENTS BY DAY




ACCIDENTS BY TIME OF DAY




ACCIDENT MECHANISM


ACCIDENT MECHANISM:
% DISTRIBUTION OF MOST FREQUENT
MECHANISMS, 1996




ACCIDENT MECHANISM BY AGE - MALES
% DISTRIBUTION OF MOST FREQUENT
MECHANISMS, 1996




ACCIDENT MECHANISM BY AGE - FEMALES
% DISTRIBUTION OF MOST FREQUENT
MECHANISMS, 1996




PLACE OF OCCURRENCE OF ACCIDENTS






PLACE OF ACCIDENT BY AGE - MALES
% DISTRIBUTION OF MOST FREQUENT PLACES, 1996






PLACE OF ACCIDENT BY AGE - FEMALES
% DISTRIBUTION OF MOST FREQUENT PLACES, 1996



ACTIVITY AT TIME OF ACCIDENT




TYPE OF INJURY SUSTAINED




PART OF BODY INJURED


PART OF BODY INJURED:
% DISTRIBUTION OF MOST FREQUENT
PARTS, 1996






PART OF BODY INJURED BY AGE - MALES
% DISTRIBUTION OF MOST FREQUENT
INJURIES, 1996



PART OF BODY INJURED BY AGE - FEMALES
% DISTRIBUTION OF MOST FREQUENT
INJURIES, 1996




TYPE OF TREATMENT




HOSPITALISATION

LENGTH OF STAY

AVERAGE LENGTH OF STAY




AVERAGE LENGTH OF STAY BY AGE GROUP




ACCIDENT MECHANISM: LENGTH OF STAY AND HOSPITALISATION RATE

AVERAGE LENGTH OF STAY BY ACCIDENT MECHANISM




HOSPITALISATION RATE BY ACCIDENT MECHANISM




TYPE OF INJURY: LENGTH OF STAY AND HOSPITALISATION RATE

AVERAGE LENGTH OF STAY BY TYPE OF INJURY



HOSPITALISATION RATE BY TYPE OF INJURY



PRODUCTS RELATED TO THE ACCIDENT

PRODUCT INVOLVED IN ACCIDENT

PRODUCT INVOLVED IN ACCIDENT:
THE TWENTY MOST COMMON PRODUCT GROUPS RANKED BY ACCIDENT FREQUENCY
AND ALSO SHOWING PERCENT OF ALL ACCIDENTS, HOSPITALISATION RATES,
AND AVERAGE LENGTH OF STAY IN DAYS

DESCRIPTION OF PRODUCT GROUPING	ENCLASS CODE	NUMBER OF ACCIDENTS	PERCENT OF ALL ACCIDENTS	HOSPITALISATION RATE	AVERAGE LENGTH OF STAY
Sports articles	52	2481	26.76	6.89	3.22
House building elements	7	1175	12.67	16.51	4.40
Skiing, tennis, wind-surfing, swimming etc.	51	1120	12.08	5.80	2.38
Floor, footpath, street, water	34	773	8.34	12.55	4.46
Clothing, sportswear	5	697	7.52	7.75	1.94
Vehicles, car accessories, boats, bikes	45	478	5.16	13.60	2.98
Household furniture	23	405	4.37	13.58	3.80
Animals and animal accessories	37	294	3.17	10.54	2.74
'Do-it-yourself' equipment	10	177	1.91	19.21	5.21
Athletics, boxing, golf, horse riding etc.	50	136	1.47	8.82	7.92
Food, hot liquids	16	130	1.40	15.38	3.00
Fair, playground	42	93	1.00	23.66	2.36
Building materials, insulation, wood	11	88	0.95	2.27	3.00
Plants, trees	38	84	0.91	14.29	1.92
Kitchen utensils, electric household	25	70	0.76	20.00	4.21
Garden equipment	19	69	0.74	20.29	2.79
Heating equipment	20	69	0.74	26.09	5.44
Containers, wrappers	8	63	0.68	11.11	3.29
Fixing materials, adhesives	12	55	0.59	12.73	1.29
Splinters, dust particles	13	54	0.58	0.00	---
Other product	98	454	4.90	18.72	3.92
No product stated	99	306	3.30	11.11	3.56
TOTAL		9271	100.00	10.93	3.41

PRODUCT CAUSING INJURY

PRODUCT CAUSING INJURY:
THE TWENTY MOST COMMON PRODUCT GROUPS RANKED BY ACCIDENT FREQUENCY
AND ALSO SHOWING PERCENT OF ALL ACCIDENTS, HOSPITALISATION RATES,
AND AVERAGE LENGTH OF STAY IN DAYS

DESCRIPTION OF PRODUCT GROUPING	EHASS CODE	NUMBER OF ACCIDENTS	PERCENT OF ALL ACCIDENTS	HOSPITALISATION RATE	AVERAGE LENGTH OF STAY
Sports articles	52	2461	26.55	6.83	3.26
House building elements	7	1297	13.99	16.81	4.44
Floor, footpath, street, water	34	1169	12.61	12.83	4.65
Skiing, tennis, wind-surfing, swimming etc.	51	1043	11.25	5.66	2.22
Clothing, sportswear	5	693	7.47	7.65	1.87
Household furniture	23	288	3.11	11.11	2.81
Vehicles, car accessories, boats, bikes	45	287	3.10	13.59	2.54
Animals and animal accessories	37	250	2.70	10.00	2.44
Food, hot liquids	16	141	1.52	21.99	3.81
Athletics, boxing, golf, horse riding etc.	50	134	1.45	8.96	7.92
Footwear	17	114	1.23	7.02	5.00
'Do-it-yourself' equipment	10	108	1.16	19.44	4.24
Building materials, insulation, wood	11	83	0.90	2.41	3.00
Fair, playground	42	76	0.82	26.32	2.20
Kitchen utensils, electric household	25	74	0.80	17.57	1.62
Plants, trees	38	74	0.80	13.51	1.90
Heating equipment	20	71	0.77	23.94	5.71
Garden equipment	19	64	0.69	21.88	2.79
Containers, wrappings	8	57	0.61	14.04	3.13
Fixing materials, adhesives	12	55	0.59	12.73	1.29
Other product	98	426	4.59	16.90	3.33
No product stated	99	306	3.30	11.11	3.56
TOTAL		9271	100.00	10.93	3.41

PRODUCT INVOLVED IN ACCIDENT BY AGE GROUP

PRODUCT INVOLVED IN ACCIDENT:
THE TWENTY MOST COMMON PRODUCT GROUPS RANKED BY ACCIDENT FREQUENCY
AND DISTRIBUTED BY AGE GROUP









PRODUCT INVOLVED IN ACCIDENT	AGE GROUPS								ALL AGE GROUPS
	< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	
Sports articles	-	12	695	1205	523	37	8	1	2481
House building elements	10	169	267	233	215	144	130	7	1175
Skiing, tennis, swimming, wind-surf etc.	1	9	355	488	243	17	7	-	1120
Floor, footpath, street, water	-	43	218	148	124	141	91	8	773
Clothing, sportswear	-	2	168	390	130	6	1	-	697
Vehicles, boats, bikes & accessories	-	48	238	80	66	29	16	1	478
Household furniture	10	127	77	30	47	51	61	2	405
Animal and animal accessories	-	28	82	42	63	47	29	3	294
"Do-it-yourself" equipment	-	5	8	32	74	40	18	-	177
Athletics, boxing, golf, horse-riding etc.	-	1	31	52	30	17	5	-	136
Food, hot-liquids	4	25	16	21	38	18	6	2	130
Fair, playground	-	25	61	1	5	-	-	1	93
Building materials, insulation, wood	-	4	15	19	30	16	4	-	88
Plants, trees	-	7	38	9	13	10	7	-	84
Kitchen utensils, household electricity	1	15	5	15	27	5	1	1	70
Garden equipment	-	3	7	9	16	22	11	1	69
Heating equipment	1	21	14	11	8	6	8	-	69
Containers, wrappings	-	5	11	16	22	5	4	-	63
Fixing materials, adhesives	-	6	17	8	13	7	3	1	55
Splinters, dust, particles	-	2	3	12	25	12	-	-	54
Other product	22	153	66	57	84	43	25	4	454
No product stated	1	41	82	88	52	22	19	1	306
TOTAL	50	751	2474	2966	1848	695	454	33	9271

PRODUCT CAUSING INJURY BY AGE GROUP

**PRODUCT CAUSING INJURY:
THE TWENTY MOST COMMON PRODUCT GROUPS RANKED BY ACCIDENT FREQUENCY
AND DISTRIBUTED BY AGE GROUP**

PRODUCT CAUSING INJURY	AGE GROUPS								ALL AGE GROUPS
	< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	
Sports articles	-	10	684	1203	521	35	7	1	2461
House building elements	13	203	271	243	245	160	153	9	1297
Floor, footpath, street, water	2	64	386	213	197	188	110	9	1169
Skiing, tennis, swimming, wind-surf etc.	1	9	329	456	224	17	7	-	1043
Clothing, sportswear	-	2	168	387	129	5	2	-	693
Household furniture	8	87	58	25	34	38	38	-	288
Vehicles, boats, bikes & accessories	-	42	148	45	32	10	9	1	287
Animal and animal accessories	-	27	64	35	53	42	26	3	250
Food, hot-liquids	4	30	16	23	39	20	7	2	141
Athletics, boxing, golf, horse-riding etc.	-	1	31	51	29	17	5	-	134
Footwear	-	1	28	46	34	4	1	-	114
"Do-it-yourself" equipment	-	5	8	25	42	19	9	-	108
Building materials, insulation, wood	-	4	12	20	27	16	4	-	83
Fair, playground	-	22	51	-	3	-	-	-	76
Kitchen utensils, household electricity	1	14	6	17	28	5	2	1	74
Plants, trees	-	6	32	6	14	10	6	-	74
Heating equipment	1	21	13	12	9	8	7	-	71
Garden equipment	-	2	7	8	16	19	11	1	64
Containers, wrappings	-	5	10	15	20	4	3	-	57
Fixing materials, adhesives	-	6	17	7	13	8	3	1	55
Other product	19	149	53	41	87	48	25	4	426
No product stated	1	41	82	88	52	22	19	1	306
TOTAL	50	751	2474	2966	1848	695	454	33	9271

SELECTED PRODUCT GROUPS BROKEN DOWN BY TYPE OF INJURY



CONCLUSIONS

KEY FACTS AND COMMENTS

The brief comments given here are intended to highlight important features of the data. They are set out in order of the chapter headings in the main body of the report.

ACCIDENTS BY AGE GROUP AND SEX

This report shows that 68% of accidents are to males which follows the same distribution as in previous reports. It is evident from this section (pp. 6-7) that most accidents occurred in the age groups below the age of 25 years. 70% of accidents to males and 61% to females were reported in these age groups. For females a higher proportion of accidents (5.3% females, 1.3% males) occurred in the 75 years and older age bracket. This is in large part due to the greater numbers of women surviving to older ages.

ACCIDENTS BY MONTH, DAY AND TIME

No striking pattern emerges for month or day of accident but there is a greater concentration during the summer months and early in the week (p. 8). In respect of time of day, 70% of accidents were recorded between the hours of 10:00 am and 4:00 pm. These statistics, however, refer to day and time of attendance at hospital and do not necessarily reflect the distribution of the day and time of occurrence of the accidents.

ACCIDENT MECHANISM

The 'struck/hit' mechanism category accounted for 43% of all accidents recorded (p. 9). However, this varied according to sex as 52% of accidents to males were due to being struck and/or hit whereas 54% of female accidents were due to falls. For males in the 15-24 age group, 68% of accidents were due to 'struck/hit'. The age distribution for falls shows significantly higher risks in the very young and very old age groups for both sexes.

PLACE OF OCCURRENCE

Sports area was the most frequent place of occurrence of home and leisure accidents (p. 10). In the age group 15-24, approximately 79% of male and 42% of female accidents happened in a sports area. However, for the very young and very old in or around the home are the more usual places of occurrence. The 'work/agricultural site' category features for males only.

ACTIVITY AT TIME OF ACCIDENT

Play and leisure are the most frequent activities associated with accidents (p. 11). As expected, for the very young this category accounts for nearly all accidents as well as a high proportion of accidents to the elderly. For men in the age group 15-24, over 76% of all accidents occurred during sporting activities, whereas

"do-it-yourself" activities were responsible for 36% of accidents to males in the 45-64 age group.

TYPE OF INJURY SUSTAINED

Contusions/bruises account for 48% of injuries sustained and its high frequency is reflected across all age groups for both sexes (p. 12). From 45 years of age upwards, and more distinctly for older women, there is an increase in the number of fractures.

PART OF BODY INJURED

Injuries to the limbs account for nearly 75% of the total for all age groups and for both sexes with the exception of infants where most injuries are to the head and face (p. 13).

TYPE OF TREATMENT

22% of home and leisure accidents fall in the category of 'minor' while 11% require hospitalisation. The majority (67%) received some treatment and were then released. Predictably, the percentages hospitalised are noticeably higher for the very young and the older age groups (p. 14). No deaths were recorded.

HOSPITALISATION

Out of a total of 9,271 accidents recorded, 1,013 required hospitalisation. The median length of stay was 2 days with a mean length of stay of 3.6 days, but 42% of patients were discharged after only 1 day. The average length of stay was significantly higher for the very old (p. 15).

The accident mechanism 'explosion' had the longest average length of stay of 9 days and the maximum hospitalisation rate but it was based on only one observation (p. 16).

In relation to type of injury the highest mean length of stay of 8 days was for 'burns/scalds'. Crushing/amputation had the highest hospitalisation rate i.e. 77.8 per 100 accidents (p. 17).

PRODUCTS INVOLVED IN ACCIDENT/CAUSING INJURY

Sports articles, house building elements (i.e. doors, glass, stairs etc.) and sports products (i.e. skiing, tennis, wind-surfing, swimming etc.), were involved in 52% of all accidents and caused over half of all injuries (pp. 18-21). Injuries caused by fair/playground products had the highest hospitalisation rate of 26.3 and 'athletics, boxing, golf, horse riding etc.' had the longest length of stay of 7.9 days. Product groupings are associated with different patterns of injury types as shown in the selection of bar charts on page 22.

Note: The Appendix presents a more detailed analysis of the data for each of the variables listed above by age group and sex.

ACCIDENT PREVENTION INITIATIVES

HEALTH PROMOTION STRUCTURE

A National Health Promotion structure was established by the Government in 1988 in recognition of the fact that the provision of information and education on health needed to be supported by an environment that made healthy choices easier for people. The creation of such an environment requires the co-operation of many sectors other than the traditional health sector. The prevention of accidents is a good example of an area which requires such a multi-sectoral approach.

The National Health Promotion structure consists of the following elements:-

- 1) A Health Promotion Unit - the national executive unit for health promotion located within the Department of Health.
- 2) A National Consultative Committee on Health Promotion chaired by the Minister of State at the Department of Health
- 3) A University Chair of Health Promotion which engages in a multi-disciplinary research and teaching programmes in health promotion.

THE NATIONAL HEALTH STRATEGY

In April 1994 the Minister for Health launched a comprehensive National Health Strategy in which accidents are identified as one of the main causes of premature mortality in Ireland.

Road traffic accidents are by far the most common cause of accidental deaths, and the risk factors include alcohol consumption, road and vehicle safety and driver behaviour. Accidental deaths and injuries also arise as a result of reducible risk factors in the home, in the workplace and in leisure activities. There has been a welcome decreasing trend in accidental deaths which, across age-groups as a whole, fell by about 37 per cent over the past twenty years. This level of reduction is broadly similar to the rate of decline which was set by the World Health Organisation as a target in the mid 1980's i.e. a reduction of at least 25 per cent by the year 2000.

THE HEALTH PROMOTION STRATEGY

The National Health Strategy provided a major stimulus for adopting an expanded role for health promotion in providing improved standards of health in Ireland. A Health Promotion Strategy was launched in July 1995 which sets goals and targets for a reduction in rates of avoidable illness and premature disease and death.

In relation to accidents, the Strategy has set as a goal a reduction of 10 per cent in mortality due to accidents within the next ten years and a significant reduction in morbidity particularly among children.

This is to be achieved by promoting educational programmes to improve knowledge and safety skills in the home and in other environments and by working with appropriate Government departments and agencies to introduce measures which facilitate a safer environment.

SPECIFIC INITIATIVES

The Health Promotion Unit has produced or supported the production of a number of educational resources aimed at preventing accidents.

- 1) Play it Safe: a guide to preventing children's accidents.
- 2) A First Aid Calender giving information on what to do in the event of an accident.
- 3) A Cardio-Pulmonary Resuscitation Chart.
- 4) A Back Care booklet aimed at preventing back injury.
- 5) The Health Promotion Unit also provided financial support for the distribution of an award winning video, "Dolly's House of Horrors", on the prevention of accidents to children, sponsored by the Amev Insurance Company.
- 6) The Health Promotion Unit, in conjunction with the Commission of the European Union (Consumer Protection Service), has provided financial support for the printing of copies, for distribution in Ireland, of a booklet, "Keep Your Baby Safe", the consumer guide to safe nursery equipment. The booklet was produced by the Consumer Association of Ireland.
- 7) The Health Promotion Unit is also one of a number of organisations which provided financial support for the production, by the Irish Farmers' Association's National Farm Safety Committee, of a Children's Educational Video and Related Activity Pack on Farm Safety. This video, "Farming - A Way of Life" received the supreme award from the European Commission for a video produced during European Year of Health and Safety (1992).
- 8) The Health Promotion Unit has also provided financial support for the production, by the Arthritis Foundation, of a leaflet and posters on the Prevention of Sports Injuries.
- 9) The Health Promotion Unit has also provided financial support for educational materials developed by the Irish Red Cross. These materials are targeted at young children and promote safety education.

NATIONAL ACCIDENT FORUM

The Office of Health Gain (representing the Chief Executive Officers of the health boards) has established a National Accident Forum. Its aim is to facilitate a co-ordinated approach to accident prevention at national and regional level by facilitating collaboration and co-operation among agencies with a role in accident prevention and by raising the profile and scope of injury prevention. The Health Promotion Unit is represented on the Forum.

USE OF EHLASS DATA

The present report is the seventh national report for Ireland based on EHLASS data. These reports will assist in the coming years in targeting age groups, activities, and products of particular risk in the area of home and leisure accidents.

In addition, EHLASS provides a harmonised approach throughout the EU to facilitate the analyses of inter-country differences in modes and distributions of home and leisure accidents. In this respect, it contributes to the formulation of EU policies and initiatives on accidents and product safety.

The following are some of the specific uses of EHLASS data and analyses in recent months:

- continuing use in Health Promotion publications and campaigns, particularly in relation to the prevention of children's accidents (see SPECIFIC INITIATIVES, p. 26);
- provision of information on request to the Consumer Association of Ireland;
- collaboration with the Health and Safety Authority;
- supply of product-related injury data to an international consumer product-testing and consulting company;
- research regarding accidents involving foreign bodies through natural orifices for the University of Athens' Centre for Research and Prevention of Injuries Among the Young;
- producing information on accidents involving highchairs for the Department of Trade and Industry, UK; and
- provision of statistics on accidents involving fires in camping tents and on accidents involving glass in furniture to the British Standards Institute.

IMPROVEMENTS TO EHLASS

At EU level a major review of EHLASS is nearing completion. Its recommended changes aimed at updating and improving the usefulness and homogeneity of EHLASS data both within member states and throughout the EU are likely to be implemented from the beginning of 1998. The principal benefits will be improved classification systems and greater scope for detailed comparative analyses. The proposed changes should also facilitate the use of EHLASS methodology in capturing information on other types of accident and emergency activity. This would provide member states with the option of using standard classification systems to obtain an overview of all cases attending casualty departments.

At national level, efforts are in progress to increase awareness and use of EHLASS data through wider circulation and ongoing discussion with organisations and individuals involved in the area of accident prevention.

The extension of EHLASS to a further urban hospital to allow for the calculation of national estimates of home and leisure accidents and the determination of risk remains an important objective.

APPENDIX

DETAILED TABLES OF RESULTS

ACCIDENT MECHANISM

MALES BY AGE

DISTRIBUTION OF ACCIDENT MECHANISM BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
FALL	FREQUENCY	20	219	631	464	334	164	104	11	1947
	ROW %	1.03	11.25	32.41	23.83	17.15	8.42	5.34	0.56	100.00
	COLUMN %	80.00	53.81	39.05	19.50	24.70	47.40	63.41	52.38	30.86
	% OF TOTAL	0.32	3.47	10.00	7.35	5.29	2.60	1.65	0.17	30.86
STRAIN	FREQUENCY	-	4	31	131	88	22	4	-	280
	ROW %	-	1.43	11.07	46.79	31.43	7.86	1.43	-	100.00
	COLUMN %	-	0.98	1.92	5.51	6.51	6.36	2.44	-	4.44
	% OF TOTAL	-	0.06	0.49	2.08	1.39	0.35	0.06	-	4.44
CUT/PIERCE	FREQUENCY	-	23	66	66	99	39	18	2	313
	ROW %	-	7.35	21.09	21.09	31.63	12.46	5.75	0.64	100.00
	COLUMN %	-	5.65	4.08	2.77	7.32	11.27	10.98	9.52	4.96
	% OF TOTAL	-	0.36	1.05	1.05	1.57	0.62	0.29	0.03	4.96
STRUCK/ HIT	FREQUENCY	-	51	804	1616	706	55	20	4	3256
	ROW %	-	1.57	24.69	49.63	21.68	1.69	0.61	0.12	100.00
	COLUMN %	-	12.53	49.75	67.93	52.22	15.90	12.20	19.05	51.60
	% OF TOTAL	-	0.81	12.74	25.61	11.19	0.87	0.32	0.06	51.60
JAMMED/PINCHED	FREQUENCY	1	34	47	47	54	31	3	2	219
	ROW %	0.46	15.53	21.46	21.46	24.66	14.16	1.37	0.91	100.00
	COLUMN %	4.00	8.35	2.91	1.98	3.99	8.96	1.83	9.52	3.47
	% OF TOTAL	0.02	0.54	0.74	0.74	0.86	0.49	0.05	0.03	3.47
EXPLOSION	FREQUENCY	-	-	-	-	-	-	-	-	-
	ROW %	-	-	-	-	-	-	-	-	-
	COLUMN %	-	-	-	-	-	-	-	-	-
	% OF TOTAL	-	-	-	-	-	-	-	-	-

(CONTINUED)

ACCIDENT MECHANISM

MALES BY AGE (continued)

DISTRIBUTION OF ACCIDENT MECHANISM BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
OTHER CONTACTS	FREQUENCY	-	9	11	8	7	5	3	-	43
	ROW %	-	20.93	25.58	18.60	16.28	11.63	6.98	-	100.00
	COLUMN %	-	2.21	0.68	0.34	0.52	1.45	1.83	-	0.68
	% OF TOTAL	-	0.14	0.17	0.13	0.11	0.08	0.05	-	0.68
FOREIGN BODY, INGESTION OF ETC.	FREQUENCY	-	10	13	25	44	21	7	2	122
	ROW %	-	8.20	10.66	20.49	36.07	17.21	5.74	1.64	100.00
	COLUMN %	-	2.46	0.80	1.05	3.25	6.07	4.27	9.52	1.93
	% OF TOTAL	-	0.16	0.21	0.40	0.70	0.33	0.11	0.03	1.93
DROWNING AND NEAR DROWNING	FREQUENCY	-	-	-	1	11	-	-	-	2
	ROW %	-	-	-	50.00	50.00	-	-	-	100.00
	COLUMN %	-	-	-	0.04	0.07	-	-	-	0.03
	% OF TOTAL	-	-	-	0.02	0.02	-	-	-	0.03
POISONING	FREQUENCY	-	32	2	5	11	-	-	-	40
	ROW %	-	80.00	5.00	12.50	2.50	-	-	-	100.00
	COLUMN %	-	7.86	0.12	0.21	0.07	-	-	-	0.63
	% OF TOTAL	-	0.51	0.03	0.08	0.02	-	-	-	0.63
CHEMICAL EXPOSURE	FREQUENCY	-	-	-	1	2	1	-	-	4
	ROW %	-	-	-	25.00	50.00	25.00	-	-	100.00
	COLUMN %	-	-	-	0.04	0.15	0.29	-	-	0.06
	% OF TOTAL	-	-	-	0.02	0.03	0.02	-	-	0.06
HOT LIQUID	FREQUENCY	4	17	7	5	3	4	2	-	42
	ROW %	9.52	40.48	16.67	11.90	7.14	9.52	4.76	-	100.00
	COLUMN %	16.00	4.18	0.43	0.21	0.22	1.16	1.22	-	0.67
	% OF TOTAL	0.06	0.27	0.11	0.08	0.05	0.06	0.03	-	0.67

(CONTINUED)

ACCIDENT MECHANISM

MALES BY AGE (continued)

DISTRIBUTION OF ACCIDENT MECHANISM BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							ALL AGE GROUPS	
		< 1	1-4	5-14	15-24	25-44	45-64	65+		
HOT OBJECT	FREQUENCY	-	8	1	1	3	-	-	13	
	ROW %	-	61.54	7.69	7.69	23.08	-	-	100.00	
	COLUMN %	-	1.97	0.06	0.04	0.22	-	-	0.21	
	% OF TOTAL	-	0.13	0.02	0.02	0.05	-	-	0.21	
FIRE	FREQUENCY	-	-	3	6	7	3	3	22	
	ROW %	-	-	13.64	27.27	31.82	13.64	13.64	100.00	
	COLUMN %	-	-	0.19	0.25	0.52	0.87	1.83	0.35	
	% OF TOTAL	-	-	0.05	0.10	0.11	0.05	0.05	0.35	
LIGHT & OTHER RADIATION	FREQUENCY	-	-	-	2	1	1	-	4	
	ROW %	-	-	-	50.00	25.00	25.00	-	100.00	
	COLUMN %	-	-	-	0.08	0.07	0.29	-	0.06	
	% OF TOTAL	-	-	-	0.03	0.02	0.02	-	0.06	
ELECTRICITY	FREQUENCY	-	-	-	-	2	-	-	2	
	ROW %	-	-	-	-	100.00	-	-	100.00	
	COLUMN %	-	-	-	-	0.15	-	-	0.03	
	% OF TOTAL	-	-	-	-	0.03	-	-	0.03	
OTHER MECHANISM SPECIFIED	FREQUENCY	-	-	-	-	1	-	-	1	
	ROW %	-	-	-	-	100.00	-	-	100.00	
	COLUMN %	-	-	-	-	0.04	-	-	0.02	
	% OF TOTAL	-	-	-	-	0.02	-	-	0.02	
TOTAL	FREQUENCY	25	407	1616	2379	1352	346	164	21	6310
	ROW %	0.40	6.45	25.61	37.70	21.43	5.48	2.60	0.33	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.40	6.45	25.61	37.70	21.43	5.48	2.60	0.33	100.00

ACCIDENT MECHANISM

FEMALES BY AGE

DISTRIBUTION OF ACCIDENT MECHANISM BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
FALL	FREQUENCY	19	173	468	259	220	219	228	8	1594
	ROW %	1.19	10.85	29.36	16.25	13.80	13.74	14.30	0.50	100.00
	COLUMN %	76.00	50.29	54.55	44.12	44.35	62.75	78.62	66.67	53.83
	% OF TOTAL	0.64	5.84	15.81	8.75	7.43	7.40	7.70	0.27	53.83
STRAIN	FREQUENCY	-	7	27	24	28	19	11	-	116
	ROW %	-	6.03	23.28	20.69	24.14	16.38	9.48	-	100.00
	COLUMN %	-	2.03	3.15	4.09	5.65	5.44	3.79	-	3.92
	% OF TOTAL	-	0.24	0.91	0.81	0.95	0.64	0.37	-	3.92
CUT/PIERCE	FREQUENCY	-	17	24	35	48	25	9	3	161
	ROW %	-	10.56	14.91	21.74	29.81	15.53	5.59	1.86	100.00
	COLUMN %	-	4.94	2.80	5.96	9.68	7.16	3.10	25.00	5.44
	% OF TOTAL	-	0.57	0.81	1.18	1.62	0.84	0.30	0.10	5.44
STRUCK/ HIT	FREQUENCY	2	34	259	226	123	50	25	-	719
	ROW %	0.28	4.73	36.02	31.43	17.11	6.95	3.48	-	100.00
	COLUMN %	8.00	9.88	30.19	38.50	24.80	14.33	8.62	-	24.28
	% OF TOTAL	0.07	1.15	8.75	7.63	4.15	1.69	0.84	-	24.28
JAMMED/PINCHED	FREQUENCY	1	30	43	19	21	13	9	-	136
	ROW %	0.74	22.06	31.62	13.97	15.44	9.56	6.62	-	100.00
	COLUMN %	4.00	8.72	5.01	3.24	4.23	3.72	3.10	-	4.59
	% OF TOTAL	0.03	1.01	1.45	0.64	0.71	0.44	0.30	-	4.59
EXPLOSION	FREQUENCY	-	-	-	1	-	-	-	-	1
	ROW %	-	-	-	100.00	-	-	-	-	100.00
	COLUMN %	-	-	-	0.17	-	-	-	-	0.03
	% OF TOTAL	-	-	-	0.03	-	-	-	-	0.03

(CONTINUED)

ACCIDENT MECHANISM

FEMALES BY AGE (continued)

DISTRIBUTION OF ACCIDENT MECHANISM BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							ALL AGE GROUPS		
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	1	57
OTHER CONTACTS	FREQUENCY	-	8	12	7	17	7	5	-	-	57
	ROW %	-	14.04	21.05	12.28	29.82	12.28	8.77	1.75	-	100.00
	COLUMN %	-	2.33	1.40	1.19	3.43	2.01	1.72	8.33	-	1.93
	% OF TOTAL	-	0.27	0.41	0.24	0.57	0.24	0.17	0.03	-	1.93
FOREIGN BODY, INGESTION OF ETC.	FREQUENCY	1	24	10	5	22	8	2	-	-	72
	ROW %	1.39	33.33	13.89	6.94	30.56	11.11	2.78	-	-	100.00
	COLUMN %	4.00	6.98	1.17	0.85	4.44	2.29	0.69	-	-	2.43
	% OF TOTAL	0.03	0.81	0.34	0.17	0.74	0.27	0.07	-	-	2.43
DROWNING AND NEAR DROWNING	FREQUENCY	-	-	-	-	-	-	-	-	-	-
	ROW %	-	-	-	-	-	-	-	-	-	-
	COLUMN %	-	-	-	-	-	-	-	-	-	-
	% OF TOTAL	-	-	-	-	-	-	-	-	-	-
POISONING	FREQUENCY	-	30	3	1	1	1	-	-	-	36
	ROW %	-	83.33	8.33	2.78	2.78	2.78	-	-	-	100.00
	COLUMN %	-	8.72	0.35	0.17	0.20	0.29	-	-	-	1.22
	% OF TOTAL	-	1.01	0.10	0.03	0.03	0.03	-	-	-	1.22
CHEMICAL EXPOSURE	FREQUENCY	-	1	-	-	-	-	1	-	-	2
	ROW %	-	50.00	-	-	-	-	50.00	-	-	100.00
	COLUMN %	-	0.29	-	-	-	-	0.34	-	-	0.07
	% OF TOTAL	-	0.03	-	-	-	-	0.03	-	-	0.07
HOT LIQUID	FREQUENCY	1	16	7	7	9	5	-	-	-	45
	ROW %	2.22	35.56	15.56	15.56	20.00	11.11	-	-	-	100.00
	COLUMN %	4.00	4.65	0.82	1.19	1.81	1.43	-	-	-	1.52
	% OF TOTAL	0.03	0.54	0.24	0.24	0.30	0.17	-	-	-	1.52

(CONTINUED)

ACCIDENT MECHANISM

FEMALES BY AGE (continued)

DISTRIBUTION OF ACCIDENT MECHANISM BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							ALL AGE GROUPS	
		< 1	1-4	5-14	15-24	25-44	45-64	65+		
HOT OBJECT	FREQUENCY	1	2	2	1	2	-	-	8	
	ROW %	12.50	25.00	25.00	12.50	25.00	-	-	100.00	
	COLUMN %	4.00	0.58	0.23	0.17	0.40	-	-	0.27	
	% OF TOTAL	0.03	0.07	0.07	0.03	0.07	-	-	0.27	
FIRE	FREQUENCY	-	2	1	2	4	2	-	11	
	ROW %	-	18.18	9.09	18.18	36.36	18.18	-	100.00	
	COLUMN %	-	0.58	0.12	0.34	0.81	0.57	-	0.37	
	% OF TOTAL	-	0.07	0.03	0.07	0.14	0.07	-	0.37	
LIGHT & OTHER RADIATION	FREQUENCY	-	-	1	-	1	-	-	2	
	ROW %	-	-	50.00	-	50.00	-	-	100.00	
	COLUMN %	-	-	0.12	-	0.20	-	-	0.07	
	% OF TOTAL	-	-	0.03	-	0.03	-	-	0.07	
ELECTRICITY	FREQUENCY	-	-	-	-	-	-	-	-	
	ROW %	-	-	-	-	-	-	-	-	
	COLUMN %	-	-	-	-	-	-	-	-	
	% OF TOTAL	-	-	-	-	-	-	-	-	
OTHER MECHANISM SPECIFIED	FREQUENCY	-	-	1	-	-	-	-	1	
	ROW %	-	-	100.00	-	-	-	-	100.00	
	COLUMN %	-	-	0.12	-	-	-	-	0.03	
	% OF TOTAL	-	-	0.03	-	-	-	-	0.03	
TOTAL	FREQUENCY	25	344	858	587	496	349	290	12	2961
	ROW %	0.84	11.62	28.98	19.82	16.75	11.79	9.79	0.41	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.84	11.62	28.98	19.82	16.75	11.79	9.79	0.41	100.00

ACCIDENT MECHANISM

TOTAL BY AGE

DISTRIBUTION OF ACCIDENT MECHANISM BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups
FALL	FREQUENCY	39	392	1099	723	554	383	332	19	3541
	ROW %	1.10	11.07	31.04	20.42	15.65	10.82	9.38	0.54	100.00
	COLUMN %	78.00	52.20	44.42	24.38	29.98	55.11	73.13	57.58	38.19
	% OF TOTAL	0.42	4.23	11.85	7.80	5.98	4.13	3.58	0.20	38.19
STRAIN	FREQUENCY	-	11	58	155	116	41	15	-	396
	ROW %	-	2.78	14.65	39.14	29.29	10.35	3.79	-	100.00
	COLUMN %	-	1.46	2.34	5.23	6.28	5.90	3.30	-	4.27
	% OF TOTAL	-	0.12	0.63	1.67	1.25	0.44	0.16	-	4.27
CUT/PIERCE	FREQUENCY	-	40	90	101	147	64	27	-	474
	ROW %	-	8.44	18.99	21.31	31.01	13.50	5.70	1.05	100.00
	COLUMN %	-	5.33	3.64	3.41	7.95	9.21	5.95	15.15	5.11
	% OF TOTAL	-	0.43	0.97	1.09	1.59	0.69	0.29	0.05	5.11
STRUCK/ HIT	FREQUENCY	2	85	1063	1842	829	105	45	4	3975
	ROW %	0.05	2.14	26.74	46.34	20.86	2.64	1.13	0.10	100.00
	COLUMN %	4.00	11.32	42.97	62.10	44.86	15.11	9.91	12.12	42.88
	% OF TOTAL	0.02	0.92	11.47	19.87	8.94	1.13	0.49	0.04	42.88
JAMMED/PINCHED	FREQUENCY	2	64	90	66	75	44	12	2	355
	ROW %	0.56	18.03	25.35	18.59	21.13	12.39	3.38	0.56	100.00
	COLUMN %	4.00	8.52	3.64	2.23	4.06	6.33	2.64	6.06	3.83
	% OF TOTAL	0.02	0.69	0.97	0.71	0.81	0.47	0.13	0.02	3.83
EXPLOSION	FREQUENCY	-	-	-	1	-	-	-	-	1
	ROW %	-	-	-	100.00	-	-	-	-	100.00
	COLUMN %	-	-	-	0.03	-	-	-	-	0.01
	% OF TOTAL	-	-	-	0.01	-	-	-	-	0.01

(CONTINUED)

ACCIDENT MECHANISM

TOTAL BY AGE (continued)

DISTRIBUTION OF ACCIDENT MECHANISM BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
OTHER CONTACTS	FREQUENCY	-	17	23	15	24	12	8	1	100
	ROW %	-	17.00	23.00	15.00	24.00	12.00	8.00	1.00	100.00
	COLUMN %	-	2.26	0.93	0.51	1.30	1.73	1.76	3.03	1.08
	% OF TOTAL	-	0.18	0.25	0.16	0.26	0.13	0.09	0.01	1.08
FOREIGN BODY, INGESTION OF ETC.	FREQUENCY	1	34	23	30	66	29	9	2	194
	ROW %	0.52	17.53	11.86	15.46	34.02	14.95	4.64	1.03	100.00
	COLUMN %	2.00	4.53	0.93	1.01	3.57	4.17	1.98	6.06	2.09
	% OF TOTAL	0.01	0.37	0.25	0.32	0.71	0.31	0.10	0.02	2.09
DROWNING AND NEAR DROWNING	FREQUENCY	-	-	-	1	1	-	-	-	2
	ROW %	-	-	-	50.00	50.00	-	-	-	100.00
	COLUMN %	-	-	-	0.03	0.05	-	-	-	0.02
	% OF TOTAL	-	-	-	0.01	0.01	-	-	-	0.02
POISONING	FREQUENCY	-	62	5	6	2	1	-	-	76
	ROW %	-	81.58	6.58	7.89	2.63	1.32	-	-	100.00
	COLUMN %	-	8.26	0.20	0.20	0.11	0.14	-	-	0.82
	% OF TOTAL	-	0.67	0.05	0.06	0.02	0.01	-	-	0.82
CHEMICAL EXPOSURE	FREQUENCY	-	1	-	1	2	1	1	-	6
	ROW %	-	16.67	-	16.67	33.33	16.67	16.67	-	100.00
	COLUMN %	-	0.13	-	0.03	0.11	0.14	0.22	-	0.06
	% OF TOTAL	-	0.01	-	0.01	0.02	0.01	0.01	-	0.06
HOT LIQUID	FREQUENCY	5	33	14	12	12	9	2	-	87
	ROW %	5.75	37.93	16.09	13.79	13.79	10.34	2.30	-	100.00
	COLUMN %	10.00	4.39	0.57	0.40	0.65	1.29	0.44	-	0.94
	% OF TOTAL	0.05	0.36	0.15	0.13	0.13	0.10	0.02	-	0.94

(CONTINUED)

ACCIDENT MECHANISM

TOTAL BY AGE (continued)

DISTRIBUTION OF ACCIDENT MECHANISM BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups
HOT OBJECT	FREQUENCY	1	10	3	2	5	-	-	-	21
	ROW %	4.76	47.62	14.29	9.52	23.81	-	-	-	100.00
	COLUMN %	2.00	1.33	0.12	0.07	0.27	-	-	-	0.23
	% OF TOTAL	0.01	0.11	0.03	0.02	0.05	-	-	-	0.23
FIRE	FREQUENCY	-	2	4	8	11	5	3	-	33
	ROW %	-	6.06	12.12	24.24	33.33	15.15	9.09	-	100.00
	COLUMN %	-	0.27	0.16	0.27	0.60	0.72	0.66	-	0.36
	% OF TOTAL	-	0.02	0.04	0.09	0.12	0.05	0.03	-	0.36
LIGHT & OTHER RADIATION	FREQUENCY	-	-	1	2	2	1	-	-	6
	ROW %	-	-	16.67	33.33	33.33	16.67	-	-	100.00
	COLUMN %	-	-	0.04	0.07	0.11	0.14	-	-	0.06
	% OF TOTAL	-	-	0.01	0.02	0.02	0.01	-	-	0.06
ELECTRICITY	FREQUENCY	-	-	-	-	2	-	-	-	2
	ROW %	-	-	-	-	100.00	-	-	-	100.00
	COLUMN %	-	-	-	-	0.11	-	-	-	0.02
	% OF TOTAL	-	-	-	-	0.02	-	-	-	0.02
OTHER MECHANISM SPECIFIED	FREQUENCY	-	-	1	1	-	-	-	-	2
	ROW %	-	-	50.00	50.00	-	-	-	-	100.00
	COLUMN %	-	-	0.04	0.03	-	-	-	-	0.02
	% OF TOTAL	-	-	0.01	0.01	-	-	-	-	0.02
TOTAL	FREQUENCY	50	751	2474	2966	1848	695	454	33	9271
	ROW %	0.54	8.10	26.69	31.99	19.93	7.50	4.90	0.36	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.54	8.10	26.69	31.99	19.93	7.50	4.90	0.36	100.00

PLACE OF OCCURRENCE

MALES BY AGE

DISTRIBUTION OF PLACE OF ACCIDENT BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups
IN THE HOME	FREQUENCY	24	255	153	78	105	62	48	3	728
	ROW %	3.30	35.03	21.02	10.71	14.42	8.52	6.59	0.41	100.00
	COLUMN %	96.00	62.65	9.47	3.28	7.77	17.92	29.27	14.29	11.54
	% OF TOTAL	0.38	4.04	2.42	1.24	1.66	0.98	0.76	0.05	11.54
AROUND THE HOME	FREQUENCY	1	120	410	155	136	92	56	6	976
	ROW %	0.10	12.30	42.01	15.88	13.93	9.43	5.74	0.61	100.00
	COLUMN %	4.00	29.48	25.37	6.52	10.06	26.59	34.15	28.57	15.47
	% OF TOTAL	0.02	1.90	6.50	2.46	2.16	1.46	0.89	0.10	15.47
TRANSPORT AREA	FREQUENCY	-	1	27	14	23	12	10	-	87
	ROW %	-	1.15	31.03	16.09	26.44	13.79	11.49	-	100.00
	COLUMN %	-	0.25	1.67	0.59	1.70	3.47	6.10	-	1.38
	% OF TOTAL	-	0.02	0.43	0.22	0.36	0.19	0.16	-	1.38
WORK SITE/AGRICULTURAL AREA	FREQUENCY	-	3	14	83	178	87	23	4	392
	ROW %	-	0.77	3.57	21.17	45.41	22.19	5.87	1.02	100.00
	COLUMN %	-	0.74	0.87	3.49	13.17	25.14	14.02	19.05	6.21
	% OF TOTAL	-	0.05	0.22	1.32	2.82	1.38	0.36	0.06	6.21
SCHOOL AREA	FREQUENCY	-	6	72	11	-	-	-	-	89
	ROW %	-	6.74	80.90	12.36	-	-	-	-	100.00
	COLUMN %	-	1.47	4.46	0.46	-	-	-	-	1.41
	% OF TOTAL	-	0.10	1.14	0.17	-	-	-	-	1.41
SHOP/SERVICE AREA	FREQUENCY	-	6	2	27	16	17	7	2	77
	ROW %	-	7.79	2.60	35.06	20.78	22.08	9.09	2.60	100.00
	COLUMN %	-	1.47	0.12	1.13	1.18	4.91	4.27	9.52	1.22
	% OF TOTAL	-	0.10	0.03	0.43	0.25	0.27	0.11	0.03	1.22

(CONTINUED)

PLACE OF OCCURRENCE

MALES BY AGE (continued)

DISTRIBUTION OF PLACE OF ACCIDENT BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
SPORTS AREA	FREQUENCY	-	7	853	1869	792	41	2	2	3566
	ROW %	-	0.20	23.92	52.41	22.21	1.15	0.06	0.06	100.00
	COLUMN %	-	1.72	52.78	78.56	58.58	11.85	1.22	9.52	56.51
	% OF TOTAL	-	0.11	13.52	29.62	12.55	0.65	0.03	0.03	56.51
LEISURE AREA	FREQUENCY	-	7	63	117	88	27	17	4	323
	ROW %	-	2.17	19.50	36.22	27.24	8.36	5.26	1.24	100.00
	COLUMN %	-	1.72	3.90	4.92	6.51	7.80	10.37	19.05	5.12
	% OF TOTAL	-	0.11	1.00	1.85	1.39	0.43	0.27	0.06	5.12
OTHER AREAS	FREQUENCY	-	1	15	6	2	6	-	-	30
	ROW %	-	3.33	50.00	20.00	6.67	20.00	-	-	100.00
	COLUMN %	-	0.25	0.93	0.25	0.15	1.73	-	-	0.48
	% OF TOTAL	-	0.02	0.24	0.10	0.03	0.10	-	-	0.48
NOT KNOWN	FREQUENCY	-	1	7	19	12	2	1	-	42
	ROW %	-	2.38	16.67	45.24	28.57	4.76	2.38	-	100.00
	COLUMN %	-	0.25	0.43	0.80	0.89	0.58	0.61	-	0.67
	% OF TOTAL	-	0.02	0.11	0.30	0.19	0.03	0.02	-	0.67
TOTAL	FREQUENCY	25	407	1616	2379	1352	346	164	21	6310
	ROW %	0.40	6.45	25.61	37.70	21.43	5.48	2.60	0.33	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.40	6.45	25.61	37.70	21.43	5.48	2.60	0.33	100.00

PLACE OF OCCURRENCE

FEMALES BY AGE

DISTRIBUTION OF PLACE OF ACCIDENT BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
IN THE HOME	FREQUENCY	23	232	146	113	184	147	168	3	1016
	ROW %	2.26	22.83	14.37	11.12	18.11	14.47	16.54	0.30	100.00
	COLUMN %	92.00	67.44	17.02	19.25	37.10	42.12	57.93	25.00	34.31
	% OF TOTAL	0.78	7.84	4.93	3.82	6.21	4.96	5.67	0.10	34.31
AROUND THE HOME	FREQUENCY	1	78	289	67	95	100	81	4	715
	ROW %	0.14	10.91	40.42	9.37	13.29	13.99	11.33	0.56	100.00
	COLUMN %	4.00	22.67	33.68	11.41	19.15	28.65	27.93	33.33	24.15
	% OF TOTAL	0.03	2.63	9.76	2.26	3.21	3.38	2.74	0.14	24.15
TRANSPORT AREA	FREQUENCY	-	4	15	9	8	14	7	-	57
	ROW %	-	7.02	26.32	15.79	14.04	24.56	12.28	-	100.00
	COLUMN %	-	1.16	1.75	1.53	1.61	4.01	2.41	-	1.93
	% OF TOTAL	-	0.14	0.51	0.30	0.27	0.47	0.24	-	1.93
WORK SITE/AGRICULTURAL AREA	FREQUENCY	-	2	8	21	28	14	2	2	77
	ROW %	-	2.60	10.39	27.27	36.36	18.18	2.60	2.60	100.00
	COLUMN %	-	0.58	0.93	3.58	5.65	4.01	0.69	16.67	2.60
	% OF TOTAL	-	0.07	0.27	0.71	0.95	0.47	0.07	0.07	2.60
SCHOOL AREA	FREQUENCY	-	2	38	12	-	-	-	-	52
	ROW %	-	3.85	73.08	23.08	-	-	-	-	100.00
	COLUMN %	-	0.58	4.43	2.04	-	-	-	-	1.76
	% OF TOTAL	-	0.07	1.28	0.41	-	-	-	-	1.76
SHOP/SERVICE AREA	FREQUENCY	-	7	4	16	23	26	23	-	99
	ROW %	-	7.07	4.04	16.16	23.23	26.26	23.23	-	100.00
	COLUMN %	-	2.03	0.47	2.73	4.64	7.45	7.93	-	3.34
	% OF TOTAL	-	0.24	0.14	0.54	0.78	0.88	0.78	-	3.34

(CONTINUED)

PLACE OF OCCURRENCE

FEMALES BY AGE (continued)

DISTRIBUTION OF PLACE OF ACCIDENT BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

	SPORTS AREA	LEISURE AREA	OTHER AREAS	NOT KNOWN	AGE GROUPS							ALL AGE GROUPS	
					< 1	1-4	5-14	15-24	25-44	45-64	65+		
					6	275	249	102	15	2	-	649	
					0.92	42.37	38.37	15.72	2.31	0.31	-	100.00	
					1.74	32.05	42.42	20.56	4.30	0.69	-	21.92	
					0.20	9.29	8.41	3.44	0.51	0.07	-	21.92	
					1	8	69	91	47	27	4	3	250
					0.40	3.20	27.60	36.40	18.80	10.80	1.60	1.20	100.00
					4.00	2.33	8.04	15.50	9.48	7.74	1.38	25.00	8.44
					0.03	0.27	2.33	3.07	1.59	0.91	0.14	0.10	8.44
					5	10	1	6	4	2	-	28	
					17.86	35.71	3.57	21.43	14.29	7.14	-	100.00	
					1.45	1.17	0.17	1.21	1.15	0.69	-	0.95	
					0.17	0.34	0.03	0.20	0.14	0.07	-	0.95	
					-	-	-	-	-	-	-	18	
					22.22	44.44	16.67	11.11	5.56	-	-	100.00	
					0.47	1.36	0.60	0.57	0.34	-	-	0.61	
					0.14	0.27	0.10	0.07	0.03	-	-	0.61	
	TOTAL				25	344	858	587	496	349	290	12	2961
					0.84	11.62	28.98	19.82	16.75	11.79	9.79	0.41	100.00
					100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
					0.84	11.62	28.98	19.82	16.75	11.79	9.79	0.41	100.00

PLACE OF OCCURRENCE

TOTAL BY AGE

DISTRIBUTION OF PLACE OF ACCIDENT BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups
IN THE HOME	FREQUENCY	47	487	299	191	289	209	216	6	1744
	ROW %	2.69	27.92	17.14	10.95	16.57	11.98	12.39	0.34	100.00
	COLUMN %	94.00	64.85	12.09	6.44	15.64	30.07	47.58	18.18	18.81
	% OF TOTAL	0.51	5.25	3.23	2.06	3.12	2.25	2.33	0.06	18.81
AROUND THE HOME	FREQUENCY	2	198	699	222	231	192	137	10	1691
	ROW %	0.12	11.71	41.34	13.13	13.66	11.35	8.10	0.59	100.00
	COLUMN %	4.00	26.36	28.25	7.48	12.50	27.63	30.18	30.30	18.24
	% OF TOTAL	0.02	2.14	7.54	2.39	2.49	2.07	1.48	0.11	18.24
TRANSPORT AREA	FREQUENCY	-	5	42	23	31	26	17	-	144
	ROW %	-	3.47	29.17	15.97	21.53	18.06	11.81	-	100.00
	COLUMN %	-	0.67	1.70	0.78	1.68	3.74	3.74	-	1.55
	% OF TOTAL	-	0.05	0.45	0.25	0.33	0.28	0.18	-	1.55
WORK SITE/AGRICULTURAL AREA	FREQUENCY	-	5	22	104	206	101	25	6	469
	ROW %	-	1.07	4.69	22.17	43.92	21.54	5.33	1.28	100.00
	COLUMN %	-	0.67	0.89	3.51	11.15	14.53	5.51	18.18	5.06
	% OF TOTAL	-	0.05	0.24	1.12	2.22	1.09	0.27	0.06	5.06
SCHOOL AREA	FREQUENCY	-	8	110	23	-	-	-	-	141
	ROW %	-	5.67	78.01	16.31	-	-	-	-	100.00
	COLUMN %	-	1.07	4.45	0.78	-	-	-	-	1.52
	% OF TOTAL	-	0.09	1.19	0.25	-	-	-	-	1.52
SHOP/SERVICE AREA	FREQUENCY	-	13	6	43	39	43	30	2	176
	ROW %	-	7.39	3.41	24.43	22.16	24.43	17.05	1.14	100.00
	COLUMN %	-	1.73	0.24	1.45	2.11	6.19	6.61	6.06	1.90
	% OF TOTAL	-	0.14	0.06	0.46	0.42	0.46	0.32	0.02	1.90

(CONTINUED)

PLACE OF OCCURRENCE

TOTAL BY AGE (continued)

DISTRIBUTION OF PLACE OF ACCIDENT BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups
SPORTS AREA	FREQUENCY	-	13	1128	2118	894	56	4	2	4215
	ROW %	-	0.31	26.76	50.25	21.21	1.33	0.09	0.05	100.00
	COLUMN %	-	1.73	45.59	71.41	48.38	8.06	0.88	6.06	45.46
	% OF TOTAL	-	0.14	12.17	22.85	9.64	0.60	0.04	0.02	45.46
LEISURE AREA	FREQUENCY	1	15	132	208	135	54	21	7	573
	ROW %	0.17	2.62	23.04	36.30	23.56	9.42	3.66	1.22	100.00
	COLUMN %	2.00	2.00	5.34	7.01	7.31	7.77	4.63	21.21	6.18
	% OF TOTAL	0.01	0.16	1.42	2.24	1.46	0.58	0.23	0.08	6.18
OTHER AREAS	FREQUENCY	-	6	25	7	8	10	2	-	58
	ROW %	-	10.34	43.10	12.07	13.79	17.24	3.45	-	100.00
	COLUMN %	-	0.80	1.01	0.24	0.43	1.44	0.44	-	0.63
	% OF TOTAL	-	0.06	0.27	0.08	0.09	0.11	0.02	-	0.63
NOT KNOWN	FREQUENCY	-	1	11	27	15	4	2	-	60
	ROW %	-	1.67	18.33	45.00	25.00	6.67	3.33	-	100.00
	COLUMN %	-	0.13	0.44	0.91	0.81	0.58	0.44	-	0.65
	% OF TOTAL	-	0.01	0.12	0.29	0.16	0.04	0.02	-	0.65
TOTAL	FREQUENCY	50	751	2474	2966	1848	695	454	33	9271
	ROW %	0.54	8.10	26.69	31.99	19.93	7.50	4.90	0.36	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.54	8.10	26.69	31.99	19.93	7.50	4.90	0.36	100.00

ACTIVITY AT TIME OF ACCIDENT

MALES BY AGE

DISTRIBUTION OF ACTIVITY AT TIME OF ACCIDENT BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups
HOUSEHOLD ACTIVITY	FREQUENCY	-	-	9	22	36	26	17	1	111
	ROW %	-	-	8.11	19.82	32.43	23.42	15.32	0.90	100.00
	COLUMN %	-	-	0.56	0.92	2.66	7.51	10.37	4.76	1.76
	% OF TOTAL	-	-	0.14	0.35	0.57	0.41	0.27	0.02	1.76
"DO-IT-YOURSELF"/GARDENING	FREQUENCY	-	-	5	100	218	126	39	4	492
	ROW %	-	-	1.02	20.33	44.31	25.61	7.93	0.81	100.00
	COLUMN %	-	-	0.31	4.20	16.12	36.42	23.78	19.05	7.80
	% OF TOTAL	-	-	0.08	1.58	3.45	2.00	0.62	0.06	7.80
SHOPPING	FREQUENCY	-	-	-	2	1	5	2	-	10
	ROW %	-	-	-	20.00	10.00	50.00	20.00	-	100.00
	COLUMN %	-	-	-	0.08	0.07	1.45	1.22	-	0.16
	% OF TOTAL	-	-	-	0.03	0.02	0.08	0.03	-	0.16
SCHOOL ACTIVITY	FREQUENCY	-	-	-	-	1	-	-	-	1
	ROW %	-	-	-	-	100.00	-	-	-	100.00
	COLUMN %	-	-	-	-	0.07	-	-	-	0.02
	% OF TOTAL	-	-	-	-	0.02	-	-	-	0.02
SPORTS	FREQUENCY	-	7	810	1824	775	33	3	1	3453
	ROW %	-	0.20	23.46	52.82	22.44	0.96	0.09	0.03	100.00
	COLUMN %	-	1.72	50.12	76.67	57.32	9.54	1.83	4.76	54.72
	% OF TOTAL	-	0.11	12.84	28.91	12.28	0.52	0.05	0.02	54.72
PLAY/ LEISURE ACTIVITY	FREQUENCY	19	389	783	422	305	149	92	13	2172
	ROW %	0.87	17.91	36.05	19.43	14.04	6.86	4.24	0.60	100.00
	COLUMN %	76.00	95.58	48.45	17.74	22.56	43.06	56.10	61.90	34.42
	% OF TOTAL	0.30	6.16	12.41	6.69	4.83	2.36	1.46	0.21	34.42

(CONTINUED)

ACTIVITY AT TIME OF ACCIDENT

MALES BY AGE (continued)

DISTRIBUTION OF ACTIVITY AT TIME OF ACCIDENT BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
PERSONAL NEEDS	FREQUENCY	6	11	9	9	15	7	11	2	70
	ROW %	8.57	15.71	12.86	12.86	21.43	10.00	15.71	2.86	100.00
	COLUMN %	24.00	2.70	0.56	0.38	1.11	2.02	6.71	9.52	1.11
	% OF TOTAL	0.10	0.17	0.14	0.14	0.24	0.11	0.17	0.03	1.11
OTHER ACTIVITIES	FREQUENCY	-	-	-	-	-	-	-	-	-
	ROW %	-	-	-	-	-	-	-	-	-
	COLUMN %	-	-	-	-	-	-	-	-	-
	% OF TOTAL	-	-	-	-	-	-	-	-	-
NOT KNOWN	FREQUENCY	-	-	-	-	1	-	-	-	1
	ROW %	-	-	-	-	100.00	-	-	-	100.00
	COLUMN %	-	-	-	-	0.07	-	-	-	0.02
	% OF TOTAL	-	-	-	-	0.02	-	-	-	0.02
TOTAL	FREQUENCY	25	407	1616	2379	1352	346	164	21	6310
	ROW %	0.40	6.45	25.61	37.70	21.43	5.48	2.60	0.33	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.40	6.45	25.61	37.70	21.43	5.48	2.60	0.33	100.00

ACTIVITY AT TIME OF ACCIDENT

FEMALES BY AGE

DISTRIBUTION OF ACTIVITY AT TIME OF ACCIDENT BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
HOUSEHOLD ACTIVITY	FREQUENCY	-	-	4	35	76	77	80	-	272
	ROW %	-	-	1.47	12.87	27.94	28.31	29.41	-	100.00
	COLUMN %	-	-	0.47	5.96	15.32	22.06	27.59	-	9.19
	% OF TOTAL	-	-	0.14	1.18	2.57	2.60	2.70	-	9.19
"DO-IT-YOURSELF"/GARDENING	FREQUENCY	-	-	-	28	49	39	10	2	128
	ROW %	-	-	-	21.88	38.28	30.47	7.81	1.56	100.00
	COLUMN %	-	-	-	4.77	9.88	11.17	3.45	16.67	4.32
	% OF TOTAL	-	-	-	0.95	1.65	1.32	0.34	0.07	4.32
SHOPPING	FREQUENCY	-	1	-	3	4	7	7	-	22
	ROW %	-	4.55	-	13.64	18.18	31.82	31.82	-	100.00
	COLUMN %	-	0.29	-	0.51	0.81	2.01	2.41	-	0.74
	% OF TOTAL	-	0.03	-	0.10	0.14	0.24	0.24	-	0.74
SCHOOL ACTIVITY	FREQUENCY	-	-	-	1	-	-	-	-	1
	ROW %	-	-	-	100.00	-	-	-	-	100.00
	COLUMN %	-	-	-	0.17	-	-	-	-	0.03
	% OF TOTAL	-	-	-	0.03	-	-	-	-	0.03
SPORTS	FREQUENCY	-	6	227	210	84	13	1	-	541
	ROW %	-	1.11	41.96	38.82	15.53	2.40	0.18	-	100.00
	COLUMN %	-	1.74	26.46	35.78	16.94	3.72	0.34	-	18.27
	% OF TOTAL	-	0.20	7.67	7.09	2.84	0.44	0.03	-	18.27
PLAY/ LEISURE ACTIVITY	FREQUENCY	23	328	622	301	262	197	164	9	1906
	ROW %	1.21	17.21	32.63	15.79	13.75	10.34	8.60	0.47	100.00
	COLUMN %	92.00	95.35	72.49	51.28	52.82	56.45	56.55	75.00	64.37
	% OF TOTAL	0.78	11.08	21.01	10.17	8.85	6.65	5.54	0.30	64.37

(CONTINUED)

ACTIVITY AT TIME OF ACCIDENT

FEMALES BY AGE (continued)

DISTRIBUTION OF ACTIVITY AT TIME OF ACCIDENT BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
PERSONAL NEEDS	FREQUENCY	2	9	5	9	19	16	28	1 89
	ROW %	2.25	10.11	5.62	10.11	21.35	17.98	31.46	1.12 100.00
	COLUMN %	8.00	2.62	0.58	1.53	3.83	4.58	9.66	8.33 3.01
	% OF TOTAL	0.07	0.30	0.17	0.30	0.64	0.54	0.95	0.03 3.01
OTHER ACTIVITIES	FREQUENCY	-	-	-	-	1	-	-	1
	ROW %	-	-	-	-	100.00	-	-	100.00
	COLUMN %	-	-	-	-	0.20	-	-	0.03
	% OF TOTAL	-	-	-	-	0.03	-	-	0.03
NOT KNOWN	FREQUENCY	-	-	-	-	1	-	-	1
	ROW %	-	-	-	-	100.00	-	-	100.00
	COLUMN %	-	-	-	-	0.20	-	-	0.03
	% OF TOTAL	-	-	-	-	0.03	-	-	0.03
TOTAL	FREQUENCY	25	344	858	587	496	349	290	12 2961
	ROW %	0.84	11.62	28.98	19.82	16.75	11.79	9.79	0.41 100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00 100.00
	% OF TOTAL	0.84	11.62	28.98	19.82	16.75	11.79	9.79	0.41 100.00

ACTIVITY AT TIME OF ACCIDENT

TOTAL BY AGE

DISTRIBUTION OF ACTIVITY AT TIME OF ACCIDENT BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups
HOUSEHOLD ACTIVITY	FREQUENCY	-	-	13	57	112	103	97	1	383
	ROW %	-	-	3.39	14.88	29.24	26.89	25.33	0.26	100.00
	COLUMN %	-	-	0.53	1.92	6.06	14.82	21.37	3.03	4.13
	% OF TOTAL	-	-	0.14	0.61	1.21	1.11	1.05	0.01	4.13
"DO-IT-YOURSELF"/GARDENING	FREQUENCY	-	-	5	128	267	165	49	6	620
	ROW %	-	-	0.81	20.65	43.06	26.61	7.90	0.97	100.00
	COLUMN %	-	-	0.20	4.32	14.45	23.74	10.79	18.18	6.69
	% OF TOTAL	-	-	0.05	1.38	2.88	1.78	0.53	0.06	6.69
SHOPPING	FREQUENCY	-	1	-	5	5	12	9	-	32
	ROW %	-	3.13	-	15.63	15.63	37.50	28.13	-	100.00
	COLUMN %	-	0.13	-	0.17	0.27	1.73	1.98	-	0.35
	% OF TOTAL	-	0.01	-	0.05	0.05	0.13	0.10	-	0.35
SCHOOL ACTIVITY	FREQUENCY	-	-	-	1	1	-	-	-	2
	ROW %	-	-	-	50.00	50.00	-	-	-	100.00
	COLUMN %	-	-	-	0.03	0.05	-	-	-	0.02
	% OF TOTAL	-	-	-	0.01	0.01	-	-	-	0.02
SPORTS	FREQUENCY	-	13	1037	2034	859	46	4	1	3994
	ROW %	-	0.33	25.96	50.93	21.51	1.15	0.10	0.03	100.00
	COLUMN %	-	1.73	41.92	68.58	46.48	6.62	0.88	3.03	43.08
	% OF TOTAL	-	0.14	11.19	21.94	9.27	0.50	0.04	0.01	43.08
PLAY/ LEISURE ACTIVITY	FREQUENCY	42	717	1405	723	567	346	256	22	4078
	ROW %	1.03	17.58	34.45	17.73	13.90	8.48	6.28	0.54	100.00
	COLUMN %	84.00	95.47	56.79	24.38	30.68	49.78	56.39	66.67	43.99
	% OF TOTAL	0.45	7.73	15.15	7.80	6.12	3.73	2.76	0.24	43.99

(CONTINUED)

ACTIVITY AT TIME OF ACCIDENT

TOTAL BY AGE (continued)

DISTRIBUTION OF ACTIVITY AT TIME OF ACCIDENT BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
PERSONAL NEEDS	FREQUENCY	8	20	14	18	34	23	39	3	159
	ROW %	5.03	12.58	8.81	11.32	21.38	14.47	24.53	1.89	100.00
	COLUMN %	16.00	2.66	0.57	0.61	1.84	3.31	8.59	9.09	1.72
	% OF TOTAL	0.09	0.22	0.15	0.19	0.37	0.25	0.42	0.03	1.72
OTHER ACTIVITIES	FREQUENCY	-	-	-	-	1	-	-	-	1
	ROW %	-	-	-	-	100.00	-	-	-	100.00
	COLUMN %	-	-	-	-	0.05	-	-	-	0.01
	% OF TOTAL	-	-	-	-	0.01	-	-	-	0.01
NOT KNOWN	FREQUENCY	-	-	-	-	2	-	-	-	2
	ROW %	-	-	-	-	100.00	-	-	-	100.00
	COLUMN %	-	-	-	-	0.11	-	-	-	0.02
	% OF TOTAL	-	-	-	-	0.02	-	-	-	0.02
TOTAL	FREQUENCY	50	751	2474	2966	1848	695	454	33	9271
	ROW %	0.54	8.10	26.69	31.99	19.93	7.50	4.90	0.36	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.54	8.10	26.69	31.99	19.93	7.50	4.90	0.36	100.00

PRINCIPAL INJURY DIAGNOSIS

MALES BY AGE

DISTRIBUTION OF PRINCIPAL INJURY DIAGNOSIS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups
CONTUSION, BRUISE	FREQUENCY	17	151	779	1204	609	152	76	10	2998
	ROW %	0.57	5.04	25.98	40.16	20.31	5.07	2.54	0.33	100.00
	COLUMN %	68.00	37.10	48.21	50.61	45.04	43.93	46.34	47.62	47.51
	% OF TOTAL	0.27	2.39	12.35	19.08	9.65	2.41	1.20	0.16	47.51
ABRASION	FREQUENCY	-	11	25	28	50	20	7	1	142
	ROW %	-	7.75	17.61	19.72	35.21	14.08	4.93	0.70	100.00
	COLUMN %	-	2.70	1.55	1.18	3.70	5.78	4.27	4.76	2.25
	% OF TOTAL	-	0.17	0.40	0.44	0.79	0.32	0.11	0.02	2.25
OPEN WOUND (incl. cut, laceration)	FREQUENCY	1	109	213	215	151	48	26	6	769
	ROW %	0.13	14.17	27.70	27.96	19.64	6.24	3.38	0.78	100.00
	COLUMN %	4.00	26.78	13.18	9.04	11.17	13.87	15.85	28.57	12.19
	% OF TOTAL	0.02	1.73	3.38	3.41	2.39	0.76	0.41	0.10	12.19
FRACTURE	FREQUENCY	2	59	440	524	278	63	33	-	1399
	ROW %	0.14	4.22	31.45	37.46	19.87	4.50	2.36	-	100.00
	COLUMN %	8.00	14.50	27.23	22.03	20.56	18.21	20.12	-	22.17
	% OF TOTAL	0.03	0.94	6.97	8.30	4.41	1.00	0.52	-	22.17
LUXATION, DISLOCATION	FREQUENCY	-	2	19	57	42	10	7	-	137
	ROW %	-	1.46	13.87	41.61	30.66	7.30	5.11	-	100.00
	COLUMN %	-	0.49	1.18	2.40	3.11	2.89	4.27	-	2.17
	% OF TOTAL	-	0.03	0.30	0.90	0.67	0.16	0.11	-	2.17
DISTORSION, SPRAIN	FREQUENCY	-	3	109	292	175	28	7	4	618
	ROW %	-	0.49	17.64	47.25	28.32	4.53	1.13	0.65	100.00
	COLUMN %	-	0.74	6.75	12.27	12.94	8.09	4.27	19.05	9.79
	% OF TOTAL	-	0.05	1.73	4.63	2.77	0.44	0.11	0.06	9.79

(CONTINUED)

PRINCIPAL INJURY DIAGNOSIS

MALES BY AGE (continued)

DISTRIBUTION OF PRINCIPAL INJURY DIAGNOSIS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
INJURY TO BLOOD VESSEL(S)	FREQUENCY	-	-	-	-	9	4	1	-	14
	ROW %	-	-	-	-	64.29	28.57	7.14	-	100.00
	COLUMN %	-	-	-	-	0.38	0.30	0.29	-	0.22
	% OF TOTAL	-	-	-	-	0.14	0.06	0.02	-	0.22
INJURY TO TENDON(S) AND/OR MUSCLE(S)	FREQUENCY	-	-	-	5	21	15	5	1	47
	ROW %	-	-	-	10.64	44.68	31.91	10.64	2.13	100.00
	COLUMN %	-	-	-	0.31	0.88	1.11	1.45	0.61	0.74
	% OF TOTAL	-	-	-	0.08	0.33	0.24	0.08	0.02	0.74
CRUSHING AND AMPUTATION	FREQUENCY	-	5	3	-	1	4	-	-	13
	ROW %	-	38.46	23.08	-	7.69	30.77	-	-	100.00
	COLUMN %	-	1.23	0.19	-	0.07	1.16	-	-	0.21
	% OF TOTAL	-	0.08	0.05	-	0.02	0.06	-	-	0.21
POISONING, CORROSION	FREQUENCY	-	33	2	9	5	-	2	-	51
	ROW %	-	64.71	3.92	17.65	9.80	-	3.92	-	100.00
	COLUMN %	-	8.11	0.12	0.38	0.37	-	1.22	-	0.81
	% OF TOTAL	-	0.52	0.03	0.14	0.08	-	0.03	-	0.81
BURNS, SCALDS	FREQUENCY	4	25	12	14	16	10	4	-	85
	ROW %	4.71	29.41	14.12	16.47	18.82	11.76	4.71	-	100.00
	COLUMN %	16.00	6.14	0.74	0.59	1.18	2.89	2.44	-	1.35
	% OF TOTAL	0.06	0.40	0.19	0.22	0.25	0.16	0.06	-	1.35
ELECTROCUTION	FREQUENCY	-	-	-	-	1	-	-	-	1
	ROW %	-	-	-	-	100.00	-	-	-	100.00
	COLUMN %	-	-	-	-	0.07	-	-	-	0.02
	% OF TOTAL	-	-	-	-	0.02	-	-	-	0.02

(CONTINUED)

PRINCIPAL INJURY DIAGNOSIS

MALES BY AGE (continued)

DISTRIBUTION OF PRINCIPAL INJURY DIAGNOSIS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
RADIATION (e.g. sunlight, X-rays, ultraviolet, welding, light etc.)	FREQUENCY	-	-	-	1	-	-	-	1
	ROW %	-	-	-	100.00	-	-	-	100.00
	COLUMN %	-	-	-	0.04	-	-	-	0.02
	% OF TOTAL	-	-	-	0.02	-	-	-	0.02
NO INJURY DIAGNOSED	FREQUENCY	-	3	-	-	1	2	-	6
	ROW %	-	50.00	-	-	16.67	33.33	-	100.00
	COLUMN %	-	0.74	-	-	0.07	0.58	-	0.10
	% OF TOTAL	-	0.05	-	-	0.02	0.03	-	0.10
OTHER TYPE OF INJURY SPECIFIED	FREQUENCY	1	6	9	5	4	3	1	29
	ROW %	3.45	20.69	31.03	17.24	13.79	10.34	3.45	100.00
	COLUMN %	4.00	1.47	0.56	0.21	0.30	0.87	0.61	0.46
	% OF TOTAL	0.02	0.10	0.14	0.08	0.06	0.05	0.02	0.46
TOTAL	FREQUENCY	25	407	1616	2379	1352	346	164	21
	ROW %	0.40	6.45	25.61	37.70	21.43	5.48	2.60	0.33
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.40	6.45	25.61	37.70	21.43	5.48	2.60	0.33

PRINCIPAL INJURY DIAGNOSIS

FEMALES BY AGE

DISTRIBUTION OF PRINCIPAL INJURY DIAGNOSIS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

	FREQUENCY	AGE GROUPS							Not stated	ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+		
CONTUSION, BRUISE	FREQUENCY	13	133	469	314	236	162	123	.5	1455
	ROW %	0.89	9.14	32.23	21.58	16.22	11.13	8.45	0.34	100.00
	COLUMN %	52.00	38.66	54.66	53.49	47.58	46.42	42.41	41.67	49.14
	% OF TOTAL	0.44	4.49	15.84	10.60	7.97	5.47	4.15	0.17	49.14
ABRASION	FREQUENCY	1	12	15	11	28	15	5	1	88
	ROW %	1.14	13.64	17.05	12.50	31.82	17.05	5.68	1.14	100.00
	COLUMN %	4.00	3.49	1.75	1.87	5.65	4.30	1.72	8.33	2.97
	% OF TOTAL	0.03	0.41	0.51	0.37	0.95	0.51	0.17	0.03	2.97
OPEN WOUND (incl. cut, laceration)	FREQUENCY	1	67	79	54	68	35	32	2	338
	ROW %	0.30	19.82	23.37	15.98	20.12	10.36	9.47	0.59	100.00
	COLUMN %	4.00	19.48	9.21	9.20	13.71	10.03	11.03	16.67	11.42
	% OF TOTAL	0.03	2.26	2.67	1.82	2.30	1.18	1.08	0.07	11.42
FRACTURE	FREQUENCY	7	47	192	83	71	79	107	1	587
	ROW %	1.19	8.01	32.71	14.14	12.10	13.46	18.23	0.17	100.00
	COLUMN %	28.00	13.66	22.38	14.14	14.31	22.64	36.90	8.33	19.82
	% OF TOTAL	0.24	1.59	6.48	2.80	2.40	2.67	3.61	0.03	19.82
LUXATION, DISLOCATION	FREQUENCY	-	7	4	7	7	4	9	-	38
	ROW %	-	18.42	10.53	18.42	18.42	10.53	23.68	-	100.00
	COLUMN %	-	2.03	0.47	1.19	1.41	1.15	3.10	-	1.28
	% OF TOTAL	-	0.24	0.14	0.24	0.24	0.14	0.30	-	1.28
DISTORSION, SPRAIN	FREQUENCY	1	2	71	99	55	40	12	3	283
	ROW %	0.35	0.71	25.09	34.98	19.43	14.13	4.24	1.06	100.00
	COLUMN %	4.00	0.58	8.28	16.87	11.09	11.46	4.14	25.00	9.56
	% OF TOTAL	0.03	0.07	2.40	3.34	1.86	1.35	0.41	0.10	9.56

(CONTINUED)

PRINCIPAL INJURY DIAGNOSIS

FEMALES BY AGE (continued)

DISTRIBUTION OF PRINCIPAL INJURY DIAGNOSIS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
INJURY TO BLOOD VESSEL(S)	FREQUENCY	-	1	1	1	-	-	-	3
	ROW %	-	33.33	33.33	33.33	-	-	-	100.00
	COLUMN %	-	0.29	0.12	0.17	-	-	-	0.10
	% OF TOTAL	-	0.03	0.03	0.03	-	-	-	0.10
INJURY TO TENDON(S) AND/OR MUSCLE(S)	FREQUENCY	-	1	2	3	3	1	-	10
	ROW %	-	10.00	20.00	30.00	30.00	10.00	-	100.00
	COLUMN %	-	0.29	0.23	0.51	0.60	0.29	-	0.34
	% OF TOTAL	-	0.03	0.07	0.10	0.10	0.03	-	0.34
CRUSHING AND AMPUTATION	FREQUENCY	-	2	1	-	1	1	-	5
	ROW %	-	40.00	20.00	-	20.00	20.00	-	100.00
	COLUMN %	-	0.58	0.12	-	0.20	0.29	-	0.17
	% OF TOTAL	-	0.07	0.03	-	0.03	0.03	-	0.17
POISONING, CORROSION	FREQUENCY	-	33	7	2	5	5	-	52
	ROW %	-	63.46	13.46	3.85	9.62	9.62	-	100.00
	COLUMN %	-	9.59	0.82	0.34	1.01	1.43	-	1.76
	% OF TOTAL	-	1.11	0.24	0.07	0.17	0.17	-	1.76
BURNS, SCALDS	FREQUENCY	2	21	11	11	17	5	1	68
	ROW %	2.94	30.88	16.18	16.18	25.00	7.35	1.47	100.00
	COLUMN %	8.00	6.10	1.28	1.87	3.43	1.43	0.34	2.30
	% OF TOTAL	0.07	0.71	0.37	0.37	0.57	0.17	0.03	2.30
ELECTROCUTION	FREQUENCY	-	-	-	-	-	-	-	-
	ROW %	-	-	-	-	-	-	-	-
	COLUMN %	-	-	-	-	-	-	-	-
	% OF TOTAL	-	-	-	-	-	-	-	-

(CONTINUED)

PRINCIPAL INJURY DIAGNOSIS

FEMALES BY AGE (continued)

DISTRIBUTION OF PRINCIPAL INJURY DIAGNOSIS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							Not stated	ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+		
RADIATION (e.g. sunlight, X- rays, ultraviolet, welding, light etc.)	FREQUENCY	-	-	-	-	-	-	-	-	-
	ROW %	-	-	-	-	-	-	-	-	-
	COLUMN %	-	-	-	-	-	-	-	-	-
	% OF TOTAL	-	-	-	-	-	-	-	-	-
NO INJURY DIAGNOSED	FREQUENCY	-	10	1	11	-	1	-	-	13
	ROW %	-	76.92	7.69	7.69	-	7.69	-	-	100.00
	COLUMN %	-	2.91	0.12	0.17	-	0.29	-	-	0.44
	% OF TOTAL	-	0.34	0.03	0.03	-	0.03	-	-	0.44
OTHER TYPE OF INJURY SPECIFIED	FREQUENCY	-	8	5	1	5	1	1	-	21
	ROW %	-	38.10	23.81	4.76	23.81	4.76	4.76	-	100.00
	COLUMN %	-	2.33	0.58	0.17	1.01	0.29	0.34	-	0.71
	% OF TOTAL	-	0.27	0.17	0.03	0.17	0.03	0.03	-	0.71
TOTAL	FREQUENCY	25	344	858	587	496	349	290	12	2961
	ROW %	0.84	11.62	28.98	19.82	16.75	11.79	9.79	0.41	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.84	11.62	28.98	19.82	16.75	11.79	9.79	0.41	100.00

PRINCIPAL INJURY DIAGNOSIS

TOTAL BY AGE

DISTRIBUTION OF PRINCIPAL INJURY DIAGNOSIS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups
CONTUSION, BRUISE	FREQUENCY	30	284	1248	1518	845	314	199	15	4453
	ROW %	0.67	6.38	28.03	34.09	18.98	7.05	4.47	0.34	100.00
	COLUMN %	60.00	37.82	50.44	51.18	45.73	45.18	43.83	45.45	48.03
	% OF TOTAL	0.32	3.06	13.46	16.37	9.11	3.39	2.15	0.16	48.03
ABRASION	FREQUENCY	1	23	40	39	78	35	12	2	230
	ROW %	0.43	10.00	17.39	16.96	33.91	15.22	5.22	0.87	100.00
	COLUMN %	2.00	3.06	1.62	1.31	4.22	5.04	2.64	6.06	2.48
	% OF TOTAL	0.01	0.25	0.43	0.42	0.84	0.38	0.13	0.02	2.48
OPEN WOUND (incl. cut, laceration)	FREQUENCY	2	176	292	269	219	83	58	8	1107
	ROW %	0.18	15.90	26.38	24.30	19.78	7.50	5.24	0.72	100.00
	COLUMN %	4.00	23.44	11.80	9.07	11.85	11.94	12.78	24.24	11.94
	% OF TOTAL	0.02	1.90	3.15	2.90	2.36	0.90	0.63	0.09	11.94
FRACTURE	FREQUENCY	9	106	632	607	349	142	140	1	1986
	ROW %	0.45	5.34	31.82	30.56	17.57	7.15	7.05	0.05	100.00
	COLUMN %	18.00	14.11	25.55	20.47	18.89	20.43	30.84	3.03	21.42
	% OF TOTAL	0.10	1.14	6.82	6.55	3.76	1.53	1.51	0.01	21.42
LUXATION, DISLOCATION	FREQUENCY	-	9	23	64	49	14	16	-	175
	ROW %	-	5.14	13.14	36.57	28.00	8.00	9.14	-	100.00
	COLUMN %	-	1.20	0.93	2.16	2.65	2.01	3.52	-	1.89
	% OF TOTAL	-	0.10	0.25	0.69	0.53	0.15	0.17	-	1.89
DISTORSION, SPRAIN	FREQUENCY	1	5	180	391	230	68	19	7	901
	ROW %	0.11	0.55	19.98	43.40	25.53	7.55	2.11	0.78	100.00
	COLUMN %	2.00	0.67	7.28	13.18	12.45	9.78	4.19	21.21	9.72
	% OF TOTAL	0.01	0.05	1.94	4.22	2.48	0.73	0.20	0.08	9.72

(CONTINUED)

PRINCIPAL INJURY DIAGNOSIS

TOTAL BY AGE (continued)

DISTRIBUTION OF PRINCIPAL INJURY DIAGNOSIS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
INJURY TO BLOOD VESSEL(S)	FREQUENCY	-	1	1	10	4	1	-	17
	ROW %	-	5.88	5.88	58.82	23.53	5.88	-	100.00
	COLUMN %	-	0.13	0.04	0.34	0.22	0.14	-	0.18
	% OF TOTAL	-	0.01	0.01	0.11	0.04	0.01	-	0.18
INJURY TO TENDON(S) AND/OR MUSCLE(S)	FREQUENCY	-	1	7	24	18	6	1	57
	ROW %	-	1.75	12.28	42.11	31.58	10.53	1.75	100.00
	COLUMN %	-	0.13	0.28	0.81	0.97	0.86	0.22	0.61
	% OF TOTAL	-	0.01	0.08	0.26	0.19	0.06	0.01	0.61
CRUSHING AND AMPUTATION	FREQUENCY	-	7	4	-	2	5	-	18
	ROW %	-	38.89	22.22	-	11.11	27.78	-	100.00
	COLUMN %	-	0.93	0.16	-	0.11	0.72	-	0.19
	% OF TOTAL	-	0.08	0.04	-	0.02	0.05	-	0.19
POISONING, CORROSION	FREQUENCY	-	66	9	11	10	5	2	103
	ROW %	-	64.08	8.74	10.68	9.71	4.85	1.94	100.00
	COLUMN %	-	8.79	0.36	0.37	0.54	0.72	0.44	1.11
	% OF TOTAL	-	0.71	0.10	0.12	0.11	0.05	0.02	1.11
BURNS, SCALDS	FREQUENCY	6	46	23	25	33	15	5	153
	ROW %	3.92	30.07	15.03	16.34	21.57	9.80	3.27	100.00
	COLUMN %	12.00	6.13	0.93	0.84	1.79	2.16	1.10	1.65
	% OF TOTAL	0.06	0.50	0.25	0.27	0.36	0.16	0.05	1.65
ELECTROCUTION	FREQUENCY	-	-	-	-	1	-	-	1
	ROW %	-	-	-	-	100.00	-	-	100.00
	COLUMN %	-	-	-	-	0.05	-	-	0.01
	% OF TOTAL	-	-	-	-	0.01	-	-	0.01

(CONTINUED)

PRINCIPAL INJURY DIAGNOSIS

TOTAL BY AGE (continued)

DISTRIBUTION OF PRINCIPAL INJURY DIAGNOSIS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							Not stated	ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+		
RADIATION (e.g. sunlight, X- rays, ultraviolet, welding, light etc.)	FREQUENCY	-	-	-	1	-	-	-	-	1
	ROW %	-	-	-	100.00	-	-	-	-	100.00
	COLUMN %	-	-	-	0.03	-	-	-	-	0.01
	% OF TOTAL	-	-	-	0.01	-	-	-	-	0.01
NO INJURY DIAGNOSED	FREQUENCY	-	13	1	1	1	3	-	-	19
	ROW %	-	68.42	5.26	5.26	5.26	15.79	-	-	100.00
	COLUMN %	-	1.73	0.04	0.03	0.05	0.43	-	-	0.20
	% OF TOTAL	-	0.14	0.01	0.01	0.01	0.03	-	-	0.20
OTHER TYPE OF INJURY SPECIFIED	FREQUENCY	1	14	14	6	9	4	2	-	50
	ROW %	2.00	28.00	28.00	12.00	18.00	8.00	4.00	-	100.00
	COLUMN %	2.00	1.86	0.57	0.20	0.49	0.58	0.44	-	0.54
	% OF TOTAL	0.01	0.15	0.15	0.06	0.10	0.04	0.02	-	0.54
TOTAL	FREQUENCY	50	751	2474	2966	1848	695	454	33	9271
	ROW %	0.54	8.10	26.69	31.99	19.93	7.50	4.90	0.36	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.54	8.10	26.69	31.99	19.93	7.50	4.90	0.36	100.00

PART OF BODY INJURED

MALES BY AGE

DISTRIBUTION OF PART OF BODY INJURED BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							Not stated	ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+		
HEAD AND FACE	FREQUENCY	18	198	256	352	200	40	24	8	1096
	ROW %	1.64	18.07	23.36	32.12	18.25	3.65	2.19	0.73	100.00
	COLUMN %	72.00	48.65	15.84	14.80	14.79	11.56	14.63	38.10	17.37
	% OF TOTAL	0.29	3.14	4.06	5.58	3.17	0.63	0.38	0.13	17.37
UPPER LIMBS	FREQUENCY	1	104	882	1003	534	149	75	2	2750
	ROW %	0.04	3.78	32.07	36.47	19.42	5.42	2.73	0.07	100.00
	COLUMN %	4.00	25.55	54.58	42.16	39.50	43.06	45.73	9.52	43.58
	% OF TOTAL	0.02	1.65	13.98	15.90	8.46	2.36	1.19	0.03	43.58
LOWER LIMBS	FREQUENCY	3	53	391	873	495	110	35	8	1968
	ROW %	0.15	2.69	19.87	44.36	25.15	5.59	1.78	0.41	100.00
	COLUMN %	12.00	13.02	24.20	36.70	36.61	31.79	21.34	38.10	31.19
	% OF TOTAL	0.05	0.84	6.20	13.84	7.84	1.74	0.55	0.13	31.19
OTHER PARTS	FREQUENCY	3	52	86	150	123	46	30	3	493
	ROW %	0.61	10.55	17.44	30.43	24.95	9.33	6.09	0.61	100.00
	COLUMN %	12.00	12.78	5.32	6.31	9.10	13.29	18.29	14.29	7.81
	% OF TOTAL	0.05	0.82	1.36	2.38	1.95	0.73	0.48	0.05	7.81
NOT KNOWN	FREQUENCY	-	-	1	1	-	1	-	-	3
	ROW %	-	-	33.33	33.33	-	33.33	-	-	100.00
	COLUMN %	-	-	0.06	0.04	-	0.29	-	-	0.05
	% OF TOTAL	-	-	0.02	0.02	-	0.02	-	-	0.05
TOTAL	FREQUENCY	25	407	1616	2379	1352	346	164	21	6310
	ROW %	0.40	6.45	25.61	37.70	21.43	5.48	2.60	0.33	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.40	6.45	25.61	37.70	21.43	5.48	2.60	0.33	100.00

PART OF BODY INJURED

FEMALES BY AGE

DISTRIBUTION OF PART OF BODY INJURED BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	
HEAD AND FACE	FREQUENCY	191	141	126	63	54	26	26	1	456
	ROW %	4.17	30.92	27.63	13.82	11.84	5.70	5.70	0.22	100.00
	COLUMN %	76.00	40.99	14.69	10.73	10.89	7.45	8.97	8.33	15.40
	% OF TOTAL	0.64	4.76	4.26	2.13	1.82	0.88	0.88	0.03	15.40
UPPER LIMBS	FREQUENCY	21	103	457	266	200	144	126	7	1305
	ROW %	0.15	7.89	35.02	20.38	15.33	11.03	9.66	0.54	100.00
	COLUMN %	8.00	29.94	53.26	45.32	40.32	41.26	43.45	58.33	44.07
	% OF TOTAL	0.07	3.48	15.43	8.98	6.75	4.86	4.26	0.24	44.07
LOWER LIMBS	FREQUENCY	2	48	227	221	185	138	87	4	912
	ROW %	0.22	5.26	24.89	24.23	20.29	15.13	9.54	0.44	100.00
	COLUMN %	8.00	13.95	26.46	37.65	37.30	39.54	30.00	33.33	30.80
	% OF TOTAL	0.07	1.62	7.67	7.46	6.25	4.66	2.94	0.14	30.80
OTHER PARTS	FREQUENCY	2	52	48	37	57	41	51	-	288
	ROW %	0.69	18.06	16.67	12.85	19.79	14.24	17.71	-	100.00
	COLUMN %	8.00	15.12	5.59	6.30	11.49	11.75	17.59	-	9.73
	% OF TOTAL	0.07	1.76	1.62	1.25	1.93	1.38	1.72	-	9.73
NOT KNOWN	FREQUENCY	-	-	-	-	-	-	-	-	-
	ROW %	-	-	-	-	-	-	-	-	-
	COLUMN %	-	-	-	-	-	-	-	-	-
	% OF TOTAL	-	-	-	-	-	-	-	-	-
TOTAL	FREQUENCY	25	344	858	587	496	349	290	12	2961
	ROW %	0.84	11.62	28.98	19.82	16.75	11.79	9.79	0.41	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.84	11.62	28.98	19.82	16.75	11.79	9.79	0.41	100.00

PART OF BODY INJURED

TOTAL BY AGE

DISTRIBUTION OF PART OF BODY INJURED BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
HEAD AND FACE	FREQUENCY	37	339	382	415	254	66	50	9	1552
	ROW %	2.38	21.84	24.61	26.74	16.37	4.25	3.22	0.58	100.00
	COLUMN %	74.00	45.14	15.44	13.99	13.74	9.50	11.01	27.27	16.74
	% OF TOTAL	0.40	3.66	4.12	4.48	2.74	0.71	0.54	0.10	16.74
UPPER LIMBS	FREQUENCY	3	207	1339	1269	734	293	201	9	4055
	ROW %	0.07	5.10	33.02	31.29	18.10	7.23	4.96	0.22	100.00
	COLUMN %	6.00	27.56	54.12	42.78	39.72	42.16	44.27	27.27	43.74
	% OF TOTAL	0.03	2.23	14.44	13.69	7.92	3.16	2.17	0.10	43.74
LOWER LIMBS	FREQUENCY	5	101	618	1094	680	248	122	12	2880
	ROW %	0.17	3.51	21.46	37.99	23.61	8.61	4.24	0.42	100.00
	COLUMN %	10.00	13.45	24.98	36.88	36.80	35.68	26.87	36.36	31.06
	% OF TOTAL	0.05	1.09	6.67	11.80	7.33	2.68	1.32	0.13	31.06
OTHER PARTS	FREQUENCY	5	104	134	187	180	87	81	3	781
	ROW %	0.64	13.32	17.16	23.94	23.05	11.14	10.37	0.38	100.00
	COLUMN %	10.00	13.85	5.42	6.30	9.74	12.52	17.84	9.09	8.42
	% OF TOTAL	0.05	1.12	1.45	2.02	1.94	0.94	0.87	0.03	8.42
NOT KNOWN	FREQUENCY	-	-	1	1	-	1	-	-	3
	ROW %	-	-	33.33	33.33	-	33.33	-	-	100.00
	COLUMN %	-	-	0.04	0.03	-	0.14	-	-	0.03
	% OF TOTAL	-	-	0.01	0.01	-	0.01	-	-	0.03
TOTAL	FREQUENCY	50	751	2474	2966	1848	695	454	33	9271
	ROW %	0.54	8.10	26.69	31.99	19.93	7.50	4.90	0.36	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.54	8.10	26.69	31.99	19.93	7.50	4.90	0.36	100.00

TREATMENT AND FOLLOW-UP

MALES BY AGE

DISTRIBUTION OF TREATMENT AND FOLLOW-UP BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups
GROUP A: MINOR	FREQUENCY	12	118	344	653	293	36	12	-	1468
	ROW %	0.82	8.04	23.43	44.48	19.96	2.45	0.82	-	100.00
	COLUMN %	48.00	28.99	21.29	27.45	21.67	10.40	7.32	-	23.26
	% OF TOTAL	0.19	1.87	5.45	10.35	4.64	0.57	0.19	-	23.26
GROUP B: TREATED	FREQUENCY	6	206	1076	1553	950	257	116	16	4180
	ROW %	0.14	4.93	25.74	37.15	22.73	6.15	2.78	0.38	100.00
	COLUMN %	24.00	50.61	66.58	65.28	70.27	74.28	70.73	76.19	66.24
	% OF TOTAL	0.10	3.26	17.05	24.61	15.06	4.07	1.84	0.25	66.24
GROUP C: HOSPITALISED	FREQUENCY	7	83	196	173	109	53	36	5	662
	ROW %	1.06	12.54	29.61	26.13	16.47	8.01	5.44	0.76	100.00
	COLUMN %	28.00	20.39	12.13	7.27	8.06	15.32	21.95	23.81	10.49
	% OF TOTAL	0.11	1.32	3.11	2.74	1.73	0.84	0.57	0.08	10.49
TOTAL	FREQUENCY	25	407	1616	2379	1352	346	164	21	6310
	ROW %	0.40	6.45	25.61	37.70	21.43	5.48	2.60	0.33	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.40	6.45	25.61	37.70	21.43	5.48	2.60	0.33	100.00

TREATMENT AND FOLLOW-UP

FEMALES BY AGE

DISTRIBUTION OF TREATMENT AND FOLLOW-UP BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
GROUP A: MINOR	FREQUENCY	9	95	179	139	105	49	29	-	605
	ROW %	1.49	15.70	29.59	22.98	17.36	8.10	4.79	-	100.00
	COLUMN %	36.00	27.62	20.86	23.68	21.17	14.04	10.00	-	20.43
	% OF TOTAL	0.30	3.21	6.05	4.69	3.55	1.65	0.98	-	20.43
GROUP B: TREATED	FREQUENCY	7	172	597	419	361	261	176	12	2005
	ROW %	0.35	8.58	29.78	20.90	18.00	13.02	8.78	0.60	100.00
	COLUMN %	28.00	50.00	69.58	71.38	72.78	74.79	60.69	100.00	67.71
	% OF TOTAL	0.24	5.81	20.16	14.15	12.19	8.81	5.94	0.41	67.71
GROUP C: HOSPITALISED	FREQUENCY	9	77	82	29	30	39	85	-	351
	ROW %	2.56	21.94	23.36	8.26	8.55	11.11	24.22	-	100.00
	COLUMN %	36.00	22.38	9.56	4.94	6.05	11.17	29.31	-	11.85
	% OF TOTAL	0.30	2.60	2.77	0.98	1.01	1.32	2.87	-	11.85
TOTAL	FREQUENCY	25	344	858	587	496	349	290	12	2961
	ROW %	0.84	11.62	28.98	19.82	16.75	11.79	9.79	0.41	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.84	11.62	28.98	19.82	16.75	11.79	9.79	0.41	100.00

TREATMENT AND FOLLOW-UP

TOTAL BY AGE

DISTRIBUTION OF TREATMENT AND FOLLOW-UP BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
GROUP A: MINOR	FREQUENCY	21	213	523	792	398	85	41	-	2073
	ROW %	1.01	10.27	25.23	38.21	19.20	4.10	1.98	-	100.00
	COLUMN %	42.00	28.36	21.14	26.70	21.54	12.23	9.03	-	22.36
	% OF TOTAL	0.23	2.30	5.64	8.54	4.29	0.92	0.44	-	22.36
GROUP B: TREATED	FREQUENCY	13	378	1673	1972	1311	518	292	28	6185
	ROW %	0.21	6.11	27.05	31.88	21.20	8.38	4.72	0.45	100.00
	COLUMN %	26.00	50.33	67.62	66.49	70.94	74.53	64.32	84.85	66.71
	% OF TOTAL	0.14	4.08	18.05	21.27	14.14	5.59	3.15	0.30	66.71
GROUP C: HOSPITALISED	FREQUENCY	16	160	278	202	139	92	121	5	1013
	ROW %	1.58	15.79	27.44	19.94	13.72	9.08	11.94	0.49	100.00
	COLUMN %	32.00	21.30	11.24	6.81	7.52	13.24	26.65	15.15	10.93
	% OF TOTAL	0.17	1.73	3.00	2.18	1.50	0.99	1.31	0.05	10.93
TOTAL	FREQUENCY	50	751	2474	2966	1848	695	454	33	9271
	ROW %	0.54	8.10	26.69	31.99	19.93	7.50	4.90	0.36	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.54	8.10	26.69	31.99	19.93	7.50	4.90	0.36	100.00

PRODUCT INVOLVED IN ACCIDENT

MALES BY AGE

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
INVOLVED IN ACCIDENTS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
Sports articles	FREQUENCY	-	6	524	1062	470	25	3	1	2091
	ROW %	-	0.29	25.06	50.79	22.48	1.20	0.14	0.05	100.00
	COLUMN %	-	1.47	32.43	44.64	34.76	7.23	1.83	4.76	33.14
	% OF TOTAL	-	0.10	8.30	16.83	7.45	0.40	0.05	0.02	33.14
House building elements	FREQUENCY	4	94	160	118	102	50	30	4	562
	ROW %	0.71	16.73	28.47	21.00	18.15	8.90	5.34	0.71	100.00
	COLUMN %	16.00	23.10	9.90	4.96	7.54	14.45	18.29	19.05	8.91
	% OF TOTAL	0.06	1.49	2.54	1.87	1.62	0.79	0.48	0.06	8.91
Skiing, tennis, swimming, Wind-surf etc.	FREQUENCY	-	5	230	418	204	11	3	-	871
	ROW %	-	0.57	26.41	47.99	23.42	1.26	0.34	-	100.00
	COLUMN %	-	1.23	14.23	17.57	15.09	3.18	1.83	-	13.80
	% OF TOTAL	-	0.08	3.65	6.62	3.23	0.17	0.05	-	13.80
Floor, footpath, street, water	FREQUENCY	-	31	115	92	72	63	37	5	415
	ROW %	-	7.47	27.71	22.17	17.35	15.18	8.92	1.20	100.00
	COLUMN %	-	7.62	7.12	3.87	5.33	18.21	22.56	23.81	6.58
	% OF TOTAL	-	0.49	1.82	1.46	1.14	1.00	0.59	0.08	6.58
Clothing, sportswear	FREQUENCY	-	2	139	350	118	4	1	-	614
	ROW %	-	0.33	22.64	57.00	19.22	0.65	0.16	-	100.00
	COLUMN %	-	0.49	8.60	14.71	8.73	1.16	0.61	-	9.73
	% OF TOTAL	-	0.03	2.20	5.55	1.87	0.06	0.02	-	9.73
Vehicles, boats, bikes & accessories	FREQUENCY	-	31	144	58	58	18	13	1	323
	ROW %	-	9.60	44.58	17.96	17.96	5.57	4.02	0.31	100.00
	COLUMN %	-	7.62	8.91	2.44	4.29	5.20	7.93	4.76	5.12
	% OF TOTAL	-	0.49	2.28	0.92	0.92	0.29	0.21	0.02	5.12

(CONTINUED).

PRODUCT INVOLVED IN ACCIDENT

MALES BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
INVOLVED IN ACCIDENTS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups
Household furniture	FREQUENCY	5	67	33	13	16	10	15	-	159
	ROW %	3.14	42.14	20.75	8.18	10.06	6.29	9.43	-	100.00
	COLUMN %	20.00	16.46	2.04	0.55	1.18	2.89	9.15	-	2.52
	% OF TOTAL	0.08	1.06	0.52	0.21	0.25	0.16	0.24	-	2.52
Animal and animal accessories	FREQUENCY	-	15	36	23	32	25	16	2	149
	ROW %	-	10.07	24.16	15.44	21.48	16.78	10.74	1.34	100.00
	COLUMN %	-	3.69	2.23	0.97	2.37	7.23	9.76	9.52	2.36
	% OF TOTAL	-	0.24	0.57	0.36	0.51	0.40	0.25	0.03	2.36
"Do-it-yourself" equipment	FREQUENCY	-	4	4	22	64	35	14	-	143
	ROW %	-	2.80	2.80	15.38	44.76	24.48	9.79	-	100.00
	COLUMN %	-	0.98	0.25	0.92	4.73	10.12	8.54	-	2.27
	% OF TOTAL	-	0.06	0.06	0.35	1.01	0.55	0.22	-	2.27
Athletics, boxing, golf, horse-riding etc.	FREQUENCY	-	1	18	29	15	11	3	-	77
	ROW %	-	1.30	23.38	37.66	19.48	14.29	3.90	-	100.00
	COLUMN %	-	0.25	1.11	1.22	1.11	3.18	1.83	-	1.22
	% OF TOTAL	-	0.02	0.29	0.46	0.24	0.17	0.05	-	1.22
Food, hot-liquids	FREQUENCY	3	11	7	11	14	11	3	2	62
	ROW %	4.84	17.74	11.29	17.74	22.58	17.74	4.84	3.23	100.00
	COLUMN %	12.00	2.70	0.43	0.46	1.04	3.18	1.83	9.52	0.98
	% OF TOTAL	0.05	0.17	0.11	0.17	0.22	0.17	0.05	0.03	0.98
Fair, playground	FREQUENCY	-	12	35	1	-	-	-	-	48
	ROW %	-	25.00	72.92	2.08	-	-	-	-	100.00
	COLUMN %	-	2.95	2.17	0.04	-	-	-	-	0.76
	% OF TOTAL	-	0.19	0.55	0.02	-	-	-	-	0.76

(CONTINUED)

PRODUCT INVOLVED IN ACCIDENT

MALES BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
INVOLVED IN ACCIDENTS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							Not stated	ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+		
Building materials, insulation, wood	FREQUENCY	-	2	13	16	23	12	2	-	68
	ROW %	-	2.94	19.12	23.53	33.82	17.65	2.94	-	100.00
	COLUMN %	-	0.49	0.80	0.67	1.70	3.47	1.22	-	1.08
	% OF TOTAL	-	0.03	0.21	0.25	0.36	0.19	0.03	-	1.08
Plants, trees	FREQUENCY	-	4	27	9	11	8	6	-	65
	ROW %	-	6.15	41.54	13.85	16.92	12.31	9.23	-	100.00
	COLUMN %	-	0.98	1.67	0.38	0.81	2.31	3.66	-	1.03
	% OF TOTAL	-	0.06	0.43	0.14	0.17	0.13	0.10	-	1.03
Kitchen utensils, household electricity	FREQUENCY	1	9	4	12	13	2	-	1	42
	ROW %	2.38	21.43	9.52	28.57	30.95	4.76	-	2.38	100.00
	COLUMN %	4.00	2.21	0.25	0.50	0.96	0.58	-	4.76	0.67
	% OF TOTAL	0.02	0.14	0.06	0.19	0.21	0.03	-	0.02	0.67
Garden equipment	FREQUENCY	-	2	5	7	9	13	6	1	43
	ROW %	-	4.65	11.63	16.28	20.93	30.23	13.95	2.33	100.00
	COLUMN %	-	0.49	0.31	0.29	0.67	3.76	3.66	4.76	0.68
	% OF TOTAL	-	0.03	0.08	0.11	0.14	0.21	0.10	0.02	0.68
Heating equipment	FREQUENCY	-	9	13	7	6	3	4	-	42
	ROW %	-	21.43	30.95	16.67	14.29	7.14	9.52	-	100.00
	COLUMN %	-	2.21	0.80	0.29	0.44	0.87	2.44	-	0.67
	% OF TOTAL	-	0.14	0.21	0.11	0.10	0.05	0.06	-	0.67
Containers, wrappings	FREQUENCY	-	3	8	8	15	2	-	-	36
	ROW %	-	8.33	22.22	22.22	41.67	5.56	-	-	100.00
	COLUMN %	-	0.74	0.50	0.34	1.11	0.58	-	-	0.57
	% OF TOTAL	-	0.05	0.13	0.13	0.24	0.03	-	-	0.57

(CONTINUED)

PRODUCT INVOLVED IN ACCIDENT

MALES BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
INVOLVED IN ACCIDENTS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS									
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS	
Fixing materials, adhesives	FREQUENCY	-	6	12	7	11	3	3	1	43	
	ROW %	-	13.95	27.91	16.28	25.58	.6.98	6.98	2.33	100.00	
	COLUMN %	-	1.47	0.74	0.29	0.81	0.87	1.83	4.76	0.68	
	% OF TOTAL	-	0.10	0.19	0.11	0.17	0.05	0.05	0.02	0.68	
Splinters, dust, particles	FREQUENCY	-	-	31	12	20	12	-	-	47	
	ROW %	-	-	6.38	25.53	42.55	25.53	-	-	100.00	
	COLUMN %	-	-	0.19	0.50	1.48	3.47	-	-	0.74	
	% OF TOTAL	-	-	0.05	0.19	0.32	0.19	-	-	0.74	
Other product	FREQUENCY	11	78	34	38	40	15	2	2	220	
	ROW %	5.00	35.45	15.45	17.27	18.18	6.82	0.91	0.91	100.00	
	COLUMN %	44.00	19.16	2.10	1.60	2.96	4.34	1.22	9.52	3.49	
	% OF TOTAL	0.17	1.24	0.54	0.60	0.63	0.24	0.03	0.03	3.49	
No product stated	FREQUENCY	1	15	52	66	39	13	3	1	190	
	ROW %	0.53	7.89	27.37	34.74	20.53	6.84	1.58	0.53	100.00	
	COLUMN %	4.00	3.69	3.22	2.77	2.88	3.76	1.83	4.76	3.01	
	% OF TOTAL	0.02	0.24	0.82	1.05	0.62	0.21	0.05	0.02	3.01	
TOTAL	FREQUENCY	25	407	1616	2379	1352	346	164	21	6310	
	ROW %	0.40	6.45	25.61	37.70	21.43	5.48	2.60	0.33	100.00	
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	
	% OF TOTAL	0.40	6.45	25.61	37.70	21.43	5.48	2.60	0.33	100.00	

PRODUCT INVOLVED IN ACCIDENT

FEMALES BY AGE

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
INVOLVED IN ACCIDENTS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Sports articles	FREQUENCY	-	6	171	143	53	12	5	- 390
	ROW %	-	1.54	43.85	36.67	13.59	3.08	1.28	- 100.00
	COLUMN %	-	1.74	19.93	24.36	10.69	3.44	1.72	- 13.17
	% OF TOTAL	-	0.20	5.78	4.83	1.79	0.41	0.17	- 13.17
House building elements	FREQUENCY	6	75	107	115	113	94	100	3 613
	ROW %	0.98	12.23	17.46	18.76	18.43	15.33	16.31	0.49 100.00
	COLUMN %	24.00	21.80	12.47	19.59	22.78	26.93	34.48	25.00 20.70
	% OF TOTAL	0.20	2.53	3.61	3.88	3.82	3.17	3.38	0.10 20.70
Skiing, tennis, swimming, wind-surf etc.	FREQUENCY	1	4	125	70	39	6	4	- 249
	ROW %	0.40	1.61	50.20	28.11	15.66	2.41	1.61	- 100.00
	COLUMN %	4.00	1.16	14.57	11.93	7.86	1.72	1.38	- 8.41
	% OF TOTAL	0.03	0.14	4.22	2.36	1.32	0.20	0.14	- 8.41
Floor, footpath, street, water	FREQUENCY	-	12	103	56	52	78	54	3 358
	ROW %	-	3.35	28.77	15.64	14.53	21.79	15.08	0.84 100.00
	COLUMN %	-	3.49	12.00	9.54	10.48	22.35	18.62	25.00 12.09
	% OF TOTAL	-	0.41	3.48	1.89	1.76	2.63	1.82	0.10 12.09
Clothing, sportswear	FREQUENCY	-	-	29	40	12	2	-	- 83
	ROW %	-	-	34.94	48.19	14.46	2.41	-	- 100.00
	COLUMN %	-	-	3.38	6.81	2.42	0.57	-	- 2.80
	% OF TOTAL	-	-	0.98	1.35	0.41	0.07	-	- 2.80
Vehicles, boats, bikes & accessories	FREQUENCY	-	17	94	22	8	11	3	- 155
	ROW %	-	10.97	60.65	14.19	5.16	7.10	1.94	- 100.00
	COLUMN %	-	4.94	10.96	3.75	1.61	3.15	1.03	- 5.23
	% OF TOTAL	-	0.57	3.17	0.74	0.27	0.37	0.10	- 5.23

(CONTINUED)

PRODUCT INVOLVED IN ACCIDENT

FEMALES BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
INVOLVED IN ACCIDENTS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups
Household furniture	FREQUENCY	5	60	44	17	31	41	46	2	246
	ROW %	2.03	24.39	17.89	6.91	12.60	16.67	18.70	0.81	100.00
	COLUMN %	20.00	17.44	5.13	2.90	6.25	11.75	15.86	16.67	8.31
	% OF TOTAL	0.17	2.03	1.49	0.57	1.05	1.38	1.55	0.07	8.31
Animal and animal accessories	FREQUENCY	-	13	46	19	31	22	13	1	145
	ROW %	-	8.97	31.72	13.10	21.38	15.17	8.97	0.69	100.00
	COLUMN %	-	3.78	5.36	3.24	6.25	6.30	4.48	8.33	4.90
	% OF TOTAL	-	0.44	1.55	0.64	1.05	0.74	0.44	0.03	4.90
"Do-it-yourself" equipment	FREQUENCY	-	1	4	10	10	5	4	-	34
	ROW %	-	2.94	11.76	29.41	29.41	14.71	11.76	-	100.00
	COLUMN %	-	0.29	0.47	1.70	2.02	1.43	1.38	-	1.15
	% OF TOTAL	-	0.03	0.14	0.34	0.34	0.17	0.14	-	1.15
Athletics, boxing, golf, horse-riding etc.	FREQUENCY	-	-	13	23	15	6	2	-	59
	ROW %	-	-	22.03	38.98	25.42	10.17	3.39	-	100.00
	COLUMN %	-	-	1.52	3.92	3.02	1.72	0.69	-	1.99
	% OF TOTAL	-	-	0.44	0.78	0.51	0.20	0.07	-	1.99
Food, hot-liquids	FREQUENCY	1	14	9	10	24	7	3	-	68
	ROW %	1.47	20.59	13.24	14.71	35.29	10.29	4.41	-	100.00
	COLUMN %	4.00	4.07	1.05	1.70	4.84	2.01	1.03	-	2.30
	% OF TOTAL	0.03	0.47	0.30	0.34	0.81	0.24	0.10	-	2.30
Fair, playground	FREQUENCY	-	13	26	-	5	-	-	1	45
	ROW %	-	28.89	57.78	-	11.11	-	-	2.22	100.00
	COLUMN %	-	3.78	3.03	-	1.01	-	-	8.33	1.52
	% OF TOTAL	-	0.44	0.88	-	0.17	-	-	0.03	1.52

(CONTINUED)

PRODUCT INVOLVED IN ACCIDENT

FEMALES BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
INVOLVED IN ACCIDENTS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							Not stated	ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+		
Building materials, insulation, wood	FREQUENCY	-	2	2	3	7	4	2	-	20
	ROW %	-	10.00	10.00	15.00	35.00	20.00	10.00	-	100.00
	COLUMN %	-	0.58	0.23	0.51	1.41	1.15	0.69	-	0.68
	% OF TOTAL	-	0.07	0.07	0.10	0.24	0.14	0.07	-	0.68
Plants, trees	FREQUENCY	-	3	11	-	2	2	1	-	19
	ROW %	-	15.79	57.89	-	10.53	10.53	5.26	-	100.00
	COLUMN %	-	0.87	1.28	-	0.40	0.57	0.34	-	0.64
	% OF TOTAL	-	0.10	0.37	-	0.07	0.07	0.03	-	0.64
Kitchen utensils, household electricity	FREQUENCY	-	6	1	3	14	3	1	-	28
	ROW %	-	21.43	3.57	10.71	50.00	10.71	3.57	-	100.00
	COLUMN %	-	1.74	0.12	0.51	2.82	0.86	0.34	-	0.95
	% OF TOTAL	-	0.20	0.03	0.10	0.47	0.10	0.03	-	0.95
Garden equipment	FREQUENCY	-	1	2	2	7	9	5	-	26
	ROW %	-	3.85	7.69	7.69	26.92	34.62	19.23	-	100.00
	COLUMN %	-	0.29	0.23	0.34	1.41	2.58	1.72	-	0.88
	% OF TOTAL	-	0.03	0.07	0.07	0.24	0.30	0.17	-	0.88
Heating equipment	FREQUENCY	1	12	1	4	2	3	4	-	27
	ROW %	3.70	44.44	3.70	14.81	7.41	11.11	14.81	-	100.00
	COLUMN %	4.00	3.49	0.12	0.68	0.40	0.86	1.38	-	0.91
	% OF TOTAL	0.03	0.41	0.03	0.14	0.07	0.10	0.14	-	0.91
Containers, wrappings	FREQUENCY	-	2	3	8	7	3	4	-	27
	ROW %	-	7.41	11.11	29.63	25.93	11.11	14.81	-	100.00
	COLUMN %	-	0.58	0.35	1.36	1.41	0.86	1.38	-	0.91
	% OF TOTAL	-	0.07	0.10	0.27	0.24	0.10	0.14	-	0.91

(CONTINUED)

PRODUCT INVOLVED IN ACCIDENT

FEMALES BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
INVOLVED IN ACCIDENTS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Fixing materials, adhesives	FREQUENCY	-	-	5	1	2	4	-	- 12
	ROW %	-	-	41.67	8.33	16.67	33.33	-	- 100.00
	COLUMN %	-	-	0.58	0.17	0.40	1.15	-	- 0.41
	% OF TOTAL	-	-	0.17	0.03	0.07	0.14	-	- 0.41
Splinters, dust, particles	FREQUENCY	-	2	-	-	5	-	-	- 7
	ROW %	-	28.57	-	-	71.43	-	-	- 100.00
	COLUMN %	-	0.58	-	-	1.01	-	-	- 0.24
	% OF TOTAL	-	0.07	-	-	0.17	-	-	- 0.24
Other product	FREQUENCY	11	75	32	19	44	28	23	2 234
	ROW %	4.70	32.05	13.68	8.12	18.80	11.97	9.83	0.85 100.00
	COLUMN %	44.00	21.80	3.73	3.24	8.87	8.02	7.93	16.67 7.90
	% OF TOTAL	0.37	2.53	1.08	0.64	1.49	0.95	0.78	0.07 7.90
No product stated	FREQUENCY	-	26	30	22	13	9	16	- 116
	ROW %	-	22.41	25.86	18.97	11.21	7.76	13.79	- 100.00
	COLUMN %	-	7.56	3.50	3.75	2.62	2.58	5.52	- 3.92
	% OF TOTAL	-	0.88	1.01	0.74	0.44	0.30	0.54	- 3.92
TOTAL	FREQUENCY	25	344	858	587	496	349	290	12 2961
	ROW %	0.84	11.62	28.98	19.82	16.75	11.79	9.79	0.41 100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.84	11.62	28.98	19.82	16.75	11.79	9.79	0.41 100.00

PRODUCT INVOLVED IN ACCIDENT

TOTAL BY AGE

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
INVOLVED IN ACCIDENTS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							Not stated	ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+		
Sports articles	FREQUENCY	-	12	695	1205	523	37	8	1	2481
	ROW %	-	0.48	28.01	48.57	21.08	1.49	0.32	0.04	100.00
	COLUMN %	-	1.60	28.09	40.63	28.30	5.32	1.76	3.03	26.76
	% OF TOTAL	-	0.13	7.50	13.00	5.64	0.40	0.09	0.01	26.76
House building elements	FREQUENCY	10	169	267	233	215	144	130	7	1175
	ROW %	0.85	14.38	22.72	19.83	18.30	12.26	11.06	0.60	100.00
	COLUMN %	20.00	22.50	10.79	7.86	11.63	20.72	28.63	21.21	12.67
	% OF TOTAL	0.11	1.82	2.88	2.51	2.32	1.55	1.40	0.08	12.67
Skiing, tennis, swimming, wind- surf etc.	FREQUENCY	1	9	355	488	243	17	7	-	1120
	ROW %	0.09	0.80	31.70	43.57	21.70	1.52	0.63	-	100.00
	COLUMN %	2.00	1.20	14.35	16.45	13.15	2.45	1.54	-	12.08
	% OF TOTAL	0.01	0.10	3.83	5.26	2.62	0.18	0.08	-	12.08
Floor, footpath- , street, water	FREQUENCY	-	43	218	148	124	141	91	8	773
	ROW %	-	5.56	28.20	19.15	16.04	18.24	11.77	1.03	100.00
	COLUMN %	-	5.73	8.81	4.99	6.71	20.29	20.04	24.24	8.34
	% OF TOTAL	-	0.46	2.35	1.60	1.34	1.52	0.98	0.09	8.34
Clothing, sport- swear	FREQUENCY	-	2	168	390	130	6	1	-	697
	ROW %	-	0.29	24.10	55.95	18.65	0.86	0.14	-	100.00
	COLUMN %	-	0.27	6.79	13.15	7.03	0.86	0.22	-	7.52
	% OF TOTAL	-	0.02	1.81	4.21	1.40	0.06	0.01	-	7.52
Vehicles, boats- , bikes & accessories	FREQUENCY	-	48	238	80	66	29	16	1	478
	ROW %	-	10.04	49.79	16.74	13.81	6.07	3.35	0.21	100.00
	COLUMN %	-	6.39	9.62	2.70	3.57	4.17	3.52	3.03	5.16
	% OF TOTAL	-	0.52	2.57	0.86	0.71	0.31	0.17	0.01	5.16

(CONTINUED)

PRODUCT INVOLVED IN ACCIDENT

TOTAL BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
INVOLVED IN ACCIDENTS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							Not stated	ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+		
Household furniture	FREQUENCY	10	127	77	30	47	51	61	2	405
	ROW %	2.47	31.36	19.01	7.41	11.60	12.59	15.06	0.49	100.00
	COLUMN %	20.00	16.91	3.11	1.01	2.54	7.34	13.44	6.06	4.37
	% OF TOTAL	0.11	1.37	0.83	0.32	0.51	0.55	0.66	0.02	4.37
Animal and animal accessories	FREQUENCY	-	28	82	42	63	47	29	3	294
	ROW %	-	9.52	27.89	14.29	21.43	15.99	9.86	1.02	100.00
	COLUMN %	-	3.73	3.31	1.42	3.41	6.76	6.39	9.09	3.17
	% OF TOTAL	-	0.30	0.88	0.45	0.68	0.51	0.31	0.03	3.17
"Do-it-yourself" equipment	FREQUENCY	-	5	8	32	74	40	18	-	177
	ROW %	-	2.82	4.52	18.08	41.81	22.60	10.17	-	100.00
	COLUMN %	-	0.67	0.32	1.08	4.00	5.76	3.96	-	1.91
	% OF TOTAL	-	0.05	0.09	0.35	0.80	0.43	0.19	-	1.91
Athletics, boxing, golf, horse-riding etc.	FREQUENCY	-	1	31	52	30	17	5	-	136
	ROW %	-	0.74	22.79	38.24	22.06	12.50	3.68	-	100.00
	COLUMN %	-	0.13	1.25	1.75	1.62	2.45	1.10	-	1.47
	% OF TOTAL	-	0.01	0.33	0.56	0.32	0.18	0.05	-	1.47
Food, hot-liquids	FREQUENCY	4	25	16	21	38	18	6	2	130
	ROW %	3.08	19.23	12.31	16.15	29.23	13.85	4.62	1.54	100.00
	COLUMN %	8.00	3.33	0.65	0.71	2.06	2.59	1.32	6.06	1.40
	% OF TOTAL	0.04	0.27	0.17	0.23	0.41	0.19	0.06	0.02	1.40
Fair, playground	FREQUENCY	-	25	61	1	5	-	-	1	93
	ROW %	-	26.88	65.59	1.08	5.38	-	-	1.08	100.00
	COLUMN %	-	3.33	2.47	0.03	0.27	-	-	3.03	1.00
	% OF TOTAL	-	0.27	0.66	0.01	0.05	-	-	0.01	1.00

(CONTINUED)

PRODUCT INVOLVED IN ACCIDENT

TOTAL BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
INVOLVED IN ACCIDENTS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups
Building materials, insulation, wood	FREQUENCY	-	4	15	19	30	16	4	-	88
	ROW %	-	4.55	17.05	21.59	34.09	18.18	4.55	-	100.00
	COLUMN %	-	0.53	0.61	0.64	1.62	2.30	0.88	-	0.95
	% OF TOTAL	-	0.04	0.16	0.20	0.32	0.17	0.04	-	0.95
Plants, trees	FREQUENCY	-	7	38	9	13	10	7	-	84
	ROW %	-	8.33	45.24	10.71	15.48	11.90	8.33	-	100.00
	COLUMN %	-	0.93	1.54	0.30	0.70	1.44	1.54	-	0.91
	% OF TOTAL	-	0.08	0.41	0.10	0.14	0.11	0.08	-	0.91
Kitchen utensils, household electricity	FREQUENCY	1	15	5	15	27	5	1	1	70
	ROW %	1.43	21.43	7.14	21.43	38.57	7.14	1.43	1.43	100.00
	COLUMN %	2.00	2.00	0.20	0.51	1.46	0.72	0.22	3.03	0.76
	% OF TOTAL	0.01	0.16	0.05	0.16	0.29	0.05	0.01	0.01	0.76
Garden equipment	FREQUENCY	-	3	7	9	16	22	11	1	69
	ROW %	-	4.35	10.14	13.04	23.19	31.88	15.94	1.45	100.00
	COLUMN %	-	0.40	0.28	0.30	0.87	3.17	2.42	3.03	0.74
	% OF TOTAL	-	0.03	0.08	0.10	0.17	0.24	0.12	0.01	0.74
Heating equipment	FREQUENCY	1	21	14	11	8	6	8	-	69
	ROW %	1.45	30.43	20.29	15.94	11.59	8.70	11.59	-	100.00
	COLUMN %	2.00	2.80	0.57	0.37	0.43	0.86	1.76	-	0.74
	% OF TOTAL	0.01	0.23	0.15	0.12	0.09	0.06	0.09	-	0.74
Containers, wrappings	FREQUENCY	-	5	11	16	22	5	4	-	63
	ROW %	-	7.94	17.46	25.40	34.92	7.94	6.35	-	100.00
	COLUMN %	-	0.67	0.44	0.54	1.19	0.72	0.88	-	0.68
	% OF TOTAL	-	0.05	0.12	0.17	0.24	0.05	0.04	-	0.68

(CONTINUED)

PRODUCT INVOLVED IN ACCIDENT

TOTAL BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
INVOLVED IN ACCIDENTS BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
Fixing materials, adhesives	FREQUENCY	-	6	17	8	13	7	3	1	55
	ROW %	-	10.91	30.91	14.55	23.64	12.73	5.45	1.82	100.00
	COLUMN %	-	0.80	0.69	0.27	0.70	1.01	0.66	3.03	0.59
	% OF TOTAL	-	0.06	0.18	0.09	0.14	0.08	0.03	0.01	0.59
Splinters, dust, particles	FREQUENCY	-	2	3	12	25	12	-	-	54
	ROW %	-	3.70	5.56	22.22	46.30	22.22	-	-	100.00
	COLUMN %	-	0.27	0.12	0.40	1.35	1.73	-	-	0.58
	% OF TOTAL	-	0.02	0.03	0.13	0.27	0.13	-	-	0.58
Other product	FREQUENCY	22	153	66	57	84	43	25	4	454
	ROW %	4.85	33.70	14.54	12.56	18.50	9.47	5.51	0.88	100.00
	COLUMN %	44.00	20.37	2.67	1.92	4.55	6.19	5.51	12.12	4.90
	% OF TOTAL	0.24	1.65	0.71	0.61	0.91	0.46	0.27	0.04	4.90
No product stated	FREQUENCY	1	41	82	88	52	22	19	1	306
	ROW %	0.33	13.40	26.80	28.76	16.99	7.19	6.21	0.33	100.00
	COLUMN %	2.00	5.46	3.31	2.97	2.81	3.17	4.19	3.03	3.30
	% OF TOTAL	0.01	0.44	0.88	0.95	0.56	0.24	0.20	0.01	3.30
TOTAL	FREQUENCY	50	751	2474	2966	1848	695	454	33	9271
	ROW %	0.54	8.10	26.69	31.99	19.93	7.50	4.90	0.36	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.54	8.10	26.69	31.99	19.93	7.50	4.90	0.36	100.00

PRODUCT CAUSING INJURY

MALES BY AGE

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
CAUSING INJURIES BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							Not stated	ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+		
Sports articles	FREQUENCY	-	5	516	1062	470	24	2	1	2080
	ROW %	-	0.24	24.81	51.06	22.60	1.15	0.10	0.05	100.00
	COLUMN %	-	1.23	31.93	44.64	34.76	6.94	1.22	4.76	32.96
	% OF TOTAL	-	0.08	8.18	16.83	7.45	0.38	0.03	0.02	32.96
House building elements	FREQUENCY	6	107	155	121	109	56	37	4	595
	ROW %	1.01	17.98	26.05	20.34	18.32	9.41	6.22	0.67	100.00
	COLUMN %	24.00	26.29	9.59	5.09	8.06	16.18	22.56	19.05	9.43
	% OF TOTAL	0.10	1.70	2.46	1.92	1.73	0.89	0.59	0.06	9.43
Floor, footpath, street, water	FREQUENCY	1	41	210	142	132	97	51	5	679
	ROW %	0.15	6.04	30.93	20.91	19.44	14.29	7.51	0.74	100.00
	COLUMN %	4.00	10.07	13.00	5.97	9.76	28.03	31.10	23.81	10.76
	% OF TOTAL	0.02	0.65	3.33	2.25	2.09	1.54	0.81	0.08	10.76
Skiing, tennis, swimming, wind- surf etc.	FREQUENCY	-	6	211	389	186	11	3	-	806
	ROW %	-	0.74	26.18	48.26	23.08	1.36	0.37	-	100.00
	COLUMN %	-	1.47	13.06	16.35	13.76	3.18	1.83	-	12.77
	% OF TOTAL	-	0.10	3.34	6.16	2.95	0.17	0.05	-	12.77
Clothing, sport- swear	FREQUENCY	-	2	139	347	117	3	1	-	609
	ROW %	-	0.33	22.82	56.98	19.21	0.49	0.16	-	100.00
	COLUMN %	-	0.49	8.60	14.59	8.65	0.87	0.61	-	9.65
	% OF TOTAL	-	0.03	2.20	5.50	1.85	0.05	0.02	-	9.65
Household furniture	FREQUENCY	3	50	28	9	10	7	9	-	116
	ROW %	2.59	43.10	24.14	7.76	8.62	6.03	7.76	-	100.00
	COLUMN %	12.00	12.29	1.73	0.38	0.74	2.02	5.49	-	1.84
	% OF TOTAL	0.05	0.79	0.44	0.14	0.16	0.11	0.14	-	1.84

(CONTINUED)

PRODUCT CAUSING INJURY

MALES BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
CAUSING INJURIES BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							Not stated	All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+		
Vehicles, boats, , bikes & accessories	FREQUENCY	-	27	90	35	28	6	7	1	194
	ROW %	-	13.92	46.39	18.04	14.43	3.09	3.61	0.52	100.00
	COLUMN %	-	6.63	5.57	1.47	2.07	1.73	4.27	4.76	3.07
	% OF TOTAL	-	0.43	1.43	0.55	0.44	0.10	0.11	0.02	3.07
Animal and animal accessories	FREQUENCY	-	15	32	19	26	21	14	2	129
	ROW %	-	11.63	24.81	14.73	20.16	16.28	10.85	1.55	100.00
	COLUMN %	-	3.69	1.98	0.80	1.92	6.07	8.54	9.52	2.04
	% OF TOTAL	-	0.24	0.51	0.30	0.41	0.33	0.22	0.03	2.04
Food, hot- liquids	FREQUENCY	3	15	7	11	15	11	5	2	69
	ROW %	4.35	21.74	10.14	15.94	21.74	15.94	7.25	2.90	100.00
	COLUMN %	12.00	3.69	0.43	0.46	1.11	3.18	3.05	9.52	1.09
	% OF TOTAL	0.05	0.24	0.11	0.17	0.24	0.17	0.08	0.03	1.09
Athletics, boxi- ng, golf, horse- riding etc.	FREQUENCY	-	1	18	28	14	11	3	-	75
	ROW %	-	1.33	24.00	37.33	18.67	14.67	4.00	-	100.00
	COLUMN %	-	0.25	1.11	1.18	1.04	3.18	1.83	-	1.19
	% OF TOTAL	-	0.02	0.29	0.44	0.22	0.17	0.05	-	1.19
Footwear	FREQUENCY	-	1	26	40	31	11	-	-	99
	ROW %	-	1.01	26.26	40.40	31.31	1.01	-	-	100.00
	COLUMN %	-	0.25	1.61	1.68	2.29	0.29	-	-	1.57
	% OF TOTAL	-	0.02	0.41	0.63	0.49	0.02	-	-	1.57
"Do-it- yourself" equipment	FREQUENCY	-	4	4	16	41	15	8	-	88
	ROW %	-	4.55	4.55	18.18	46.59	17.05	9.09	-	100.00
	COLUMN %	-	0.98	0.25	0.67	3.03	4.34	4.88	-	1.39
	% OF TOTAL	-	0.06	0.06	0.25	0.65	0.24	0.13	-	1.39

(CONTINUED)

PRODUCT CAUSING INJURY

MALES BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
CAUSING INJURIES BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
Building materials, insulation, wood	FREQUENCY	-	2	11	17	21	13	2	-	66
	ROW %	-	3.03	16.67	25.76	31.82	19.70	3.03	-	100.00
	COLUMN %	-	0.49	0.68	0.71	1.55	3.76	1.22	-	1.05
	% OF TOTAL	-	0.03	0.17	0.27	0.33	0.21	0.03	-	1.05
Fair, playground	FREQUENCY	-	11	28	-	1	-	-	-	40
	ROW %	-	27.50	70.00	-	2.50	-	-	-	100.00
	COLUMN %	-	2.70	1.73	-	0.07	-	-	-	0.63
	% OF TOTAL	-	0.17	0.44	-	0.02	-	-	-	0.63
Kitchen utensils, household electricity	FREQUENCY	1	7	5	14	13	2	-	1	43
	ROW %	2.33	16.28	11.63	32.56	30.23	4.65	-	2.33	100.00
	COLUMN %	4.00	1.72	0.31	0.59	0.96	0.58	-	4.76	0.68
	% OF TOTAL	0.02	0.11	0.08	0.22	0.21	0.03	-	0.02	0.68
Plants, trees	FREQUENCY	-	3	23	6	12	8	5	-	57
	ROW %	-	5.26	40.35	10.53	21.05	14.04	8.77	-	100.00
	COLUMN %	-	0.74	1.42	0.25	0.89	2.31	3.05	-	0.90
	% OF TOTAL	-	0.05	0.36	0.10	0.19	0.13	0.08	-	0.90
Heating equipment	FREQUENCY	-	9	12	7	7	4	3	-	42
	ROW %	-	21.43	28.57	16.67	16.67	9.52	7.14	-	100.00
	COLUMN %	-	2.21	0.74	0.29	0.52	1.16	1.83	-	0.67
	% OF TOTAL	-	0.14	0.19	0.11	0.11	0.06	0.05	-	0.67
Garden equipment	FREQUENCY	-	2	5	7	9	11	6	1	41
	ROW %	-	4.88	12.20	17.07	21.95	26.83	14.63	2.44	100.00
	COLUMN %	-	0.49	0.31	0.29	0.67	3.18	3.66	4.76	0.65
	% OF TOTAL	-	0.03	0.08	0.11	0.14	0.17	0.10	0.02	0.65

(CONTINUED)

PRODUCT CAUSING INJURY

MALES BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
CAUSING INJURIES BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	ALL AGE GROUPS
Containers, wrappings	FREQUENCY	-	3	7	8	14	3	-	-	35
	ROW %	-	8.57	20.00	22.86	40.00	8.57	-	-	100.00
	COLUMN %	-	0.74	0.43	0.34	1.04	0.87	-	-	0.55
	% OF TOTAL	-	0.05	0.11	0.13	0.22	0.05	-	-	0.55
Fixing materials, adhesives	FREQUENCY	-	6	12	6	11	4	3	1	43
	ROW %	-	13.95	27.91	13.95	25.58	9.30	6.98	2.33	100.00
	COLUMN %	-	1.47	0.74	0.25	0.81	1.16	1.83	4.76	0.68
	% OF TOTAL	-	0.10	0.19	0.10	0.17	0.06	0.05	0.02	0.68
Other product	FREQUENCY	10	75	25	29	46	25	2	2	214
	ROW %	4.67	35.05	11.68	13.55	21.50	11.68	0.93	0.93	100.00
	COLUMN %	40.00	18.43	1.55	1.22	3.40	7.23	1.22	9.52	3.39
	% OF TOTAL	0.16	1.19	0.40	0.46	0.73	0.40	0.03	0.03	3.39
No product stated	FREQUENCY	1	15	52	66	39	13	3	1	190
	ROW %	0.53	7.89	27.37	34.74	20.53	6.84	1.58	0.53	100.00
	COLUMN %	4.00	3.69	3.22	2.77	2.88	3.76	1.83	4.76	3.01
	% OF TOTAL	0.02	0.24	0.82	1.05	0.62	0.21	0.05	0.02	3.01
TOTAL	FREQUENCY	25	407	1616	2379	1352	346	164	21	6310
	ROW %	0.40	6.45	25.61	37.70	21.43	5.48	2.60	0.33	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.40	6.45	25.61	37.70	21.43	5.48	2.60	0.33	100.00

PRODUCT CAUSING INJURY

FEMALES BY AGE

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
CAUSING INJURIES BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Sports articles	FREQUENCY	-	5	168	141	51	11	5	- 381
	ROW %	-	1.31	44.09	37.01	13.39	2.89	1.31	- 100.00
	COLUMN %	-	1.45	19.58	24.02	10.28	3.15	1.72	- 12.87
	% OF TOTAL	-	0.17	5.67	4.76	1.72	0.37	0.17	- 12.87
House building elements	FREQUENCY	7	96	116	122	136	104	116	5 702
	ROW %	1.00	13.68	16.52	17.38	19.37	14.81	16.52	0.71 100.00
	COLUMN %	28.00	27.91	13.52	20.78	27.42	29.80	40.00	41.67 23.71
	% OF TOTAL	0.24	3.24	3.92	4.12	4.59	3.51	3.92	0.17 23.71
Floor, footpath, street, water	FREQUENCY	1	23	176	71	65	91	59	4 490
	ROW %	0.20	4.69	35.92	14.49	13.27	18.57	12.04	0.82 100.00
	COLUMN %	4.00	6.69	20.51	12.10	13.10	26.07	20.34	33.33 16.55
	% OF TOTAL	0.03	0.78	5.94	2.40	2.20	3.07	1.99	0.14 16.55
Skiing, tennis, swimming, wind-surf etc.	FREQUENCY	1	3	118	67	38	6	4	- 237
	ROW %	0.42	1.27	49.79	28.27	16.03	2.53	1.69	- 100.00
	COLUMN %	4.00	0.87	13.75	11.41	7.66	1.72	1.38	- 8.00
	% OF TOTAL	0.03	0.10	3.99	2.26	1.28	0.20	0.14	- 8.00
Clothing, sportswear	FREQUENCY	-	-	29	40	12	2	11	- 84
	ROW %	-	-	34.52	47.62	14.29	2.38	1.19	- 100.00
	COLUMN %	-	-	3.38	6.81	2.42	0.57	0.34	- 2.84
	% OF TOTAL	-	-	0.98	1.35	0.41	0.07	0.03	- 2.84
Household furniture	FREQUENCY	5	37	30	16	24	31	29	- 172
	ROW %	2.91	21.51	17.44	9.30	13.95	18.02	16.86	- 100.00
	COLUMN %	20.00	10.76	3.50	2.73	4.84	8.88	10.00	- 5.81
	% OF TOTAL	0.17	1.25	1.01	0.54	0.81	1.05	0.98	- 5.81

(CONTINUED)

PRODUCT CAUSING INJURY

FEMALES BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
CAUSING INJURIES BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								Not stated	ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+			
Vehicles,boats, bikes & accessories	FREQUENCY	-	15	58	10	4	4	2	-	-	93
	ROW %	-	16.13	62.37	10.75	4.30	4.30	2.15	-	-	100.00
	COLUMN %	-	4.36	6.76	1.70	0.81	1.15	0.69	-	-	3.14
	% OF TOTAL	-	0.51	1.96	0.34	0.14	0.14	0.07	-	-	3.14
Animal and animal accessories	FREQUENCY	-	12	32	16	27	21	12	1	-	121
	ROW %	-	9.92	26.45	13.22	22.31	17.36	9.92	0.83	-	100.00
	COLUMN %	-	3.49	3.73	2.73	5.44	6.02	4.14	8.33	-	4.09
	% OF TOTAL	-	0.41	1.08	0.54	0.91	0.71	0.41	0.03	-	4.09
Food, hot- liquids	FREQUENCY	1	15	9	12	24	9	2	-	-	72
	ROW %	1.39	20.83	12.50	16.67	33.33	12.50	2.78	-	-	100.00
	COLUMN %	4.00	4.36	1.05	2.04	4.84	2.58	0.69	-	-	2.43
	% OF TOTAL	0.03	0.51	0.30	0.41	0.81	0.30	0.07	-	-	2.43
Athletics,boxi- ng,golf,horse- riding etc.	FREQUENCY	-	-	13	23	15	6	2	-	-	59
	ROW %	-	-	22.03	38.98	25.42	10.17	3.39	-	-	100.00
	COLUMN %	-	-	1.52	3.92	3.02	1.72	0.69	-	-	1.99
	% OF TOTAL	-	-	0.44	0.78	0.51	0.20	0.07	-	-	1.99
Footwear	FREQUENCY	-	-	2	6	3	3	1	-	-	15
	ROW %	-	-	13.33	40.00	20.00	20.00	6.67	-	-	100.00
	COLUMN %	-	-	0.23	1.02	0.60	0.86	0.34	-	-	0.51
	% OF TOTAL	-	-	0.07	0.20	0.10	0.10	0.03	-	-	0.51
"Do-it- yourself" equipment	FREQUENCY	-	1	4	9	1	4	1	-	-	20
	ROW %	-	5.00	20.00	45.00	5.00	20.00	5.00	-	-	100.00
	COLUMN %	-	0.29	0.47	1.53	0.20	1.15	0.34	-	-	0.68
	% OF TOTAL	-	0.03	0.14	0.30	0.03	0.14	0.03	-	-	0.68

(CONTINUED)

PRODUCT CAUSING INJURY

FEMALES BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
CAUSING INJURIES BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS									
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups	
Building materials, insulation, wood	FREQUENCY	-	2	1	3	6	3	2	-	17	
	ROW %	-	11.76	5.88	17.65	35.29	17.65	11.76	-	100.00	
	COLUMN %	-	0.58	0.12	0.51	1.21	0.86	0.69	-	0.57	
	% OF TOTAL	-	0.07	0.03	0.10	0.20	0.10	0.07	-	0.57	
Fair, playground	FREQUENCY	-	11	23	-	2	-	-	-	36	
	ROW %	-	30.56	63.89	-	5.56	-	-	-	100.00	
	COLUMN %	-	3.20	2.68	-	0.40	-	-	-	1.22	
	% OF TOTAL	-	0.37	0.78	-	0.07	-	-	-	1.22	
Kitchen utensils, household electricity	FREQUENCY	-	7	1	3	15	3	2	-	31	
	ROW %	-	22.58	3.23	9.68	48.39	9.68	6.45	-	100.00	
	COLUMN %	-	2.03	0.12	0.51	3.02	0.86	0.69	-	1.05	
	% OF TOTAL	-	0.24	0.03	0.10	0.51	0.10	0.07	-	1.05	
Plants, trees	FREQUENCY	-	3	9	-	2	2	1	-	17	
	ROW %	-	17.65	52.94	-	11.76	11.76	5.88	-	100.00	
	COLUMN %	-	0.87	1.05	-	0.40	0.57	0.34	-	0.57	
	% OF TOTAL	-	0.10	0.30	-	0.07	0.07	0.03	-	0.57	
Heating equipment	FREQUENCY	1	12	1	5	2	4	4	-	29	
	ROW %	3.45	41.38	3.45	17.24	6.90	13.79	13.79	-	100.00	
	COLUMN %	4.00	3.49	0.12	0.85	0.40	1.15	1.38	-	0.98	
	% OF TOTAL	0.03	0.41	0.03	0.17	0.07	0.14	0.14	-	0.98	
Garden equipment	FREQUENCY	-	-	-	2	1	7	8	5	-	.23
	ROW %	-	-	-	8.70	4.35	30.43	34.78	21.74	-	100.00
	COLUMN %	-	-	-	0.23	0.17	1.41	2.29	1.72	-	0.78
	% OF TOTAL	-	-	-	0.07	0.03	0.24	0.27	0.17	-	0.78

(CONTINUED)

PRODUCT CAUSING INJURY

FEMALES BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
CAUSING INJURIES BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups
Containers, Wrappings	FREQUENCY	-	2	3	7	6	1	3	-	22
	ROW %	-	9.09	13.64	31.82	27.27	4.55	13.64	-	100.00
	COLUMN %	-	0.58	0.35	1.19	1.21	0.29	1.03	-	0.74
	% OF TOTAL	-	0.07	0.10	0.24	0.20	0.03	0.10	-	0.74
Fixing materials, adhesives	FREQUENCY	-	-	5	1	2	4	-	-	12
	ROW %	-	-	41.67	8.33	16.67	33.33	-	-	100.00
	COLUMN %	-	-	0.58	0.17	0.40	1.15	-	-	0.41
	% OF TOTAL	-	-	0.17	0.03	0.07	0.14	-	-	0.41
Other product	FREQUENCY	9	74	28	12	41	23	23	2	212
	ROW %	4.25	34.91	13.21	5.66	19.34	10.85	10.85	0.94	100.00
	COLUMN %	36.00	21.51	3.26	2.04	8.27	6.59	7.93	16.67	7.16
	% OF TOTAL	0.30	2.50	0.95	0.41	1.38	0.78	0.78	0.07	7.16
No product stated	FREQUENCY	-	26	30	22	13	9	16	-	116
	ROW %	-	22.41	25.86	18.97	11.21	7.76	13.79	-	100.00
	COLUMN %	-	7.56	3.50	3.75	2.62	2.58	5.52	-	3.92
	% OF TOTAL	-	0.88	1.01	0.74	0.44	0.30	0.54	-	3.92
TOTAL	FREQUENCY	25	344	858	587	496	349	290	12	2961
	ROW %	0.84	11.62	28.98	19.82	16.75	11.79	9.79	0.41	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.84	11.62	28.98	19.82	16.75	11.79	9.79	0.41	100.00

PRODUCT CAUSING INJURY

TOTAL BY AGE

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
CAUSING INJURIES BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All age groups
Sports articles	FREQUENCY	-	10	684	1203	521	35	7	1	2461
	ROW %	-	0.41	27.79	48.88	21.17	1.42	0.28	0.04	100.00
	COLUMN %	-	1.33	27.65	40.56	28.19	5.04	1.54	3.03	26.55
	% OF TOTAL	-	0.11	7.38	12.98	5.62	0.38	0.08	0.01	26.55
House building elements	FREQUENCY	13	203	271	243	245	160	153	9	1297
	ROW %	1.00	15.65	20.89	18.74	18.89	12.34	11.80	0.69	100.00
	COLUMN %	26.00	27.03	10.95	8.19	13.26	23.02	33.70	27.27	13.99
	% OF TOTAL	0.14	2.19	2.92	2.62	2.64	1.73	1.65	0.10	13.99
Floor, footpath, street, water	FREQUENCY	2	64	386	213	197	188	110	9	1169
	ROW %	0.17	5.47	33.02	18.22	16.85	16.08	9.41	0.77	100.00
	COLUMN %	4.00	8.52	15.60	7.18	10.66	27.05	24.23	27.27	12.61
	% OF TOTAL	0.02	0.69	4.16	2.30	2.12	2.03	1.19	0.10	12.61
Skiing, tennis, swimming, wind-surf etc.	FREQUENCY	1	9	329	456	224	17	7	-	1043
	ROW %	0.10	0.86	31.54	43.72	21.48	1.63	0.67	-	100.00
	COLUMN %	2.00	1.20	13.30	15.37	12.12	2.45	1.54	-	11.25
	% OF TOTAL	0.01	0.10	3.55	4.92	2.42	0.18	0.08	-	11.25
Clothing, sportswear	FREQUENCY	-	2	168	387	129	5	2	-	693
	ROW %	-	0.29	24.24	55.84	18.61	0.72	0.29	-	100.00
	COLUMN %	-	0.27	6.79	13.05	6.98	0.72	0.44	-	7.47
	% OF TOTAL	-	0.02	1.81	4.17	1.39	0.05	0.02	-	7.47
Household furniture	FREQUENCY	8	87	58	25	34	38	38	-	288
	ROW %	2.78	30.21	20.14	8.68	11.81	13.19	13.19	-	100.00
	COLUMN %	16.00	11.58	2.34	0.84	1.84	5.47	8.37	-	3.11
	% OF TOTAL	0.09	0.94	0.63	0.27	0.37	0.41	0.41	-	3.11

(CONTINUED)

PRODUCT CAUSING INJURY

TOTAL BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
CAUSING INJURIES BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS									
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups	
Vehicles, boats, , bikes & accessories	FREQUENCY	-	42	148	45	32	10	9	1	287	
	ROW %	-	14.63	51.57	15.68	11.15	3.48	3.14	0.35	100.00	
	COLUMN %	-	5.59	5.98	1.52	1.73	1.44	1.98	3.03	3.10	
	% OF TOTAL	-	0.45	1.60	0.49	0.35	0.11	0.10	0.01	3.10	
Animal and animal accessories	FREQUENCY	-	27	64	35	53	42	26	3	250	
	ROW %	-	10.80	25.60	14.00	21.20	16.80	10.40	1.20	100.00	
	COLUMN %	-	3.60	2.59	1.18	2.87	6.04	5.73	9.09	2.70	
	% OF TOTAL	-	0.29	0.69	0.38	0.57	0.45	0.28	0.03	2.70	
Food, hot- Liquids	FREQUENCY	-	4	30	16	23	39	20	7	141	
	ROW %	-	2.84	21.28	11.35	16.31	27.66	14.18	4.96	1.42	100.00
	COLUMN %	-	8.00	3.99	0.65	0.78	2.11	2.88	1.54	6.06	1.52
	% OF TOTAL	-	0.04	0.32	0.17	0.25	0.42	0.22	0.08	0.02	1.52
Athletics, boxi- ng, golf, horse- riding etc.	FREQUENCY	-	1	31	51	29	17	5	-	134	
	ROW %	-	0.75	23.13	38.06	21.64	12.69	3.73	-	100.00	
	COLUMN %	-	0.13	1.25	1.72	1.57	2.45	1.10	-	1.45	
	% OF TOTAL	-	0.01	0.33	0.55	0.31	0.18	0.05	-	1.45	
Footwear	FREQUENCY	-	1	28	46	34	4	1	-	114	
	ROW %	-	0.88	24.56	40.35	29.82	3.51	0.88	-	100.00	
	COLUMN %	-	0.13	1.13	1.55	1.84	0.58	0.22	-	1.23	
	% OF TOTAL	-	0.01	0.30	0.50	0.37	0.04	0.01	-	1.23	
"Do-it- yourself" equipment	FREQUENCY	-	5	8	25	42	19	9	-	108	
	ROW %	-	4.63	7.41	23.15	38.89	17.59	8.33	-	100.00	
	COLUMN %	-	0.67	0.32	0.84	2.27	2.73	1.98	-	1.16	
	% OF TOTAL	-	0.05	0.09	0.27	0.45	0.20	0.10	-	1.16	

(CONTINUED)

PRODUCT CAUSING INJURY

TOTAL BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
CAUSING INJURIES BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All Age Groups
Building materials, insulation, wood	FREQUENCY	-	4	12	20	27	16	4	-	83
	ROW %	-	4.82	14.46	24.10	32.53	19.28	4.82	-	100.00
	COLUMN %	-	0.53	0.49	0.67	1.46	2.30	0.88	-	0.90
	% OF TOTAL	-	0.04	0.13	0.22	0.29	0.17	0.04	-	0.90
Fair, playground	FREQUENCY	-	22	51	-	3	-	-	-	76
	ROW %	-	28.95	67.11	-	3.95	-	-	-	100.00
	COLUMN %	-	2.93	2.06	-	0.16	-	-	-	0.82
	% OF TOTAL	-	0.24	0.55	-	0.03	-	-	-	0.82
Kitchen utensils, household electricity	FREQUENCY	1	14	6	17	28	5	2	1	74
	ROW %	1.35	18.92	8.11	22.97	37.84	6.76	2.70	1.35	100.00
	COLUMN %	2.00	1.86	0.24	0.57	1.52	0.72	0.44	3.03	0.80
	% OF TOTAL	0.01	0.15	0.06	0.18	0.30	0.05	0.02	0.01	0.80
Plants, trees	FREQUENCY	-	6	32	6	14	10	6	-	74
	ROW %	-	8.11	43.24	8.11	18.92	13.51	8.11	-	100.00
	COLUMN %	-	0.80	1.29	0.20	0.76	1.44	1.32	-	0.80
	% OF TOTAL	-	0.06	0.35	0.06	0.15	0.11	0.06	-	0.80
Heating equipment	FREQUENCY	1	21	13	12	9	8	7	-	71
	ROW %	1.41	29.58	18.31	16.90	12.68	11.27	9.86	-	100.00
	COLUMN %	2.00	2.80	0.53	0.40	0.49	1.15	1.54	-	0.77
	% OF TOTAL	0.01	0.23	0.14	0.13	0.10	0.09	0.08	-	0.77
Garden equipment	FREQUENCY	-	2	7	8	16	19	11	1	64
	ROW %	-	3.13	10.94	12.50	25.00	29.69	17.19	1.56	100.00
	COLUMN %	-	0.27	0.28	0.27	0.87	2.73	2.42	3.03	0.69
	% OF TOTAL	-	0.02	0.08	0.09	0.17	0.20	0.12	0.01	0.69

(CONTINUED)

PRODUCT CAUSING INJURY

TOTAL BY AGE (continued)

DISTRIBUTION OF THE TWENTY MOST COMMON PRODUCT GROUPS
CAUSING INJURIES BY AGE
FREQUENCY, ROW PERCENT, COLUMN PERCENT & PERCENT OF TOTAL

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Not stated	All AGE GROUPS
Containers, wrappings	FREQUENCY	-	5	10	15	20	4	3	-	57
	ROW %	-	8.77	17.54	26.32	35.09	7.02	5.26	-	100.00
	COLUMN %	-	0.67	0.40	0.51	1.08	0.58	0.66	-	0.61
	% OF TOTAL	-	0.05	0.11	0.16	0.22	0.04	0.03	-	0.61
Fixing materials, adhesives	FREQUENCY	-	6	17	7	13	8	3	1	55
	ROW %	-	10.91	30.91	12.73	23.64	14.55	5.45	1.82	100.00
	COLUMN %	-	0.80	0.69	0.24	0.70	1.15	0.66	3.03	0.59
	% OF TOTAL	-	0.06	0.18	0.08	0.14	0.09	0.03	0.01	0.59
Other product	FREQUENCY	19	149	53	41	87	48	25	4	426
	ROW %	4.46	34.98	12.44	9.62	20.42	11.27	5.87	0.94	100.00
	COLUMN %	38.00	19.84	2.14	1.38	4.71	6.91	5.51	12.12	4.59
	% OF TOTAL	0.20	1.61	0.57	0.44	0.94	0.52	0.27	0.04	4.59
No product stated	FREQUENCY	1	41	82	88	52	22	19	1	306
	ROW %	0.33	13.40	26.80	28.76	16.99	7.19	6.21	0.33	100.00
	COLUMN %	2.00	5.46	3.31	2.97	2.81	3.17	4.19	3.03	3.30
	% OF TOTAL	0.01	0.44	0.88	0.95	0.56	0.24	0.20	0.01	3.30
TOTAL	FREQUENCY	50	751	2474	2968	1848	695	454	33	9271
	ROW %	0.54	8.10	26.69	31.99	19.93	7.50	4.90	0.36	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.54	8.10	26.69	31.99	19.93	7.50	4.90	0.36	100.00