


# EHLASS Report for Ireland 2002



DEPARTMENT  
OF HEALTH AND  
CHILDREN  
AN ROINN  
SLAINTE AGUS LEANAÍ

European Home and Leisure Accident Surveillance System

# **EHLASS**

## **Report for Ireland**

### **2002**



**Prepared by:  
The Information Management Unit  
Department of Health and Children  
Hawkins House  
Dublin 2  
Republic of Ireland**

## Table of Contents

	<i>Page</i>
<b>INTRODUCTION</b>	
General Demographic Data .....	1
Health Services Data .....	2
Accidents in Ireland .....	3
Accident Prevention Initiatives .....	4
The EHLASS Survey in Ireland .....	5
<b>MAIN RESULTS</b>	
Key Facts, Comments and Conclusions .....	6
Accidents by Age Group and Sex .....	9
Estimation of National Totals .....	10
Accidents by Month, Day and Time .....	11
Accident Mechanism .....	13
Place of Occurrence of Accidents .....	15
Activity at Time of Accident .....	17
Type of Injury Sustained .....	19
Part of Body Injured .....	21
Type of Treatment .....	23
Hospitalisation .....	25
Accident Mechanism: Length of Stay and Hospitalisation Rate .....	26
Type of Injury: Length of Stay and Hospitalisation Rate .....	27
Products Involved in Accidents .....	28
Products Causing Injuries .....	29
Products Involved in Accidents (Age Breakdown) .....	30
Products Causing Injuries (Age Breakdown) .....	31
Selected Product Groups Broken Down by Type of Injury .....	312
<b>APPENDICES</b>	
Accident Mechanism .....	37
Place of Accident .....	49
Activity at Time of Accident .....	55
Principal Injury Diagnosis .....	61
Part of Body Injured .....	70
Treatment and Follow Up .....	73
The Twenty Most Common Product Groups Involved in Accidents .....	76
The Twenty Most Common Product Groups Causing Injuries .....	88
Sample EHLASS coding form .....	100


General Demographic Data

The population of Ireland on Census Day 2002 was 3,917,203. Table 1 shows the population broken down by age and sex and figure 1 displays this graphically. Both are based on the Census of Population carried out by the Central Statistics Office.

Table 1. Population by Age and Sex, 2002

Age Group	Male		Female		Total	
	Number	%	Number	%	Number	%
0-4	142,040	3.6	135,590	3.5	277,630	7.1
5-9	135,890	3.5	128,200	3.3	264,090	6.7
10-14	146,114	3.7	139,594	3.6	285,708	7.3
15-19	160,413	4.1	152,775	3.9	313,188	8.0
20-24	165,292	4.2	163,042	4.2	328,334	8.4
25-29	156,100	4.0	156,593	4.0	312,693	8.0
30-34	152,377	3.9	152,299	3.9	304,676	7.8
35-39	144,530	3.7	146,376	3.7	290,906	7.4
40-44	135,301	3.5	136,683	3.5	271,984	6.9
45-49	124,981	3.2	124,623	3.2	249,604	6.4
50-54	116,585	3.0	114,258	2.9	230,843	5.9
55-59	99,827	2.5	97,467	2.5	197,294	5.0
60-64	77,559	2.0	76,693	2.0	154,252	3.9
65-69	65,290	1.7	68,184	1.7	133,474	3.4
70-74	51,719	1.3	60,410	1.5	112,129	2.9
75-79	37,377	1.0	52,438	1.3	89,815	2.3
80-84	22,283	0.6	36,574	0.9	58,857	1.5
85+	12,486	0.3	29,240	0.7	41,726	1.1
Total	1,946,164	49.7	1,971,039	50.3	3,917,203	100.0

Figure 1. Population Distribution by Age and Sex, 2002



## Health Services Data

The public health service in Ireland is currently administered by 7 health boards and the Eastern Regional Health Authority, which, in turn, is sub-divided into three boards. Acute hospital services are provided by health board and voluntary hospitals. The health board hospitals are managed by the health boards while voluntary hospitals are owned and operated by religious orders or incorporated by charter and work under lay boards of governors. Both types of hospitals are funded by the State. Table 2 gives the number of hospitals, the average number of in-patient beds available and the number of discharges by type of hospital. Long stay units and psychiatric hospitals are not included in these figures. Data on private health care are not readily available.

**Table 2. Acute Public Hospitals Summary Statistics, 2002**

Type of Hospital	Number of Hospitals	Average Number of In-Patient Beds Available	Number of Discharges
Health Board	38	7,289	364,202
Voluntary	22	4,975	193,824
<b>Total</b>	<b>60</b>	<b>12,264</b>	<b>558,026</b>
per 100,000 population	1.5	313	14,246

Source: Department of Health and Children: In-Patient Activity System.

The total number of whole-time equivalent personnel employed in the operation and administration of the public health service in 2002 was 95,679. The numbers employed in the medical/dental and nursing professions are shown in table 3. The rate per 100,000 population for each of the categories is also given. The figures do not include general practitioners. In 2002 there were 2,134 GP's paid on a fee-per-panel patient basis for the provision of services to those entitled to free GP services. The number of health professionals employed in the provision of private health care is not available.

**Table 3. Employment of Medical/Dental, and Nursing and Para-Medical Personnel in the Public Health Services, 2002**

Profession	Numbers Employed	Per 100,000 Population
Medical/Dental	6,775	173
Nursing	33,395	853
<b>Total</b>	<b>40,170</b>	<b>1,025</b>

Source: Department of Health and Children: Personnel Census System

Note: Numbers refer to whole-time equivalents

## Accidents in Ireland

### Deaths from Accidents

Provisional figures for 2002 show that there were 1,058 deaths resulting from accidents. The principal causes were motor vehicle traffic accidents (343 deaths, 32%) and accidental falls (341 deaths, 32%). Accidents accounted for 3.6% of all deaths and ranked fourth after circulatory diseases, cancer and respiratory diseases.

For deaths to persons less than 45 years of age (excluding infant deaths), accidents were the principal cause of death and were responsible for over 28% of all deaths in that age group. The most common cause of accidental death in this age group was motor vehicle traffic accidents with 232 deaths which accounts for 49.7 of all accidental deaths in this age group.

Table 4 shows the frequency and percentage of each of the principal causes of death in 2002.

**Table 4. Principal Causes of Death, 2002 for All Ages and for Persons Aged 1-44 Years**

Cause of Death	All Ages	Percent	1-44 Years	Percent
Circulatory Diseases	11,595	39.5	192	11.6
Cancer	7,499	25.6	299	18.1
Respiratory Diseases	4,330	14.8	65	3.9
<b>Accidents</b>	<b>1,058</b>	<b>3.6</b>	<b>467</b>	<b>28.2</b>
Other Causes	4,866	16.6	632	38.2
<b>Total</b>	<b>29,348</b>	<b>100.0</b>	<b>1,655</b>	<b>100.0</b>

Note: All figures are provisional based on year of registration.

### Hospitalisation from Accidents

The Hospital In-Patient Enquiry (HIPE) system shows that in 2001 over 10% of hospital in-patient discharges were attributable to accidental injuries. This figure is considerably higher for the younger age groups as shown in table 5.

**Table 5. Hospitalisation due to Accidents Number and Percentage of Total, 2002**

	1-14 years	15-24 years	25-44 years	All Ages
<b>Accidents</b>	11,281	9,939	12,075	54,625
<b>% of Total Discharges</b>	20.6	15.9	8.1	10.1

Source: Hospital In-Patient Enquiry, 2002.

Note: The HIPE system has approximately 96% coverage of acute hospital in-patient discharges.

## Accident Prevention Initiatives

### Health Promotion Structure

Health Promotion Unit was established by the Government in 1988 in recognition of the fact that the provision of information and education on health needed to be supported by an environment that made healthy choices easier for people. Since its establishment in 1988, the Health Promotion Unit has been concerned on the one hand with policy development, research and evaluation, and on the other hand, with raising awareness of lifestyle issues through multi-media information campaigns and the development of materials for the public. It is recognised that the creation of an environment that makes health choices easier for people requires the co-operation of many sectors other than the traditional health sector. The prevention of accidents is a good example of an area that requires such a multi-sectoral approach.

### The National Health Strategy

In November 2001 the Minister for Health and Children launched the 2001 National Health Strategy. Accidents are one of the areas targeted in the Strategy and, accordingly, a National Injury Prevention Strategy to co-ordinate action on injury prevention will be prepared as part of the action plan of the Strategy.

### The Health Promotion Strategy

The Health Promotion Strategy 2000-2005 sets out a broad policy framework within which action can be carried out at an appropriate level to advance strategic aims and objectives. This strategy aims to promote a holistic approach to health in Ireland.

One of the strategic aims focuses on safety and injury prevention. The specific aim is *to contribute to a reduction in the percentage of the population affected by fatal and nonfatal injuries*. The Objectives are:

To work in partnership to promote safety and injury prevention (especially amongst children and older people) with a particular focus on fall prevention, accidents in the home and on the road and farm.

To support the implementation of the recommendations in the Government Strategy for Road Safety 1998-2002 and the National Alcohol Policy.

### Specific Initiatives

The Health Promotion Unit has produced or supported the production of a number of educational resources aimed at preventing accidents.

Play it Safe: a guide to preventing children's accidents.

A First Aid Calendar giving information on what to do in the event of an accident.

A Back Care booklet aimed at preventing back injury.

A new information booklet for professionals, *Childcare and SIDS*, and an accompanying leaflet for the general public *Caring for your Child* were launched in 1999. The booklet was produced by the Irish Sudden Infant Death Association and funded by the Health Promotion Unit. The leaflet is included in the Bounty Pack that is distributed to all new mothers in Maternity Hospitals.



## The EHLASS Survey in Ireland

### Use of EHLASS Data

EHLASS provides a harmonised approach throughout the EU to facilitate the analyses of inter-country differences in modes and distributions of home and leisure accidents. EHLASS contributes to the formulation of EU policies and initiatives on accidents and product safety. EHLASS is the only source of detailed information on home and leisure accidents in Ireland. Some general information is available through the Hospital In-Patient Enquiry (HIPE) system but this concentrates on medical diagnoses rather than on specific causes of accidents

This report is the eleventh national EHLASS report for Ireland. These reports are aids to identifying those more likely to be at risk of being involved in home and leisure accidents and the products and activities most likely to be associated with these events. This can facilitate the targeting of suitable areas for accident prevention initiatives.

The following current areas of use can be identified:

Input into Health Promotion initiatives;

- ◆ provision of data to domestic consumer organisations;
- ◆ analyses for international comparisons;
- ◆ determination of impact of accidents on the Health Services;
- ◆ identification of dangerous products.

### Origins and Purpose of EHLASS

The EHLASS survey was initially set up in April 1986 as a five-year demonstration project. The objective was to monitor home and leisure accidents in a harmonised manner throughout the EU in order to determine their causes, the circumstances of their occurrence, their consequences and, most importantly, to provide information on consumer products involved. Armed with accurate information, it was felt that consumer policy could be directed at the more serious problems and that better use could be made of available resources.

Data collection systems were set up for the collection of EHLASS data in the casualty departments of selected hospitals in each of the member states. The information was subsequently gathered together by the European Commission in Brussels. Extensive analysis was undertaken on 778,838 accidents reported throughout the EU. Centralised analysis of EHLASS data proved problematic due to lack of co-ordination in data quality. In 1989 it was decided that each member state should produce its own annual EHLASS report in a harmonised format specified by the European Commission. This is the eleventh such report for Ireland.

### EHLASS in Ireland

Data collection began in Ireland in April, 1986 in Cork University Hospital and Mayo General Hospital, Castlebar. Two people are employed in each of these hospitals to carry out the collection of the data and the coding of the forms. The task is performed by nurses in Cork University Hospital and in Mayo General Hospital the work is carried out by clerical staff. In addition, the Hospital Administrator, the Medical Records Officer and Casualty staff in each hospital assist in overseeing the data collection process. The completed forms are sent to the Department of Health and Children where they are individually checked for completeness and

validity. The checked forms are sent to an external agency for keying into a computer file. Further validations are carried out to prevent errors being included in the annual report.

There are guidelines as to which cases are to be included in EHLASS and a set coding methodology is used in the data capture process. The guidelines and methodology have been set down by the EU and have been followed throughout in the collection of EHLASS data. Essentially EHLASS includes all home and leisure accidents where the persons involved sought treatment at the casualty department of either of the two hospitals involved in the survey. Excluded from the survey are road traffic accidents, accidents at work, suicide attempts and intentionally inflicted injuries through acts of violence (except in the case of fights between children under 10).

The two participating hospitals in Ireland reported on 8,756 EHLASS accidents in 2002. Cork University Hospital reported 7,061 accidents while Mayo General Hospital reported the remaining 1,695 (see table 6). The two hospitals have different types of catchment areas. Mayo General serves a large, predominately rural area while Cork University operates in the suburbs of a city.

Although the two hospitals together serve a reasonably varied urban/rural population base, these areas are not sufficiently definable or representative to arrive at national estimates or to calculate relative risks. The inclusion of a hospital in Dublin, the main urban area, in the survey would help resolve this problem. Nevertheless, EHLASS data is very valuable in showing the distribution of accidents and their consequent injuries and in identifying products with high risks.

**Table 6. Hospitals Participating in the EHLASS Survey, 2002**

<b>HOSPITAL</b>	<b>Average Number of In-Patient Beds Available</b>	<b>Number of Discharges</b>	<b>EHLASS Accidents Reported</b>
Cork University	555	25,282	7,061
Mayo General	213	16,038	1,695

Source: Department of Health and Children: Integrated Management Returns.

## Key Facts, Comments and Conclusions

These comments are intended to highlight important features of the data. They are presented in the same order as the chapter headings in the main body of the report.

### Accidents by Age Group and Sex

In 2002 there were 5,614 accidents recorded involving males and 3,142 accidents involving females. This provides a male to female ratio of 64.2% male to 35.8% female (figure 3) which is consistent with previous years. A large proportion of accidents occurred to people in the age groups below the age of 25 years with 66.2% of male victims and 54.9% of female victims in these age groups. 7.8% of all female victims were in the 75 years and older age bracket while only 1.4% of all accidents for males occurred in that age bracket. This ratio of females to males in this age bracket is 3.1 : 1. The numbers of female accident victims is lower than males for all age brackets up to 50 years but is greater for all age brackets greater than 50 years.

### Accidents by Month, Day and Time

Fewer accidents were recorded during the winter months (figure 4a). More accidents were reported during weekends (figure 4b) and fewer accidents were treated at night time (figure 4c). These statistics only refer to time and day of attendance at hospital, however, and do not

necessarily reflect the distribution of the time or day of occurrence of the accidents.

### Accident Mechanism

Falls accounted for 45% of all accidents recorded (figure 5a). This varied significantly with gender with 59% for females but only 37% for males (figures 5b & 5c). The age distribution for falls shows significantly higher risks in the very young and very old age groups for both sexes with falls accounting for nearly nine out of every ten accidents to females in the 65+ age bracket while in the under 1 age group falls accounted for 72% of accidents for males and 77% of accidents for females.

### Place of Occurrence

Figure 6a shows that sports areas were the most frequently reported places of occurrence of home and leisure accidents in 2002 accounting for over 37% of all accidents. In the 15-24 age group approximately 72% of male and 37% of female accidents occurred in a sports area (figures 6b & 6c). However, for the very young and very old 'in the home' and 'around the home' are by far the more frequent places of occurrence.

### Activity at Time of Accident

Play/leisure were the most frequent activity associated with accidents, and together with sporting activities accounted for over 75% of all accidents recorded (figure 7a). Among the very young the play/leisure category accounts for a large majority of accidents however, sporting activities were involved in over 49% of all accidents to males and for nearly 72% of males in the 15-24 age group.

### Type of Injury Sustained

Fractures were involved in around 32% of all injuries sustained followed by contusions/bruises. These are consistently high in all age groups for both sexes (figures 8a-8c). Fractures were involved in over half of all injuries treated in women aged 65 years of age and over (51.5%).

### Part of Body Injured

Injuries to the upper and lower limbs accounted for over 71% of the total of all injuries. Children of both sexes aged less than 5 years sustained a much higher level of injuries to the head and face than other age groups (figures 9a-9c).

### Type of Treatment

Nearly 27% of home and leisure accidents were categorised as 'minor' while just over 10% required hospitalisation. Over 62% received some treatment and were then released. The percentages hospitalised are higher for the younger and older age groups (figures 10a-10c). Three of the accidents recorded in 2002 resulted in the death of the victim.

### Hospitalisation

945 patients were hospitalised of the 8,756 cases reported. Over 51% of hospitalised patients were discharged after only 1 day and the mean length of stay was 2.1 days. The average length of stay was significantly higher for the very old at over 5.8 days (figures 11a & 11b)

The longest average length of stay at 6.1 days was recorded in the hot liquid category. Fires resulted in the next longest average length of 4.3 days. 22 out of 86 'poisoning' victims were

hospitalised resulting in the highest hospitalisation rate of 25.6%. (figures 12a & 12b). The highest mean length of stay for a particular injury type was 6 days for burns at 4.6 days. Poisoning had the highest hospitalisation rate of over 27% (figures 13a & 13b).

### **Products Involved in Accident/Causing Injury**

Sports equipment products were involved in over 40% of all accidents and caused nearly 40% of all injuries (tables 7-10). Medicines caused the highest hospitalisation rate of over 35 per 100 accidents while the longest average length of stay of over 6 days was for products related to the bathroom. Product groupings are associated with different patterns of injury types as shown in a selection of bar charts presented in figures 14a – 14h.

### **Improvements to EHLASS**

A review of EHLASS, aimed at updating and improving the usefulness and homogeneity of EHLASS data, is ongoing at EU level. An improved classification system is being designed and expanded so it may also be used to capture information on other types of accident and emergency activities. This will provide EU member states the option of using standard classification systems to obtain an overview of all cases attending casualty departments, not just home and leisure accidents.

Accidents by Age Group and Sex.

Figure 2a Accident Distribution by Age 2002, Males






Figure 2b Accident Distribution by Age 2002, Females



**Figure 3 Accident Distribution – Male/Female Split by Age 2002**

### Estimation of National Totals

Reliable estimates of total home and leisure accidents occurring in Ireland cannot be based on the present EHLASS survey results. While it is thought that the hospitals involved in the survey represent a reasonable cross-section of urban and rural communities, the size of each hospital's catchment area is not sufficiently precise to allow for the extrapolation of the data to produce national estimates.

Accidents by Month, Day and Time

Figure 4a Distribution of Accidents by Month, 2002




Figure 4b Distribution of Accidents by Day of Week, 2002





Figure 4c Distribution of Accidents by Time of Day, 2002





Accident Mechanism

Figure 5a Percentage Distribution of Most Frequent Accident Mechanisms, 2002




Figure 5b Accident Mechanism by Age: Percentage Distribution of the four Most Frequent Accident Mechanisms, 2002 – Males





Figure 5c Accident Mechanism by Age: Percentage Distribution of the four Most Frequent Accident Mechanisms, 2002 – Females



Place of Occurrence

Figure 6a Percentage Distribution of Most Frequent Places of Occurrence, 2002




Figure 6b Place of Occurrence by Age: Percentage Distribution of the four Most Frequent Places of Occurrence, 2002 – Males





Figure 6c Place of Occurrence by Age: Percentage Distribution of the four Most Frequent Places of Occurrence, 2002 – Females



Activity at Time of Accident

Figure 7a Percentage Distribution of Most Frequent Activities, 2002




Figure 7b Activity by Age: Percentage Distribution of the four Most Frequent Activities, 2002 – Males





Figure 7c Activity by Age: Percentage Distribution of the four Most Frequent Activities, 2002 – Females



Type of Injury Sustained

Figure 8a Percentage Distribution of Most Frequent Injuries, 2002




Figure 8b Injury by Age: Percentage Distribution of the four Most Frequent Injuries, 2002 – Males





Figure 8c Injury by Age: Percentage Distribution of the four Most Frequent Injuries, 2002 – Females





Part of Body Injured

Figure 9a Percentage Distribution of Most Frequent Parts of Body Injured, 2002




Figure 9b Part of Body Injured by Age: Percentage Distribution of the four Most Frequently Injured Body Parts, 2002 – Males





Figure 9c Part of Body Injured by Age: Percentage Distribution of the four Most Frequently Injured Body Parts, 2002 – Females



Type of Treatment

Figure 10a Percentage Distribution of Types of Treatment, 2002




Figure 10b Type of Treatment by Age: Percentage Distribution of the Types of Treatment, 2002 – Males





Figure 10c Type of Treatment by Age: Percentage Distribution of the Types of Treatment, 2002 – Females



Hospitalisation

Figure 11a. Distribution of Accidents Resulting in Hospitalisation by Length of Stay in days, 2002





Figure 11b. Average Length of Stay in days by Age Group, 2002



Z

## Accident Mechanism: Length of Stay and Hospitalisation Rate

Figure 12a. Average Length of Stay by Accident Mechanism, 2002





Figure 12b. Hospitalisation Rate per 100 Accidents by Accident Mechanism, 2002



### Type of Injury: Length of Stay and Hospitalisation Rate

Figure 13a. Average Length of Stay by Type of Injury, 2002





Figure 13b. Hospitalisation Rate per 100 Accidents by Type of Injury, 2002



## Products Involved in Accidents

**Table 7. The most common product groups involved in accidents ranked by accident frequency and also showing percentage of all accidents, hospitalisation rates and average length of stay in days.**

DESCRIPTION OF PRODUCT GROUPING	EHLASS CODE	NUMBER OF ACCIDENTS	PERCENT OF ALL ACCIDENTS	HOSPITALISATION RATE	AVERAGE LENGTH OF STAY
Sports Equipment	50	3558	40.64	5.79	1.9
Housing/Building Elements	7	1351	15.43	16.73	3.71
Outdoor environment structures	34	619	7.07	10.18	3.59
Household Furniture	23	509	5.81	12.18	5
Vehicles	45	353	4.03	15.3	2.37
Hot Foods/Liquids and Smoking Material	16	262	2.99	21.37	4.38
DIY Equipment	10	250	2.86	7.6	2.32
Floor Coverings	22	217	2.48	5.07	3.45
Animals and Animal Accessories	37	210	2.4	22.38	3.02
Kitchen Utensils	25	201	2.3	8.46	4.65
Footwear	17	173	1.98	14.45	7.2
Fair/Playground	42	138	1.58	21.01	1.41
Particles	13	114	1.3	0.88	1
Games and Toys	39	90	1.03	6.67	1.5
Garden Equipment	19	83	0.95	20.48	3.71
Bathroom Equipment	21	81	0.93	14.81	7.08
Heating Equipment	20	73	0.83	30.14	2.23
Containers and Wrappings	8	55	0.63	10.91	3.33
Plants, Trees and Bushes	38	48	0.55	31.25	3.2
Laundry Equipment	27	35	0.4	5.71	1.5
Medicines	32	34	0.39	35.29	1.25
Other product codes	98	284	3.24	12.32	3.33
Total		8756	100.01	10.79	2.92



## Products Causing Injuries

**Table 8. The most common product groups causing injuries ranked by accident frequency and also showing percent of all accidents, hospitalisation rates and average length of stay in days.**

DESCRIPTION OF PRODUCT GROUPING	EHLASS CODE	NUMBER OF ACCIDENTS	PERCENT OF ALL ACCIDENTS	HOSPITALISATION RATE	AVERAGE LENGTH OF STAY
Sports equipment	50	3478	39.74	5.75	1.88
Housing/building elements	7	1597	18.25	15.4	4.02
Outdoor environment structures	34	818	9.35	15.4	2.87
Footwear	17	430	4.91	8.37	7.19
Household furniture	23	359	4.1	11.7	4.12
Hot foods/liquids	16	262	2.99	24.81	4.51
Kitchen utensils	25	195	2.23	6.67	3.31
Vehicles	45	195	2.23	16.41	2.19
Animals and animal accessories	37	191	2.18	21.99	2.62
DIY equipment	10	150	1.71	6.67	2.3
Floor coverings	22	141	1.61	7.8	4.09
Particles	13	121	1.38	0.83	1
Games and toys	39	86	0.98	5.81	1.6
Garden equipment	19	85	0.97	18.82	3.63
Fair/playground	42	83	0.95	18.07	1.6
Heating equipment	20	75	0.86	28	1.71
Bathroom equipment	21	66	0.75	12.12	3.63
Containers and wrappings	8	53	0.61	11.32	1.67
Medicines	32	38	0.43	42.11	2.44
Building materials	11	32	0.37	6.25	1
Laundry equipment	27	32	0.37	0	0
Total		8756	100.06	10.79	2.94

**Table 9. Products Involved in Accidents (Age Breakdown): The most common product groups involved in accidents ranked by accident frequency and distributed by age group**


Product Involved in the Accident	Age Groups							All Age Groups
	<1	1-4	5-14	15-24	25-44	45-64	65+	
Sports Equipment	0	25	918	1689	860	55	11	3558
Housing/Building Elements	22	208	253	207	266	200	195	1351
Outdoor environment structures	0	36	118	104	137	137	87	619
Household Furniture	21	177	85	39	62	33	92	509
Vehicles	0	55	188	48	39	15	8	353
Unspecified product	23	79	47	52	47	24	30	302
Hot Foods/Liquids and Smoking Material	5	39	21	75	58	50	14	262
DIY Equipment	0	4	16	56	85	69	20	250
Floor Coverings	1	22	20	31	57	45	41	217
Animals and Animal Accessories	0	12	61	30	56	32	19	210
Kitchen Utensils	1	15	20	57	72	30	6	201
Footwear	0	12	31	44	29	22	35	173
Fair/Playground	0	36	95	6	1	0	0	138
Particles	0	12	7	24	38	28	5	114
Games and Toys	0	32	38	6	11	1	2	90
Garden Equipment	0	6	20	6	12	22	17	83
Bathroom Equipment	0	9	5	9	21	19	18	81
Heating Equipment	3	21	9	11	8	15	6	73
Containers and Wrappings	1	6	11	9	13	11	4	55
Plants Trees and Bushes	0	2	29	1	8	4	4	48
Laundry Equipment	0	15	10	0	3	5	2	35
Medicines	0	31	0	2	1	0	0	34
TOTAL	77	854	2002	2506	1884	817	616	8756

**Table 10. Products Causing Injuries (Age Breakdown): The most common product groups causing injuries ranked by accident frequency and distributed by age group**

Product Causing the Accident	Age Groups							All Age Groups
	<1	1-4	5-14	15-24	25-44	45-64	65+	
Sports Equipment	0	17	872	1669	858	52	10	3478
Housing/Building Elements	33	283	269	228	298	229	257	1597
Outdoor environment structures	1	72	318	135	130	104	58	818
Footwear	3	29	67	78	86	94	73	430
Household Furniture	12	122	54	34	52	28	57	359
Unspecified product	15	61	47	49	47	24	26	269
Hot Foods/Liquids and Smoking Material	6	40	20	68	56	55	17	262
Kitchen Utensils	0	14	21	52	72	30	6	195
Vehicles	0	31	99	28	25	7	5	195
Animals and Animal Accessories	0	10	53	29	53	30	16	191
DIY Equipment	0	3	21	37	62	43	16	182
Floor Coverings	3	18	13	20	36	21	30	141
Particles	0	12	7	28	39	30	5	121
Games and Toys	0	31	36	6	10	1	2	86
Garden Equipment	0	6	16	9	14	23	17	85
Fair/Playground	0	22	54	6	1	0	0	83
Heating Equipment	3	25	10	11	7	14	5	75
Bathroom Equipment	0	8	5	7	20	17	9	66
Containers and Wrappings	1	6	11	8	14	10	3	53
Medicines	0	32	0	4	1	0	1	38
Laundry Equipment	0	12	9	0	3	5	3	32
TOTAL	77	854	2002	2506	1884	817	616	8756

## Figures 14a – 14h. Selected Product Groups Broken Down by Principal Types of Injury

### Figure 14a. Sports Equipment



### Figure 14b . Kitchen Utensils




Figure 14c. Housing/Building Components




Figure 14d. Furnishings




Figure 14e. DIY Equipment




Figure 14f. Hot Foods/Liquids




Figure 14f. Vehicles





Figure 14h. Outdoor Objects



## Appendices

The following pages contain detailed tables of the results of the EHLASS data collection process in Ireland for 2002 and present a detailed analysis of the data for each of the variables listed above by age group and sex.

Each of the major fields of data is tabulated. The tables are broken down into male and female summaries with totals given in each case for both sexes. Every table is subdivided into age groups and a total is given for all age groups.

Within each category the actual number of accidents reported is given as the Frequency. The Row % is the percentage of the total number of accidents in that category for each of the age groups. The Column % represents the percentage of accidents that the category in question represents for the given age group in relation to all categories. The number of accidents reported for each age group within a category is also expressed as a percentage of the total number of accidents recorded (% of Total).

Tables are given for the following categories:

**Tables 11a-11c** - Accident Mechanism;

**Tables 12a-12c** - Place of Occurrence;

**Tables 13a-13c** - Activity at Time of Accident;

**Tables 14a-14c** - Principal Injury Diagnosis;

**Tables 15a-15c** - Part of Body Injured;

**Tables 16a-16c** - Treatment and Follow-up;

**Tables 17a-17c** - Product Involved in Accident;

**Tables 18a-18c** - Product Causing Injury.



**Table 11a: Accident Mechanism by Age – Male**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Fall	Frequency	24	269	593	475	363	207	137	2068
	Row %	1.16	13.01	28.68	22.97	17.55	10.01	6.62	100.00
	Column %	72.73	56.39	47.40	24.32	27.56	53.35	70.26	36.84
	% of Total	0.43	4.79	10.56	8.46	6.47	3.69	2.44	36.84
Strain	Frequency	0	6	50	178	132	16	6	388
	Row %	0	1.55	12.89	45.88	34.02	4.12	1.55	100.00
	Column %	0	1.26	4.00	9.11	10.02	4.12	3.08	6.91
	% of Total	0	0.11	0.89	3.17	2.35	0.29	0.11	6.91
Cut/Pierce	Frequency	0	12	38	64	77	42	14	247
	Row %	0	4.86	15.38	25.91	31.17	17.00	5.67	100.00
	Column %	0	2.52	3.04	3.28	5.85	10.82	7.18	4.40
	% of Total	0	0.21	0.68	1.14	1.37	0.75	0.25	4.40
Struck/Hit	Frequency	1	71	500	1158	660	59	14	2463
	Row %	0.04	2.88	20.30	47.02	26.80	2.40	0.57	100.00
	Column %	3.03	14.88	39.97	59.29	50.11	15.21	7.18	43.87
	% of Total	0.02	1.26	8.91	20.63	11.76	1.05	0.25	43.87
Jammed/Pinched	Frequency	2	33	24	6	18	10	1	94
	Row %	2.13	35.11	25.53	6.38	19.15	10.64	1.06	100.00
	Column %	6.06	6.92	1.92	0.31	1.37	2.58	0.51	1.67
	% of Total	0.04	0.59	0.43	0.11	0.32	0.18	0.02	1.67
Explosion	Frequency	0	0	0	0	0	1	0	1
	Row %	0	0	0	0	0	100.00	0	100.00
	Column %	0	0	0	0	0	0.26	0	0.02
	% of Total	0	0	0	0	0	0.02	0	0.02

/...

Table 11a: Accident Mechanism by Age – Male (continued)

		Age Groups							All Age Groups
		< 1	1 -4	5 -14	15 -24	25 -44	45 -64	65+	
Other Contacts	Frequency	0	5	3	7	5	2	3	25
	Row %	0	20.00	12.00	28.00	20.00	8.00	12.00	100.00
	Column %	0	1.05	0.24	0.36	0.38	0.52	1.54	0.45
	% of Total	0	0.09	0.05	0.12	0.09	0.04	0.05	0.45
Foreign Body, ingestion of Etc.	Frequency	0	13	10	24	31	29	5	112
	Row %	0	11.61	8.93	21.43	27.68	25.89	4.46	100.00
	Column %	0	2.73	0.80	1.23	2.35	7.47	2.56	2.00
	% of Total	0	0.23	0.18	0.43	0.55	0.52	0.09	2.00
Respiratory Obstruction	Frequency	0	0	0	0	0	1	1	2
	Row %	0	0	0	0	0	50.00	50.00	100.00
	Column %	0	0	0	0	0	0.26	0.51	0.04
	% of Total	0	0	0	0	0	0.02	0.02	0.04
Poisoning	Frequency	0	29	7	8	3	1	0	48
	Row %	0	60.42	14.58	16.67	6.25	2.08	0	100.00
	Column %	0	6.08	0.56	0.41	0.23	0.26	0	0.86
	% of Total	0	0.52	0.12	0.14	0.05	0.02	0	0.86
Chemical Exposure	Frequency	0	0	0	0	1	2	0	3
	Row %	0	0	0	0	33.33	66.67	0	100.00
	Column %	0	0	0	0	0.08	0.52	0	0.05
	% of Total	0	0	0	0	0.02	0.04	0	0.05
Hot Liquid	Frequency	4	24	4	6	5	5	5	53
	Row %	7.55	45.28	7.55	11.32	9.43	9.43	9.43	100.00
	Column %	12.12	5.03	0.32	0.31	0.38	1.29	2.56	0.94
	% of Total	0.07	0.43	0.07	0.11	0.09	0.09	0.09	0.94

/...

Table 11a: Accident Mechanism by Age – Male (continued)

		Age Groups							All Age Groups
		< 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 64	65+	
Hot Object	Frequency	1	5	2	3	2	2	0	15
	Row %	6.67	33.33	13.33	20.00	13.33	13.33	0	100.00
	Column %	3.03	1.05	0.16	0.15	0.15	0.52	0	0.27
	% of Total	0.02	0.09	0.04	0.05	0.04	0.04	0	0.27
Fire	Frequency	0	4	5	5	8	6	5	33
	Row %	0	12.12	15.15	15.15	24.24	18.18	15.15	100.00
	Column %	0	0.84	0.40	0.26	0.61	1.55	2.56	0.59
	% of Total	0	0.07	0.09	0.09	0.14	0.11	0.09	0.59
Other Thermal Exposure	Frequency	0	0	0	2	0	0	0	2
	Row %	0	0	0	100.00	0	0	0	100.00
	Column %	0	0	0	0.10	0	0	0	0.04
	% of Total	0	0	0	0.04	0	0	0	0.04
Light & Other Radiation	Frequency	1	1	1	0	1	0	0	4
	Row %	25.00	25.00	25.00	0	25.00	0	0	100.00
	Column %	3.03	0.21	0.08	0	0.08	0	0	0.07
	% of Total	0.02	0.02	0.02	0	0.02	0	0	0.07
Other Mechanism Specified	Frequency	0	3	8	9	6	3	3	32
	Row %	0	9.38	25.00	28.13	18.75	9.38	9.38	100.00
	Column %	0	0.63	0.64	0.46	0.46	0.77	1.54	0.57
	% of Total	0	0.05	0.14	0.16	0.11	0.05	0.05	0.57
Not Known	Frequency	0	2	6	8	5	2	1	24
	Row %	0	8.33	25.00	33.33	20.83	8.33	4.17	100.00
	Column %	0	0.42	0.48	0.41	0.38	0.52	0.51	0.43
	% of Total	0	0.04	0.11	0.14	0.09	0.04	0.02	0.43

/...

**Table 11a: Accident Mechanism by Age – Male (continued)**

		Age Groups							All Age Groups
		< 1	1 -4	5 -14	15 -24	25 -44	45 -64	65+	
Total	Frequency	33	477	1251	1953	1317	388	195	5614
	Row %	0.59	8.50	22.28	34.79	23.46	6.91	3.47	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.59	8.50	22.28	34.79	23.46	6.91	3.47	100.00

**Table 11b: Accident Mechanism by Age - Female**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Fall	Frequency	34	214	440	221	308	287	367	1871
	Row %	1.82	11.44	23.52	11.81	16.46	15.34	19.62	100.00
	Column %	77.27	56.76	58.59	39.96	54.32	66.90	87.17	59.55
	% of Total	1.08	6.81	14.00	7.03	9.80	9.13	11.68	59.55
Strain	Frequency	0	2	20	58	42	18	2	142
	Row %	0	1.41	14.08	40.85	29.58	12.68	1.41	100.00
	Column %	0	0.53	2.66	10.49	7.41	4.20	0.48	4.52
	% of Total	0	0.06	0.64	1.85	1.34	0.57	0.06	4.52
Cut/Pierce	Frequency	0	14	20	29	44	30	5	142
	Row %	0	9.86	14.08	20.42	30.99	21.13	3.52	100.00
	Column %	0	3.71	2.66	5.24	7.76	6.99	1.19	4.52
	% of Total	0	0.45	0.64	0.92	1.40	0.95	0.16	4.52
Struck/Hit	Frequency	2	42	214	188	111	45	33	635
	Row %	0.31	6.61	33.70	29.61	17.48	7.09	5.20	100.00
	Column %	4.55	11.14	28.50	34.00	19.58	10.49	7.84	20.21
	% of Total	0.06	1.34	6.81	5.98	3.53	1.43	1.05	20.21
Jammed/Pinched	Frequency	0	32	17	7	15	5	4	80
	Row %	0	40.00	21.25	8.75	18.75	6.25	5.00	100.00
	Column %	0	8.49	2.26	1.27	2.65	1.17	0.95	2.55
	% of Total	0	1.02	0.54	0.22	0.48	0.16	0.13	2.55
Other Contacts	Frequency	0	2	8	6	5	8	0	29
	Row %	0	6.90	27.59	20.69	17.24	27.59	0	100.00
	Column %	0	0.53	1.07	1.08	0.88	1.86	0	0.92
	% of Total	0	0.06	0.25	0.19	0.16	0.25	0	0.92

/...

Table 11b: Accident Mechanism by Age – Female (continued)

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Foreign Body, ingestion of Etc.	Frequency	1	11	6	7	10	10	2	47
	Row %	2.13	23.40	12.77	14.89	21.28	21.28	4.26	100.00
	Column %	2.27	2.92	0.80	1.27	1.76	2.33	0.48	1.50
	% of Total	0.03	0.35	0.19	0.22	0.32	0.32	0.06	1.50
Respiratory Obstruction	Frequency	0	0	0	1	0	0	0	1
	Row %	0	0	0	100.00	0	0	0	100.00
	Column %	0	0	0	0.18	0	0	0	0.03
	% of Total	0	0	0	0.03	0	0	0	0.03
Poisoning	Frequency	1	25	2	7	2	1	0	38
	Row %	2.63	65.79	5.26	18.42	5.26	2.63	0	100.00
	Column %	2.27	6.63	0.27	1.27	0.35	0.23	0	1.21
	% of Total	0.03	0.80	0.06	0.22	0.06	0.03	0	1.21
Chemical Exposure	Frequency	0	0	0	0	0	1	0	1
	Row %	0	0	0	0	0	100.00	0	100.00
	Column %	0	0	0	0	0	0.23	0	0.03
	% of Total	0	0	0	0	0	0.03	0	0.03
Hot Liquid	Frequency	2	15	9	10	14	9	2	61
	Row %	3.28	24.59	14.75	16.39	22.95	14.75	3.28	100.00
	Column %	4.55	3.98	1.20	1.81	2.47	2.10	0.48	1.94
	% of Total	0.06	0.48	0.29	0.32	0.45	0.29	0.06	1.94
Hot Object	Frequency	3	5	0	5	5	3	1	22
	Row %	13.64	22.73	0	22.73	22.73	13.64	4.55	100.00
	Column %	6.82	1.33	0	0.90	0.88	0.70	0.24	0.70
	% of Total	0.10	0.16	0	0.16	0.16	0.10	0.03	0.70

/...

**Table 11b: Accident Mechanism by Age – Female (continued)**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Fire	Frequency	0	2	1	4	2	3	3	15
	Row %	0	13.33	6.67	26.67	13.33	20.00	20.00	100.00
	Column %	0	0.53	0.13	0.72	0.35	0.70	0.71	0.48
	% of Total	0	0.06	0.03	0.13	0.06	0.10	0.10	0.48
Other Thermal Exposure	Frequency	0	0	1	1	1	1	0	4
	Row %	0	0	25.00	25.00	25.00	25.00	0	100.00
	Column %	0	0	0.13	0.18	0.18	0.23	0	0.13
	% of Total	0	0	0.03	0.03	0.03	0.03	0	0.13
Light & Other Radiation	Frequency	0	0	0	1	1	0	0	2
	Row %	0	0	0	50.00	50.00	0	0	100.00
	Column %	0	0	0	0.18	0.18	0	0	0.06
	% of Total	0	0	0	0.03	0.03	0	0	0.06
Electricity	Frequency	0	0	0	1	0	0	0	1
	Row %	0	0	0	100.00	0	0	0	100.00
	Column %	0	0	0	0.18	0	0	0	0.03
	% of Total	0	0	0	0.03	0	0	0	0.03
Other Mechanism Specified	Frequency	1	9	11	3	4	6	1	35
	Row %	2.86	25.71	31.43	8.57	11.43	17.14	2.86	100.00
	Column %	2.27	2.39	1.46	0.54	0.71	1.40	0.24	1.11
	% of Total	0.03	0.29	0.35	0.10	0.13	0.19	0.03	1.11
Not Known	Frequency	0	4	2	4	3	2	1	16
	Row %	0	25.00	12.50	25.00	18.75	12.50	6.25	100.00
	Column %	0	1.06	0.27	0.72	0.53	0.47	0.24	0.51
	% of Total	0	0.13	0.06	0.13	0.10	0.06	0.03	0.51

/...

**Table 11b: Accident Mechanism by Age – Female (continued)**

		Age Groups							All Age Groups
		< 1	1 -4	5 -14	15 -24	25 -44	45 -64	65+	
Total	Frequency	44	377	751	553	567	429	421	3142
	Row %	1.40	12.00	23.90	17.60	18.05	13.65	13.40	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	1.40	12.00	23.90	17.60	18.05	13.65	13.40	100.00



Table 11c: Accident Mechanism by Age - Total

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Fall	Frequency	58	483	1033	696	671	494	504	3939
	Row %	1.47	12.26	26.22	17.67	17.03	12.54	12.80	100.00
	Column %	75.32	56.56	51.60	27.77	35.62	60.47	81.82	44.99
	% of Total	0.66	5.52	11.80	7.95	7.66	5.64	5.76	44.99
Strain	Frequency	0	8	70	236	174	34	8	530
	Row %	0	1.51	13.21	44.53	32.83	6.42	1.51	100.00
	Column %	0	0.94	3.50	9.42	9.24	4.16	1.30	6.05
	% of Total	0	0.09	0.80	2.70	1.99	0.39	0.09	6.05
Cut/Pierce	Frequency	0	26	58	93	121	72	19	389
	Row %	0	6.68	14.91	23.91	31.11	18.51	4.88	100.00
	Column %	0	3.04	2.90	3.71	6.42	8.81	3.08	4.44
	% of Total	0	0.30	0.66	1.06	1.38	0.82	0.22	4.44
Struck/Hit	Frequency	3	113	714	1346	771	104	47	3098
	Row %	0.10	3.65	23.05	43.45	24.89	3.36	1.52	100.00
	Column %	3.90	13.23	35.66	53.71	40.92	12.73	7.63	35.38
	% of Total	0.03	1.29	8.15	15.37	8.81	1.19	0.54	35.38
Jammed/Pinched	Frequency	2	65	41	13	33	15	5	174
	Row %	1.15	37.36	23.56	7.47	18.97	8.62	2.87	100.00
	Column %	2.60	7.61	2.05	0.52	1.75	1.84	0.81	1.99
	% of Total	0.02	0.74	0.47	0.15	0.38	0.17	0.06	1.99
Explosion	Frequency	0	0	0	0	0	1	0	1
	Row %	0	0	0	0	0	100.00	0	100.00
	Column %	0	0	0	0	0	0.12	0	0.01
	% of Total	0	0	0	0	0	0.01	0	0.01
Other Contacts	Frequency	0	7	11	13	10	10	3	54

/...

Table 11c: Accident Mechanism by Age – Total (continued)

		Age Groups							All Age Groups
		< 1	1 -4	5 -14	15 -24	25 -44	45 -64	65+	
Other Contacts	Row %	0	12.96	20.37	24.07	18.52	18.52	5.56	100.00
	Column %	0	0.82	0.55	0.52	0.53	1.22	0.49	0.62
	% of Total	0	0.08	0.13	0.15	0.11	0.11	0.03	0.62
Foreign Body, ingestion of Etc.	Frequency	1	24	16	31	41	39	7	159
	Row %	0.63	15.09	10.06	19.50	25.79	24.53	4.40	100.00
	Column %	1.30	2.81	0.80	1.24	2.18	4.77	1.14	1.82
	% of Total	0.01	0.27	0.18	0.35	0.47	0.45	0.08	1.82
Respiratory Obstruction	Frequency	0	0	0	1	0	1	1	3
	Row %	0	0	0	33.33	0	33.33	33.33	100.00
	Column %	0	0	0	0.04	0	0.12	0.16	0.03
	% of Total	0	0	0	0.01	0	0.01	0.01	0.03
Poisoning	Frequency	1	54	9	15	5	2	0	86
	Row %	1.16	62.79	10.47	17.44	5.81	2.33	0	100.00
	Column %	1.30	6.32	0.45	0.60	0.27	0.24	0	0.98
	% of Total	0.01	0.62	0.10	0.17	0.06	0.02	0	0.98
Chemical Exposure	Frequency	0	0	0	0	1	3	0	4
	Row %	0	0	0	0	25.00	75.00	0	100.00
	Column %	0	0	0	0	0.05	0.37	0	0.05
	% of Total	0	0	0	0	0.01	0.03	0	0.05
Hot Liquid	Frequency	6	39	13	16	19	14	7	114
	Row %	5.26	34.21	11.40	14.04	16.67	12.28	6.14	100.00
	Column %	7.79	4.57	0.65	0.64	1.01	1.71	1.14	1.30
	% of Total	0.07	0.45	0.15	0.18	0.22	0.16	0.08	1.30
Hot Object	Frequency	4	10	2	8	7	5	1	37
	Row %	10.81	27.03	5.41	21.62	18.92	13.51	2.70	100.00

/...

**Table 11c: Accident Mechanism by Age – Total (continued)**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Hot Object	Column %	5.19	1.17	0.10	0.32	0.37	0.61	0.16	0.42
	% of Total	0.05	0.11	0.02	0.09	0.08	0.06	0.01	0.42
Fire	Frequency	0	6	6	9	10	9	8	48
	Row %	0	12.50	12.50	18.75	20.83	18.75	16.67	100.00
	Column %	0	0.70	0.30	0.36	0.53	1.10	1.30	0.55
	% of Total	0	0.07	0.07	0.10	0.11	0.10	0.09	0.55
Other Thermal Exposure	Frequency	0	0	1	3	1	1	0	6
	Row %	0	0	16.67	50.00	16.67	16.67	0	100.00
	Column %	0	0	0.05	0.12	0.05	0.12	0	0.07
	% of Total	0	0	0.01	0.03	0.01	0.01	0	0.07
Light & Other Radiation	Frequency	1	1	1	1	2	0	0	6
	Row %	16.67	16.67	16.67	16.67	33.33	0	0	100.00
	Column %	1.30	0.12	0.05	0.04	0.11	0	0	0.07
	% of Total	0.01	0.01	0.01	0.01	0.02	0	0	0.07
Electricity	Frequency	0	0	0	1	0	0	0	1
	Row %	0	0	0	100.00	0	0	0	100.00
	Column %	0	0	0	0.04	0	0	0	0.01
	% of Total	0	0	0	0.01	0	0	0	0.01
Other Mechanism Specified	Frequency	1	12	19	12	10	9	4	67
	Row %	1.49	17.91	28.36	17.91	14.93	13.43	5.97	100.00
	Column %	1.30	1.41	0.95	0.48	0.53	1.10	0.65	0.77
	% of Total	0.01	0.14	0.22	0.14	0.11	0.10	0.05	0.77
Not Known	Frequency	0	6	8	12	8	4	2	40
	Row %	0	15.00	20.00	30.00	20.00	10.00	5.00	100.00
	Column %	0	0.70	0.40	0.48	0.42	0.49	0.32	0.46

/...

**Table 11c: Accident Mechanism by Age – Total (continued)**

		Age Groups							All Age Groups
		< 1	1 -4	5 -14	15 -24	25 -44	45 -64	65+	
Not Known	% of Total	0	0.07	0.09	0.14	0.09	0.05	0.02	0.46
Total	Frequency	77	854	2002	2506	1884	817	616	8756
	Row %	0.88	9.75	22.86	28.62	21.52	9.33	7.04	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.88	9.75	22.86	28.62	21.52	9.33	7.04	100.00

**Table 12a: Place of Accident by Age - Male**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
In the Home	Frequency	30	327	194	153	231	154	113	1202
	Row %	2.50	27.20	16.14	12.73	19.22	12.81	9.40	100.00
	Column %	90.91	68.55	15.51	7.83	17.54	39.69	57.95	21.41
	% of Total	0.53	5.82	3.46	2.73	4.11	2.74	2.01	21.41
Around the Home	Frequency	2	103	311	167	154	97	51	885
	Row %	0.23	11.64	35.14	18.87	17.40	10.96	5.76	100.00
	Column %	6.06	21.59	24.86	8.55	11.69	25.00	26.15	15.76
	% of Total	0.04	1.83	5.54	2.97	2.74	1.73	0.91	15.76
Transport Area	Frequency	0	4	60	42	26	16	10	158
	Row %	0	2.53	37.97	26.58	16.46	10.13	6.33	100.00
	Column %	0	0.84	4.80	2.15	1.97	4.12	5.13	2.81
	% of Total	0	0.07	1.07	0.75	0.46	0.29	0.18	2.81
Work Site/Agricultural Area	Frequency	0	3	6	36	37	36	9	127
	Row %	0	2.36	4.72	28.35	29.13	28.35	7.09	100.00
	Column %	0	0.63	0.48	1.84	2.81	9.28	4.62	2.26
	% of Total	0	0.05	0.11	0.64	0.66	0.64	0.16	2.26
School Area	Frequency	0	15	53	30	6	2	0	106
	Row %	0	14.15	50.00	28.30	5.66	1.89	0	100.00
	Column %	0	3.14	4.24	1.54	0.46	0.52	0	1.89
	% of Total	0	0.27	0.94	0.53	0.11	0.04	0	1.89
Shop/Service Area	Frequency	1	1	2	4	4	4	0	16
	Row %	6.25	6.25	12.50	25.00	25.00	25.00	0	100.00
	Column %	3.03	0.21	0.16	0.20	0.30	1.03	0	0.29
	% of Total	0.02	0.02	0.04	0.07	0.07	0.07	0	0.29

/...

Table 12a: Place of Accident by Age – Male (continued)

		Age Groups							All Age Groups
		< 1	1 -4	5 -14	15 -24	25 -44	45 -64	65+	
Sports Area	Frequency	0	13	558	1411	747	30	3	2762
	Row %	0	0.47	20.20	51.09	27.05	1.09	0.11	100.00
	Column %	0	2.73	44.60	72.25	56.72	7.73	1.54	49.20
	% of Total	0	0.23	9.94	25.13	13.31	0.53	0.05	49.20
Leisure Area	Frequency	0	11	60	94	95	41	9	310
	Row %	0	3.55	19.35	30.32	30.65	13.23	2.90	100.00
	Column %	0	2.31	4.80	4.81	7.21	10.57	4.62	5.52
	% of Total	0	0.20	1.07	1.67	1.69	0.73	0.16	5.52
Other Areas	Frequency	0	0	3	4	3	2	0	12
	Row %	0	0	25.00	33.33	25.00	16.67	0	100.00
	Column %	0	0	0.24	0.20	0.23	0.52	0	0.21
	% of Total	0	0	0.05	0.07	0.05	0.04	0	0.21
Not Known	Frequency	0	0	4	12	14	6	0	36
	Row %	0	0	11.11	33.33	38.89	16.67	0	100.00
	Column %	0	0	0.32	0.61	1.06	1.55	0	0.64
	% of Total	0	0	0.07	0.21	0.25	0.11	0	0.64
Total	Frequency	33	477	1251	1953	1317	388	195	5614
	Row %	0.59	8.50	22.28	34.79	23.46	6.91	3.47	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.59	8.50	22.28	34.79	23.46	6.91	3.47	100.00

**Table 12b: Place of Accident by Age - Female**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
In the Home	Frequency	44	278	168	161	300	249	319	1519
	Row %	2.90	18.30	11.06	10.60	19.75	16.39	21.00	100.00
	Column %	100.00	73.74	22.37	29.11	52.91	58.04	75.77	48.35
	% of Total	1.40	8.85	5.35	5.12	9.55	7.92	10.15	48.35
Around the Home	Frequency	0	71	215	72	93	94	62	607
	Row %	0	11.70	35.42	11.86	15.32	15.49	10.21	100.00
	Column %	0	18.83	28.63	13.02	16.40	21.91	14.73	19.32
	% of Total	0	2.26	6.84	2.29	2.96	2.99	1.97	19.32
Transport Area	Frequency	0	4	46	17	23	25	22	137
	Row %	0	2.92	33.58	12.41	16.79	18.25	16.06	100.00
	Column %	0	1.06	6.13	3.07	4.06	5.83	5.23	4.36
	% of Total	0	0.13	1.46	0.54	0.73	0.80	0.70	4.36
Work Site/Agricultural Area	Frequency	0	0	1	3	4	6	1	15
	Row %	0	0	6.67	20.00	26.67	40.00	6.67	100.00
	Column %	0	0	0.13	0.54	0.71	1.40	0.24	0.48
	% of Total	0	0	0.03	0.10	0.13	0.19	0.03	0.48
School Area	Frequency	0	10	47	12	1	0	1	71
	Row %	0	14.08	66.20	16.90	1.41	0	1.41	100.00
	Column %	0	2.65	6.26	2.17	0.18	0	0.24	2.26
	% of Total	0	0.32	1.50	0.38	0.03	0	0.03	2.26
Shop/Service Area	Frequency	0	5	2	8	7	20	7	49
	Row %	0	10.20	4.08	16.33	14.29	40.82	14.29	100.00
	Column %	0	1.33	0.27	1.45	1.23	4.66	1.66	1.56
	% of Total	0	0.16	0.06	0.25	0.22	0.64	0.22	1.56

/...

**Table 12b: Place of Accident by Age – Female (continued)**

		Age Groups							All Age Groups
		< 1	1 -4	5 -14	15 -24	25 -44	45 -64	65+	
Sports Area	Frequency	0	3	200	205	76	10	0	494
	Row %	0	0.61	40.49	41.50	15.38	2.02	0	100.00
	Column %	0	0.80	26.63	37.07	13.40	2.33	0	15.72
	% of Total	0	0.10	6.37	6.52	2.42	0.32	0	15.72
Leisure Area	Frequency	0	5	65	67	57	20	4	218
	Row %	0	2.29	29.82	30.73	26.15	9.17	1.83	100.00
	Column %	0	1.33	8.66	12.12	10.05	4.66	0.95	6.94
	% of Total	0	0.16	2.07	2.13	1.81	0.64	0.13	6.94
Other Areas	Frequency	0	0	1	4	1	2	2	10
	Row %	0	0	10.00	40.00	10.00	20.00	20.00	100.00
	Column %	0	0	0.13	0.72	0.18	0.47	0.48	0.32
	% of Total	0	0	0.03	0.13	0.03	0.06	0.06	0.32
Not Known	Frequency	0	1	6	4	5	3	3	22
	Row %	0	4.55	27.27	18.18	22.73	13.64	13.64	100.00
	Column %	0	0.27	0.80	0.72	0.88	0.70	0.71	0.70
	% of Total	0	0.03	0.19	0.13	0.16	0.10	0.10	0.70
Total	Frequency	44	377	751	553	567	429	421	3142
	Row %	1.40	12.00	23.90	17.60	18.05	13.65	13.40	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	1.40	12.00	23.90	17.60	18.05	13.65	13.40	100.00



**Table 12c: Place of Accident by Age - Total**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
In the Home	Frequency	74	605	362	314	531	403	432	2721
	Row %	2.72	22.23	13.30	11.54	19.51	14.81	15.88	100.00
	Column %	96.10	70.84	18.08	12.53	28.18	49.33	70.13	31.08
	% of Total	0.85	6.91	4.13	3.59	6.06	4.60	4.93	31.08
Around the Home	Frequency	2	174	526	239	247	191	113	1492
	Row %	0.13	11.66	35.25	16.02	16.55	12.80	7.57	100.00
	Column %	2.60	20.37	26.27	9.54	13.11	23.38	18.34	17.04
	% of Total	0.02	1.99	6.01	2.73	2.82	2.18	1.29	17.04
Transport Area	Frequency	0	8	106	59	49	41	32	295
	Row %	0	2.71	35.93	20.00	16.61	13.90	10.85	100.00
	Column %	0	0.94	5.29	2.35	2.60	5.02	5.19	3.37
	% of Total	0	0.09	1.21	0.67	0.56	0.47	0.37	3.37
Work Site/Agricultural Area	Frequency	0	3	7	39	41	42	10	142
	Row %	0	2.11	4.93	27.46	28.87	29.58	7.04	100.00
	Column %	0	0.35	0.35	1.56	2.18	5.14	1.62	1.62
	% of Total	0	0.03	0.08	0.45	0.47	0.48	0.11	1.62
School Area	Frequency	0	25	100	42	7	2	1	177
	Row %	0	14.12	56.50	23.73	3.95	1.13	0.56	100.00
	Column %	0	2.93	5.00	1.68	0.37	0.24	0.16	2.02
	% of Total	0	0.29	1.14	0.48	0.08	0.02	0.01	2.02
Shop/Service Area	Frequency	1	6	4	12	11	24	7	65
	Row %	1.54	9.23	6.15	18.46	16.92	36.92	10.77	100.00
	Column %	1.30	0.70	0.20	0.48	0.58	2.94	1.14	0.74
	% of Total	0.01	0.07	0.05	0.14	0.13	0.27	0.08	0.74
Sports Area	Frequency	0	16	758	1616	823	40	3	3256

/...

**Table 12c: Place of Accident by Age – Total (continued)**

		Age Groups							All Age Groups
		< 1	1 -4	5 -14	15 -24	25 -44	45 -64	65+	
Sports Area	Row %	0	0.49	23.28	49.63	25.28	1.23	0.09	100.00
	Column %	0	1.87	37.86	64.49	43.68	4.90	0.49	37.19
	% of Total	0	0.18	8.66	18.46	9.40	0.46	0.03	37.19
Leisure Area	Frequency	0	16	125	161	152	61	13	528
	Row %	0	3.03	23.67	30.49	28.79	11.55	2.46	100.00
	Column %	0	1.87	6.24	6.42	8.07	7.47	2.11	6.03
	% of Total	0	0.18	1.43	1.84	1.74	0.70	0.15	6.03
Other Areas	Frequency	0	0	4	8	4	4	2	22
	Row %	0	0	18.18	36.36	18.18	18.18	9.09	100.00
	Column %	0	0	0.20	0.32	0.21	0.49	0.32	0.25
	% of Total	0	0	0.05	0.09	0.05	0.05	0.02	0.25
Not Known	Frequency	0	1	10	16	19	9	3	58
	Row %	0	1.72	17.24	27.59	32.76	15.52	5.17	100.00
	Column %	0	0.12	0.50	0.64	1.01	1.10	0.49	0.66
	% of Total	0	0.01	0.11	0.18	0.22	0.10	0.03	0.66
Total	Frequency	77	854	2002	2506	1884	817	616	8756
	Row %	0.88	9.75	22.86	28.62	21.52	9.33	7.04	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.88	9.75	22.86	28.62	21.52	9.33	7.04	100.00

**Table 13a: Activity at Time of Accident by Age - Male**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Household Activity	Frequency	1	6	11	65	109	59	35	286
	Row %	0.35	2.10	3.85	22.73	38.11	20.63	12.24	100.00
	Column %	3.03	1.26	0.88	3.33	8.28	15.21	17.95	5.09
	% of Total	0.02	0.11	0.20	1.16	1.94	1.05	0.62	5.09
"Do-It-Yourself" /Gard-Ening	Frequency	0	1	8	60	107	94	34	304
	Row %	0	0.33	2.63	19.74	35.20	30.92	11.18	100.00
	Column %	0	0.21	0.64	3.07	8.12	24.23	17.44	5.42
	% of Total	0	0.02	0.14	1.07	1.91	1.67	0.61	5.42
Shopping	Frequency	0	0	0	2	2	5	3	12
	Row %	0	0	0	16.67	16.67	41.67	25.00	100.00
	Column %	0	0	0	0.10	0.15	1.29	1.54	0.21
	% of Total	0	0	0	0.04	0.04	0.09	0.05	0.21
School Activity	Frequency	0	0	9	18	1	0	0	28
	Row %	0	0	32.14	64.29	3.57	0	0	100.00
	Column %	0	0	0.72	0.92	0.08	0	0	0.50
	% of Total	0	0	0.16	0.32	0.02	0	0	0.50
Sports	Frequency	0	12	540	1403	749	31	2	2737
	Row %	0	0.44	19.73	51.26	27.37	1.13	0.07	100.00
	Column %	0	2.52	43.17	71.84	56.87	7.99	1.03	48.75
	% of Total	0	0.21	9.62	24.99	13.34	0.55	0.04	48.75
Play/ Leisure Activity	Frequency	29	428	647	313	249	110	71	1847
	Row %	1.57	23.17	35.03	16.95	13.48	5.96	3.84	100.00
	Column %	87.88	89.73	51.72	16.03	18.91	28.35	36.41	32.90
	% of Total	0.52	7.62	11.52	5.58	4.44	1.96	1.26	32.90

/...

**Table 13a: Activity at Time of Accident by Age – Male (continued)**

		Age Groups							All Age Groups
		< 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 64	65+	
Personal Needs	Frequency	3	21	32	63	74	67	45	305
	Row %	0.98	6.89	10.49	20.66	24.26	21.97	14.75	100.00
	Column %	9.09	4.40	2.56	3.23	5.62	17.27	23.08	5.43
	% of Total	0.05	0.37	0.57	1.12	1.32	1.19	0.80	5.43
Other Activities	Frequency	0	7	4	26	22	16	5	80
	Row %	0	8.75	5.00	32.50	27.50	20.00	6.25	100.00
	Column %	0	1.47	0.32	1.33	1.67	4.12	2.56	1.43
	% of Total	0	0.12	0.07	0.46	0.39	0.29	0.09	1.43
Not Known	Frequency	0	2	0	3	4	6	0	15
	Row %	0	13.33	0	20.00	26.67	40.00	0	100.00
	Column %	0	0.42	0	0.15	0.30	1.55	0	0.27
	% of Total	0	0.04	0	0.05	0.07	0.11	0	0.27
Total	Frequency	33	477	1251	1953	1317	388	195	5614
	Row %	0.59	8.50	22.28	34.79	23.46	6.91	3.47	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.59	8.50	22.28	34.79	23.46	6.91	3.47	100.00

**Table 13b: Activity at Time of Accident by Age – Female**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Household Activity	Frequency	0	6	11	73	184	133	166	573
	Row %	0	1.05	1.92	12.74	32.11	23.21	28.97	100.00
	Column %	0	1.59	1.46	13.20	32.45	31.00	39.43	18.24
	% of Total	0	0.19	0.35	2.32	5.86	4.23	5.28	18.24
"Do-It-Yourself" /Gard-Ening	Frequency	0	0	3	8	38	51	25	125
	Row %	0	0	2.40	6.40	30.40	40.80	20.00	100.00
	Column %	0	0	0.40	1.45	6.70	11.89	5.94	3.98
	% of Total	0	0	0.10	0.25	1.21	1.62	0.80	3.98
Shopping	Frequency	0	1	0	4	6	21	11	43
	Row %	0	2.33	0	9.30	13.95	48.84	25.58	100.00
	Column %	0	0.27	0	0.72	1.06	4.90	2.61	1.37
	% of Total	0	0.03	0	0.13	0.19	0.67	0.35	1.37
School Activity	Frequency	0	0	5	4	0	0	0	9
	Row %	0	0	55.56	44.44	0	0	0	100.00
	Column %	0	0	0.67	0.72	0	0	0	0.29
	% of Total	0	0	0.16	0.13	0	0	0	0.29
Sports	Frequency	0	2	190	203	75	6	0	476
	Row %	0	0.42	39.92	42.65	15.76	1.26	0	100.00
	Column %	0	0.53	25.30	36.71	13.23	1.40	0	15.15
	% of Total	0	0.06	6.05	6.46	2.39	0.19	0	15.15
Play/ Leisure Activity	Frequency	42	343	515	201	191	144	138	1574
	Row %	2.67	21.79	32.72	12.77	12.13	9.15	8.77	100.00
	Column %	95.45	90.98	68.58	36.35	33.69	33.57	32.78	50.10
	% of Total	1.34	10.92	16.39	6.40	6.08	4.58	4.39	50.10

/...

**Table 13b: Activity at Time of Accident by Age – Female (continued)**

		Age Groups							All Age Groups
		< 1	1 -4	5 -14	15 -24	25 -44	45 -64	65+	
Personal Needs	Frequency	2	18	22	45	61	65	78	291
	Row %	0.69	6.19	7.56	15.46	20.96	22.34	26.80	100.00
	Column %	4.55	4.77	2.93	8.14	10.76	15.15	18.53	9.26
	% of Total	0.06	0.57	0.70	1.43	1.94	2.07	2.48	9.26
Other Activities	Frequency	0	7	4	14	12	9	3	49
	Row %	0	14.29	8.16	28.57	24.49	18.37	6.12	100.00
	Column %	0	1.86	0.53	2.53	2.12	2.10	0.71	1.56
	% of Total	0	0.22	0.13	0.45	0.38	0.29	0.10	1.56
Not Known	Frequency	0	0	1	1	0	0	0	2
	Row %	0	0	50.00	50.00	0	0	0	100.00
	Column %	0	0	0.13	0.18	0	0	0	0.06
	% of Total	0	0	0.03	0.03	0	0	0	0.06
Total	Frequency	44	377	751	553	567	429	421	3142
	Row %	1.40	12.00	23.90	17.60	18.05	13.65	13.40	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	1.40	12.00	23.90	17.60	18.05	13.65	13.40	100.00

**Table 13c: Activity at Time of Accident by Age – Total**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Household Activity	Frequency	1	12	22	138	293	192	201	859
	Row %	0.12	1.40	2.56	16.07	34.11	22.35	23.40	100.00
	Column %	1.30	1.41	1.10	5.51	15.55	23.50	32.63	9.81
	% of Total	0.01	0.14	0.25	1.58	3.35	2.19	2.30	9.81
"Do-It-Yourself" /Gard-Ening	Frequency	0	1	11	68	145	145	59	429
	Row %	0	0.23	2.56	15.85	33.80	33.80	13.75	100.00
	Column %	0	0.12	0.55	2.71	7.70	17.75	9.58	4.90
	% of Total	0	0.01	0.13	0.78	1.66	1.66	0.67	4.90
Shopping	Frequency	0	1	0	6	8	26	14	55
	Row %	0	1.82	0	10.91	14.55	47.27	25.45	100.00
	Column %	0	0.12	0	0.24	0.42	3.18	2.27	0.63
	% of Total	0	0.01	0	0.07	0.09	0.30	0.16	0.63
School Activity	Frequency	0	0	14	22	1	0	0	37
	Row %	0	0	37.84	59.46	2.70	0	0	100.00
	Column %	0	0	0.70	0.88	0.05	0	0	0.42
	% of Total	0	0	0.16	0.25	0.01	0	0	0.42
Sports	Frequency	0	14	730	1606	824	37	2	3213
	Row %	0	0.44	22.72	49.98	25.65	1.15	0.06	100.00
	Column %	0	1.64	36.46	64.09	43.74	4.53	0.32	36.69
	% of Total	0	0.16	8.34	18.34	9.41	0.42	0.02	36.69
Play/ Leisure Activity	Frequency	71	771	1162	514	440	254	209	3421
	Row %	2.08	22.54	33.97	15.02	12.86	7.42	6.11	100.00
	Column %	92.21	90.28	58.04	20.51	23.35	31.09	33.93	39.07
	% of Total	0.81	8.81	13.27	5.87	5.03	2.90	2.39	39.07
Personal Needs	Frequency	5	39	54	108	135	132	123	596

/...

**Table 13c: Activity at Time of Accident by Age – Total (continued)**

		Age Groups							All Age Groups
		< 1	1 -4	5 -14	15 -24	25 -44	45 -64	65+	
Personal Needs	Row %	0.84	6.54	9.06	18.12	22.65	22.15	20.64	100.00
	Column %	6.49	4.57	2.70	4.31	7.17	16.16	19.97	6.81
	% of Total	0.06	0.45	0.62	1.23	1.54	1.51	1.40	6.81
Other Activities	Frequency	0	14	8	40	34	25	8	129
	Row %	0	10.85	6.20	31.01	26.36	19.38	6.20	100.00
	Column %	0	1.64	0.40	1.60	1.80	3.06	1.30	1.47
	% of Total	0	0.16	0.09	0.46	0.39	0.29	0.09	1.47
Not Known	Frequency	0	2	1	4	4	6	0	17
	Row %	0	11.76	5.88	23.53	23.53	35.29	0	100.00
	Column %	0	0.23	0.05	0.16	0.21	0.73	0	0.19
	% of Total	0	0.02	0.01	0.05	0.05	0.07	0	0.19
Total	Frequency	77	854	2002	2506	1884	817	616	8756
	Row %	0.88	9.75	22.86	28.62	21.52	9.33	7.04	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.88	9.75	22.86	28.62	21.52	9.33	7.04	100.00



**Table 14a: Principal injury Diagnosis by Age – Male**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Contusion, Bruise	Frequency	18	113	310	614	373	67	40	1535
	Row %	1.17	7.36	20.20	40.00	24.30	4.36	2.61	100.00
	Column %	54.55	23.69	24.78	31.44	28.32	17.27	20.51	27.34
	% of Total	0.32	2.01	5.52	10.94	6.64	1.19	0.71	27.34
Abrasion	Frequency	1	9	20	13	23	13	4	83
	Row %	1.20	10.84	24.10	15.66	27.71	15.66	4.82	100.00
	Column %	3.03	1.89	1.60	0.67	1.75	3.35	2.05	1.48
	% of Total	0.02	0.16	0.36	0.23	0.41	0.23	0.07	1.48
Open Wound (incl. Cut, Laceration)	Frequency	2	160	183	211	189	82	39	866
	Row %	0.23	18.48	21.13	24.36	21.82	9.47	4.50	100.00
	Column %	6.06	33.54	14.63	10.80	14.35	21.13	20.00	15.43
	% of Total	0.04	2.85	3.26	3.76	3.37	1.46	0.69	15.43
Fracture	Frequency	6	91	544	609	358	94	54	1756
	Row %	0.34	5.18	30.98	34.68	20.39	5.35	3.08	100.00
	Column %	18.18	19.08	43.49	31.18	27.18	24.23	27.69	31.28
	% of Total	0.11	1.62	9.69	10.85	6.38	1.67	0.96	31.28
Luxation, Dislocation	Frequency	0	11	15	101	63	9	4	203
	Row %	0	5.42	7.39	49.75	31.03	4.43	1.97	100.00
	Column %	0	2.31	1.20	5.17	4.78	2.32	2.05	3.62
	% of Total	0	0.20	0.27	1.80	1.12	0.16	0.07	3.62
Distorsion, Sprain	Frequency	0	6	101	260	162	38	15	582
	Row %	0	1.03	17.35	44.67	27.84	6.53	2.58	100.00
	Column %	0	1.26	8.07	13.31	12.30	9.79	7.69	10.37
	% of Total	0	0.11	1.80	4.63	2.89	0.68	0.27	10.37

/...

Table 14a: Principal injury Diagnosis by Age – Male (continued)

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Injury to Nerve(S)	Frequency	0	0	5	9	7	4	1	26
	Row %	0	0	19.23	34.62	26.92	15.38	3.85	100.00
	Column %	0	0	0.40	0.46	0.53	1.03	0.51	0.46
	% of Total	0	0	0.09	0.16	0.12	0.07	0.02	0.46
Injury to Blood Vessel(S)	Frequency	0	3	1	16	18	10	5	53
	Row %	0	5.66	1.89	30.19	33.96	18.87	9.43	100.00
	Column %	0	0.63	0.08	0.82	1.37	2.58	2.56	0.94
	% of Total	0	0.05	0.02	0.29	0.32	0.18	0.09	0.94
Injury to Tendon(S) and/Or Muscle(S)	Frequency	0	0	25	47	51	20	6	149
	Row %	0	0	16.78	31.54	34.23	13.42	4.03	100.00
	Column %	0	0	2.00	2.41	3.87	5.15	3.08	2.65
	% of Total	0	0	0.45	0.84	0.91	0.36	0.11	2.65
Crushing, Amputation	Frequency	0	5	6	5	9	5	2	32
	Row %	0	15.63	18.75	15.63	28.13	15.63	6.25	100.00
	Column %	0	1.05	0.48	0.26	0.68	1.29	1.03	0.57
	% of Total	0	0.09	0.11	0.09	0.16	0.09	0.04	0.57
Poisoning, Corrosion	Frequency	0	20	5	7	1	1	1	35
	Row %	0	57.14	14.29	20.00	2.86	2.86	2.86	100.00
	Column %	0	4.19	0.40	0.36	0.08	0.26	0.51	0.62
	% of Total	0	0.36	0.09	0.12	0.02	0.02	0.02	0.62
Burns, Scalds	Frequency	6	30	9	15	10	10	8	88
	Row %	6.82	34.09	10.23	17.05	11.36	11.36	9.09	100.00
	Column %	18.18	6.29	0.72	0.77	0.76	2.58	4.10	1.57
	% of Total	0.11	0.53	0.16	0.27	0.18	0.18	0.14	1.57

/...

**Table 14a: Principal injury Diagnosis by Age – Male (continued)**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Radiation (E.G. Sunlight, X-Rays, Ultraviolet, Welding Light, Etc.)	Frequency	0	1	1	0	0	0	0	2
	Row %	0	50.00	50.00	0	0	0	0	100.00
	Column %	0	0.21	0.08	0	0	0	0	0.04
	% of Total	0	0.02	0.02	0	0	0	0	0.04
No Injury Diagnosed	Frequency	0	4	1	3	5	2	0	15
	Row %	0	26.67	6.67	20.00	33.33	13.33	0	100.00
	Column %	0	0.84	0.08	0.15	0.38	0.52	0	0.27
	% of Total	0	0.07	0.02	0.05	0.09	0.04	0	0.27
Other Type of Injury Specified	Frequency	0	21	21	35	39	22	14	152
	Row %	0	13.82	13.82	23.03	25.66	14.47	9.21	100.00
	Column %	0	4.40	1.68	1.79	2.96	5.67	7.18	2.71
	% of Total	0	0.37	0.37	0.62	0.69	0.39	0.25	2.71
Not Known	Frequency	0	3	4	8	9	11	2	37
	Row %	0	8.11	10.81	21.62	24.32	29.73	5.41	100.00
	Column %	0	0.63	0.32	0.41	0.68	2.84	1.03	0.66
	% of Total	0	0.05	0.07	0.14	0.16	0.20	0.04	0.66
Total	Frequency	33	477	1251	1953	1317	388	195	5614
	Row %	0.59	8.50	22.28	34.79	23.46	6.91	3.47	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.59	8.50	22.28	34.79	23.46	6.91	3.47	100.00

**Table 14b: Principal injury Diagnosis by Age – Female**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Contusion, Bruise	Frequency	21	95	193	195	174	96	88	862
	Row %	2.44	11.02	22.39	22.62	20.19	11.14	10.21	100.00
	Column %	47.73	25.20	25.70	35.26	30.69	22.38	20.90	27.43
	% of Total	0.67	3.02	6.14	6.21	5.54	3.06	2.80	27.43
Abrasion	Frequency	2	6	16	6	9	9	6	54
	Row %	3.70	11.11	29.63	11.11	16.67	16.67	11.11	100.00
	Column %	4.55	1.59	2.13	1.08	1.59	2.10	1.43	1.72
	% of Total	0.06	0.19	0.51	0.19	0.29	0.29	0.19	1.72
Open Wound (incl. Cut, Laceration)	Frequency	1	95	96	74	79	63	53	461
	Row %	0.22	20.61	20.82	16.05	17.14	13.67	11.50	100.00
	Column %	2.27	25.20	12.78	13.38	13.93	14.69	12.59	14.67
	% of Total	0.03	3.02	3.06	2.36	2.51	2.01	1.69	14.67
Fracture	Frequency	9	87	330	135	141	136	217	1055
	Row %	0.85	8.25	31.28	12.80	13.36	12.89	20.57	100.00
	Column %	20.45	23.08	43.94	24.41	24.87	31.70	51.54	33.58
	% of Total	0.29	2.77	10.50	4.30	4.49	4.33	6.91	33.58
Luxation, Dislocation	Frequency	1	8	9	12	10	17	8	65
	Row %	1.54	12.31	13.85	18.46	15.38	26.15	12.31	100.00
	Column %	2.27	2.12	1.20	2.17	1.76	3.96	1.90	2.07
	% of Total	0.03	0.25	0.29	0.38	0.32	0.54	0.25	2.07
Distorsion, Sprain	Frequency	0	10	56	67	85	46	28	292
	Row %	0	3.42	19.18	22.95	29.11	15.75	9.59	100.00
	Column %	0	2.65	7.46	12.12	14.99	10.72	6.65	9.29
	% of Total	0	0.32	1.78	2.13	2.71	1.46	0.89	9.29

/...

**Table 14b: Principal injury Diagnosis by Age – Female (continued)**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Injury to Nerve(S)	Frequency	0	0	1	1	3	7	0	12
	Row %	0	0	8.33	8.33	25.00	58.33	0	100.00
	Column %	0	0	0.13	0.18	0.53	1.63	0	0.38
	% of Total	0	0	0.03	0.03	0.10	0.22	0	0.38
Injury to Blood Vessel(S)	Frequency	0	3	4	4	4	5	1	21
	Row %	0	14.29	19.05	19.05	19.05	23.81	4.76	100.00
	Column %	0	0.80	0.53	0.72	0.71	1.17	0.24	0.67
	% of Total	0	0.10	0.13	0.13	0.13	0.16	0.03	0.67
Injury to Tendon(S) and/Or Muscle(S)	Frequency	0	5	18	17	14	17	6	77
	Row %	0	6.49	23.38	22.08	18.18	22.08	7.79	100.00
	Column %	0	1.33	2.40	3.07	2.47	3.96	1.43	2.45
	% of Total	0	0.16	0.57	0.54	0.45	0.54	0.19	2.45
Crushing, Amputation	Frequency	0	5	1	0	4	4	3	17
	Row %	0	29.41	5.88	0	23.53	23.53	17.65	100.00
	Column %	0	1.33	0.13	0	0.71	0.93	0.71	0.54
	% of Total	0	0.16	0.03	0	0.13	0.13	0.10	0.54
Poisoning, Corrosion	Frequency	1	15	2	3	3	0	0	24
	Row %	4.17	62.50	8.33	12.50	12.50	0	0	100.00
	Column %	2.27	3.98	0.27	0.54	0.53	0	0	0.76
	% of Total	0.03	0.48	0.06	0.10	0.10	0	0	0.76
Burns, Scalds	Frequency	6	22	11	19	25	14	5	102
	Row %	5.88	21.57	10.78	18.63	24.51	13.73	4.90	100.00
	Column %	13.64	5.84	1.46	3.44	4.41	3.26	1.19	3.25
	% of Total	0.19	0.70	0.35	0.60	0.80	0.45	0.16	3.25

/...

**Table 14b: Principal injury Diagnosis by Age – Female (continued)**

		Age Groups							All Age Groups
		< 1	1 -4	5 -14	15 -24	25 -44	45 -64	65+	
No Injury Diagnosed	Frequency	0	1	1	2	1	0	0	5
	Row %	0	20.00	20.00	40.00	20.00	0	0	100.00
	Column %	0	0.27	0.13	0.36	0.18	0	0	0.16
	% of Total	0	0.03	0.03	0.06	0.03	0	0	0.16
Other Type of Injury Specified	Frequency	3	22	11	15	11	13	6	81
	Row %	3.70	27.16	13.58	18.52	13.58	16.05	7.41	100.00
	Column %	6.82	5.84	1.46	2.71	1.94	3.03	1.43	2.58
	% of Total	0.10	0.70	0.35	0.48	0.35	0.41	0.19	2.58
Not Known	Frequency	0	3	2	3	4	2	0	14
	Row %	0	21.43	14.29	21.43	28.57	14.29	0	100.00
	Column %	0	0.80	0.27	0.54	0.71	0.47	0	0.45
	% of Total	0	0.10	0.06	0.10	0.13	0.06	0	0.45
Total	Frequency	44	377	751	553	567	429	421	3142
	Row %	1.40	12.00	23.90	17.60	18.05	13.65	13.40	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	1.40	12.00	23.90	17.60	18.05	13.65	13.40	100.00

**Table 14c: Principal injury Diagnosis by Age – Total**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Contusion, Bruise	Frequency	39	208	503	809	547	163	128	2397
	Row %	1.63	8.68	20.98	33.75	22.82	6.80	5.34	100.00
	Column %	50.65	24.36	25.12	32.28	29.03	19.95	20.78	27.38
	% of Total	0.45	2.38	5.74	9.24	6.25	1.86	1.46	27.38
Abrasion	Frequency	3	15	36	19	32	22	10	137
	Row %	2.19	10.95	26.28	13.87	23.36	16.06	7.30	100.00
	Column %	3.90	1.76	1.80	0.76	1.70	2.69	1.62	1.56
	% of Total	0.03	0.17	0.41	0.22	0.37	0.25	0.11	1.56
Open Wound (incl. Cut, Laceration)	Frequency	3	255	279	285	268	145	92	1327
	Row %	0.23	19.22	21.02	21.48	20.20	10.93	6.93	100.00
	Column %	3.90	29.86	13.94	11.37	14.23	17.75	14.94	15.16
	% of Total	0.03	2.91	3.19	3.25	3.06	1.66	1.05	15.16
Fracture	Frequency	15	178	874	744	499	230	271	2811
	Row %	0.53	6.33	31.09	26.47	17.75	8.18	9.64	100.00
	Column %	19.48	20.84	43.66	29.69	26.49	28.15	43.99	32.10
	% of Total	0.17	2.03	9.98	8.50	5.70	2.63	3.10	32.10
Luxation, Dislocation	Frequency	1	19	24	113	73	26	12	268
	Row %	0.37	7.09	8.96	42.16	27.24	9.70	4.48	100.00
	Column %	1.30	2.22	1.20	4.51	3.87	3.18	1.95	3.06
	% of Total	0.01	0.22	0.27	1.29	0.83	0.30	0.14	3.06
Distorsion, Sprain	Frequency	0	16	157	327	247	84	43	874
	Row %	0	1.83	17.96	37.41	28.26	9.61	4.92	100.00
	Column %	0	1.87	7.84	13.05	13.11	10.28	6.98	9.98
	% of Total	0	0.18	1.79	3.73	2.82	0.96	0.49	9.98

/...

**Table 14c: Principal injury Diagnosis by Age – Total (continued)**

		Age Groups							All Age Groups
		< 1	1 -4	5 -14	15 -24	25 -44	45 -64	65+	
Injury to Nerve(S)	Frequency	0	0	6	10	10	11	1	38
	Row %	0	0	15.79	26.32	26.32	28.95	2.63	100.00
	Column %	0	0	0.30	0.40	0.53	1.35	0.16	0.43
	% of Total	0	0	0.07	0.11	0.11	0.13	0.01	0.43
Injury to Blood Vessel(S)	Frequency	0	6	5	20	22	15	6	74
	Row %	0	8.11	6.76	27.03	29.73	20.27	8.11	100.00
	Column %	0	0.70	0.25	0.80	1.17	1.84	0.97	0.85
	% of Total	0	0.07	0.06	0.23	0.25	0.17	0.07	0.85
Injury to Tendon(S) and/Or Muscle(S)	Frequency	0	5	43	64	65	37	12	226
	Row %	0	2.21	19.03	28.32	28.76	16.37	5.31	100.00
	Column %	0	0.59	2.15	2.55	3.45	4.53	1.95	2.58
	% of Total	0	0.06	0.49	0.73	0.74	0.42	0.14	2.58
Crushing, Amputation	Frequency	0	10	7	5	13	9	5	49
	Row %	0	20.41	14.29	10.20	26.53	18.37	10.20	100.00
	Column %	0	1.17	0.35	0.20	0.69	1.10	0.81	0.56
	% of Total	0	0.11	0.08	0.06	0.15	0.10	0.06	0.56
Poisoning, Corrosion	Frequency	1	35	7	10	4	1	1	59
	Row %	1.69	59.32	11.86	16.95	6.78	1.69	1.69	100.00
	Column %	1.30	4.10	0.35	0.40	0.21	0.12	0.16	0.67
	% of Total	0.01	0.40	0.08	0.11	0.05	0.01	0.01	0.67
Burns, Scalds	Frequency	12	52	20	34	35	24	13	190
	Row %	6.32	27.37	10.53	17.89	18.42	12.63	6.84	100.00
	Column %	15.58	6.09	1.00	1.36	1.86	2.94	2.11	2.17
	% of Total	0.14	0.59	0.23	0.39	0.40	0.27	0.15	2.17

/...



**Table 14c: Principal injury Diagnosis by Age – Total (continued)**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Radiation (E.G. Sunlight, X-Rays, Ultraviolet, Welding Light, Etc.)	Frequency	0	1	1	0	0	0	0	2
	Row %	0	50.00	50.00	0	0	0	0	100.00
	Column %	0	0.12	0.05	0	0	0	0	0.02
	% of Total	0	0.01	0.01	0	0	0	0	0.02
No Injury Diagnosed	Frequency	0	5	2	5	6	2	0	20
	Row %	0	25.00	10.00	25.00	30.00	10.00	0	100.00
	Column %	0	0.59	0.10	0.20	0.32	0.24	0	0.23
	% of Total	0	0.06	0.02	0.06	0.07	0.02	0	0.23
Other Type of Injury Specified	Frequency	3	43	32	50	50	35	20	233
	Row %	1.29	18.45	13.73	21.46	21.46	15.02	8.58	100.00
	Column %	3.90	5.04	1.60	2.00	2.65	4.28	3.25	2.66
	% of Total	0.03	0.49	0.37	0.57	0.57	0.40	0.23	2.66
Not Known	Frequency	0	6	6	11	13	13	2	51
	Row %	0	11.76	11.76	21.57	25.49	25.49	3.92	100.00
	Column %	0	0.70	0.30	0.44	0.69	1.59	0.32	0.58
	% of Total	0	0.07	0.07	0.13	0.15	0.15	0.02	0.58
Total	Frequency	77	854	2002	2506	1884	817	616	8756
	Row %	0.88	9.75	22.86	28.62	21.52	9.33	7.04	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.88	9.75	22.86	28.62	21.52	9.33	7.04	100.00

**Table 15a: Part of Body injured by Age – Male**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Head and Face	Frequency	23	225	206	265	193	72	39	1023
	Row %	2.25	21.99	20.14	25.90	18.87	7.04	3.81	100.00
	Column %	69.70	47.17	16.47	13.57	14.65	18.56	20.00	18.22
	% of Total	0.41	4.01	3.67	4.72	3.44	1.28	0.69	18.22
Upper Limbs	Frequency	7	141	674	779	486	156	73	2316
	Row %	0.30	6.09	29.10	33.64	20.98	6.74	3.15	100.00
	Column %	21.21	29.56	53.88	39.89	36.90	40.21	37.44	41.25
	% of Total	0.12	2.51	12.01	13.88	8.66	2.78	1.30	41.25
Lower Limbs	Frequency	1	53	287	743	497	106	34	1721
	Row %	0.06	3.08	16.68	43.17	28.88	6.16	1.98	100.00
	Column %	3.03	11.11	22.94	38.04	37.74	27.32	17.44	30.66
	% of Total	0.02	0.94	5.11	13.23	8.85	1.89	0.61	30.66
Other Parts	Frequency	2	57	84	166	141	54	49	553
	Row %	0.36	10.31	15.19	30.02	25.50	9.76	8.86	100.00
	Column %	6.06	11.95	6.71	8.50	10.71	13.92	25.13	9.85
	% of Total	0.04	1.02	1.50	2.96	2.51	0.96	0.87	9.85
Not Known	Frequency	0	1	0	0	0	0	0	1
	Row %	0	100.00	0	0	0	0	0	100.00
	Column %	0	0.21	0	0	0	0	0	0.02
	% of Total	0	0.02	0	0	0	0	0	0.02
Total	Frequency	33	477	1251	1953	1317	388	195	5614
	Row %	0.59	8.50	22.28	34.79	23.46	6.91	3.47	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.59	8.50	22.28	34.79	23.46	6.91	3.47	100.00

**Table 15b: Part of Body injured by Age – Female**

		Age Groups							All Age Groups
		< 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 64	65+	
Head and Face	Frequency	28	160	118	57	71	59	56	549
	Row %	5.10	29.14	21.49	10.38	12.93	10.75	10.20	100.00
	Column %	63.64	42.44	15.71	10.31	12.52	13.75	13.30	17.47
	% of Total	0.89	5.09	3.76	1.81	2.26	1.88	1.78	17.47
Upper Limbs	Frequency	6	126	434	224	193	175	144	1302
	Row %	0.46	9.68	33.33	17.20	14.82	13.44	11.06	100.00
	Column %	13.64	33.42	57.79	40.51	34.04	40.79	34.20	41.44
	% of Total	0.19	4.01	13.81	7.13	6.14	5.57	4.58	41.44
Lower Limbs	Frequency	6	38	160	216	232	146	115	913
	Row %	0.66	4.16	17.52	23.66	25.41	15.99	12.60	100.00
	Column %	13.64	10.08	21.30	39.06	40.92	34.03	27.32	29.06
	% of Total	0.19	1.21	5.09	6.87	7.38	4.65	3.66	29.06
Other Parts	Frequency	4	53	39	56	71	49	106	378
	Row %	1.06	14.02	10.32	14.81	18.78	12.96	28.04	100.00
	Column %	9.09	14.06	5.19	10.13	12.52	11.42	25.18	12.03
	% of Total	0.13	1.69	1.24	1.78	2.26	1.56	3.37	12.03
Total	Frequency	44	377	751	553	567	429	421	3142
	Row %	1.40	12.00	23.90	17.60	18.05	13.65	13.40	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	1.40	12.00	23.90	17.60	18.05	13.65	13.40	100.00

**Table 15c: Part of Body injured by Age – Total**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Head and Face	Frequency	51	385	324	322	264	131	95	1572
	Row %	3.24	24.49	20.61	20.48	16.79	8.33	6.04	100.00
	Column %	66.23	45.08	16.18	12.85	14.01	16.03	15.42	17.95
	% of Total	0.58	4.40	3.70	3.68	3.02	1.50	1.08	17.95
Upper Limbs	Frequency	13	267	1108	1003	679	331	217	3618
	Row %	0.36	7.38	30.62	27.72	18.77	9.15	6.00	100.00
	Column %	16.88	31.26	55.34	40.02	36.04	40.51	35.23	41.32
	% of Total	0.15	3.05	12.65	11.46	7.75	3.78	2.48	41.32
Lower Limbs	Frequency	7	91	447	959	729	252	149	2634
	Row %	0.27	3.45	16.97	36.41	27.68	9.57	5.66	100.00
	Column %	9.09	10.66	22.33	38.27	38.69	30.84	24.19	30.08
	% of Total	0.08	1.04	5.11	10.95	8.33	2.88	1.70	30.08
Other Parts	Frequency	6	110	123	222	212	103	155	931
	Row %	0.64	11.82	13.21	23.85	22.77	11.06	16.65	100.00
	Column %	7.79	12.88	6.14	8.86	11.25	12.61	25.16	10.63
	% of Total	0.07	1.26	1.40	2.54	2.42	1.18	1.77	10.63
Not Known	Frequency	0	1	0	0	0	0	0	1
	Row %	0	100.00	0	0	0	0	0	100.00
	Column %	0	0.12	0	0	0	0	0	0.01
	% of Total	0	0.01	0	0	0	0	0	0.01
Total	Frequency	77	854	2002	2506	1884	817	616	8756
	Row %	0.88	9.75	22.86	28.62	21.52	9.33	7.04	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.88	9.75	22.86	28.62	21.52	9.33	7.04	100.00

**Table 16a: Treatment and Follow-Up by Age – Male**

		Age Groups							All Age Groups
		< 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 64	65+	
Group A: Minor	Frequency	8	137	260	459	369	161	56	1450
	Row %	0.55	9.45	17.93	31.66	25.45	11.10	3.86	100.00
	Column %	24.24	28.72	20.78	23.50	28.02	41.49	28.72	25.83
	% of Total	0.14	2.44	4.63	8.18	6.57	2.87	1.00	25.83
Group B: Treated	Frequency	16	268	844	1369	863	176	84	3620
	Row %	0.44	7.40	23.31	37.82	23.84	4.86	2.32	100.00
	Column %	48.48	56.18	67.47	70.10	65.53	45.36	43.08	64.48
	% of Total	0.29	4.77	15.03	24.39	15.37	3.14	1.50	64.48
Group C: Hospitalised	Frequency	9	72	147	124	84	51	55	542
	Row %	1.66	13.28	27.12	22.88	15.50	9.41	10.15	100.00
	Column %	27.27	15.09	11.75	6.35	6.38	13.14	28.21	9.65
	% of Total	0.16	1.28	2.62	2.21	1.50	0.91	0.98	9.65
Death	Frequency	0	0	0	1	1	0	0	2
	Row %	0	0	0	50.00	50.00	0	0	100.00
	Column %	0	0	0	0.05	0.08	0	0	0.04
	% of Total	0	0	0	0.02	0.02	0	0	0.04
Total	Frequency	33	477	1251	1953	1317	388	195	5614
	Row %	0.59	8.50	22.28	34.79	23.46	6.91	3.47	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.59	8.50	22.28	34.79	23.46	6.91	3.47	100.00

**Table 16b: Treatment and Follow-Up by Age – Female**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Group A: Minor	Frequency	7	110	160	169	193	152	85	876
	Row %	0.80	12.56	18.26	19.29	22.03	17.35	9.70	100.00
	Column %	15.91	29.18	21.30	30.56	34.04	35.43	20.19	27.88
	% of Total	0.22	3.50	5.09	5.38	6.14	4.84	2.71	27.88
Group B: Treated	Frequency	23	214	504	360	334	219	208	1862
	Row %	1.24	11.49	27.07	19.33	17.94	11.76	11.17	100.00
	Column %	52.27	56.76	67.11	65.10	58.91	51.05	49.41	59.26
	% of Total	0.73	6.81	16.04	11.46	10.63	6.97	6.62	59.26
Group C: Hospitalised	Frequency	14	53	87	24	39	58	128	403
	Row %	3.47	13.15	21.59	5.96	9.68	14.39	31.76	100.00
	Column %	31.82	14.06	11.58	4.34	6.88	13.52	30.40	12.83
	% of Total	0.45	1.69	2.77	0.76	1.24	1.85	4.07	12.83
Death	Frequency	0	0	0	0	1	0	0	1
	Row %	0	0	0	0	100.00	0	0	100.00
	Column %	0	0	0	0	0.18	0	0	0.03
	% of Total	0	0	0	0	0.03	0	0	0.03
Total	Frequency	44	377	751	553	567	429	421	3142
	Row %	1.40	12.00	23.90	17.60	18.05	13.65	13.40	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	1.40	12.00	23.90	17.60	18.05	13.65	13.40	100.00

**Table 16c: Treatment and Follow-Up by Age – Total**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Group A: Minor	Frequency	15	247	420	628	562	313	141	2326
	Row %	0.64	10.62	18.06	27.00	24.16	13.46	6.06	100.00
	Column %	19.48	28.92	20.98	25.06	29.83	38.31	22.89	26.56
	% of Total	0.17	2.82	4.80	7.17	6.42	3.57	1.61	26.56
Group B: Treated	Frequency	39	482	1348	1729	1197	395	292	5482
	Row %	0.71	8.79	24.59	31.54	21.84	7.21	5.33	100.00
	Column %	50.65	56.44	67.33	68.99	63.54	48.35	47.40	62.61
	% of Total	0.45	5.50	15.40	19.75	13.67	4.51	3.33	62.61
Group C: Hospitalised	Frequency	23	125	234	148	123	109	183	945
	Row %	2.43	13.23	24.76	15.66	13.02	11.53	19.37	100.00
	Column %	29.87	14.64	11.69	5.91	6.53	13.34	29.71	10.79
	% of Total	0.26	1.43	2.67	1.69	1.40	1.24	2.09	10.79
Death	Frequency	0	0	0	1	2	0	0	3
	Row %	0	0	0	33.33	66.67	0	0	100.00
	Column %	0	0	0	0.04	0.11	0	0	0.03
	% of Total	0	0	0	0.01	0.02	0	0	0.03
Total	Frequency	77	854	2002	2506	1884	817	616	8756
	Row %	0.88	9.75	22.86	28.62	21.52	9.33	7.04	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.88	9.75	22.86	28.62	21.52	9.33	7.04	100.00

**Table 17a: The Twenty Most Common Product Groups Involved in Accidents by Age – Male**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Housing/Buildi- ng Elements	Frequency	5	113	136	113	118	75	44	604
	Row %	0.83	18.71	22.52	18.71	19.54	12.42	7.28	100.00
	Column %	15.15	23.69	10.87	5.79	8.96	19.33	22.56	10.76
	% of Total	0.09	2.01	2.42	2.01	2.10	1.34	0.78	10.76
Containers and Wrappings	Frequency	1	3	6	4	6	3	0	23
	Row %	4.35	13.04	26.09	17.39	26.09	13.04	0	100.00
	Column %	3.03	0.63	0.48	0.20	0.46	0.77	0	0.41
	% of Total	0.02	0.05	0.11	0.07	0.11	0.05	0	0.41
DIY Equipment	Frequency	0	0	11	46	60	49	12	178
	Row %	0	0	6.18	25.84	33.71	27.53	6.74	100.00
	Column %	0	0	0.88	2.36	4.56	12.63	6.15	3.17
	% of Total	0	0	0.20	0.82	1.07	0.87	0.21	3.17
Particles	Frequency	0	6	5	20	27	18	5	81
	Row %	0	7.41	6.17	24.69	33.33	22.22	6.17	100.00
	Column %	0	1.26	0.40	1.02	2.05	4.64	2.56	1.44
	% of Total	0	0.11	0.09	0.36	0.48	0.32	0.09	1.44
Hot Foods/Liquids and Smoking Material	Frequency	3	25	11	38	31	30	10	148
	Row %	2.03	16.89	7.43	25.68	20.95	20.27	6.76	100.00
	Column %	9.09	5.24	0.88	1.95	2.35	7.73	5.13	2.64
	% of Total	0.05	0.45	0.20	0.68	0.55	0.53	0.18	2.64
Footwear	Frequency	0	8	16	27	17	9	6	83
	Row %	0	9.64	19.28	32.53	20.48	10.84	7.23	100.00
	Column %	0	1.68	1.28	1.38	1.29	2.32	3.08	1.48
	% of Total	0	0.14	0.29	0.48	0.30	0.16	0.11	1.48

/...



**Table 17a: The Twenty Most Common Product Groups Involved in Accidents by Age – Male  
(continued)**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Garden Equipment	Frequency	0	5	12	6	8	14	10	55
	Row %	0	9.09	21.82	10.91	14.55	25.45	18.18	100.00
	Column %	0	1.05	0.96	0.31	0.61	3.61	5.13	0.98
	% of Total	0	0.09	0.21	0.11	0.14	0.25	0.18	0.98
Heating Equipment	Frequency	1	9	4	5	6	10	2	37
	Row %	2.70	24.32	10.81	13.51	16.22	27.03	5.41	100.00
	Column %	3.03	1.89	0.32	0.26	0.46	2.58	1.03	0.66
	% of Total	0.02	0.16	0.07	0.09	0.11	0.18	0.04	0.66
Bathroom Equipment	Frequency	0	5	2	3	14	6	6	36
	Row %	0	13.89	5.56	8.33	38.89	16.67	16.67	100.00
	Column %	0	1.05	0.16	0.15	1.06	1.55	3.08	0.64
	% of Total	0	0.09	0.04	0.05	0.25	0.11	0.11	0.64
Floor Coverings	Frequency	1	9	11	18	32	21	10	102
	Row %	0.98	8.82	10.78	17.65	31.37	20.59	9.80	100.00
	Column %	3.03	1.89	0.88	0.92	2.43	5.41	5.13	1.82
	% of Total	0.02	0.16	0.20	0.32	0.57	0.37	0.18	1.82
Household Furniture	Frequency	11	95	49	19	29	8	22	233
	Row %	4.72	40.77	21.03	8.15	12.45	3.43	9.44	100.00
	Column %	33.33	19.92	3.92	0.97	2.20	2.06	11.28	4.15
	% of Total	0.20	1.69	0.87	0.34	0.52	0.14	0.39	4.15
Kitchen Utensils	Frequency	1	9	12	33	37	13	5	110
	Row %	0.91	8.18	10.91	30.00	33.64	11.82	4.55	100.00
	Column %	3.03	1.89	0.96	1.69	2.81	3.35	2.56	1.96
	% of Total	0.02	0.16	0.21	0.59	0.66	0.23	0.09	1.96

/...

**Table 17a: The Twenty Most Common Product Groups Involved in Accidents by Age – Male**  
**(continued)**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Outdoor Environment Structures	Frequency	0	23	64	67	71	55	30	310
	Row %	0	7.42	20.65	21.61	22.90	17.74	9.68	100.00
	Column %	0	4.82	5.12	3.43	5.39	14.18	15.38	5.52
	% of Total	0	0.41	1.14	1.19	1.26	0.98	0.53	5.52
Animals and Animal Accessories	Frequency	0	7	20	10	23	12	9	81
	Row %	0	8.64	24.69	12.35	28.40	14.81	11.11	100.00
	Column %	0	1.47	1.60	0.51	1.75	3.09	4.62	1.44
	% of Total	0	0.12	0.36	0.18	0.41	0.21	0.16	1.44
Plants, Trees and Bushes	Frequency	0	2	21	1	7	3	3	37
	Row %	0	5.41	56.76	2.70	18.92	8.11	8.11	100.00
	Column %	0	0.42	1.68	0.05	0.53	0.77	1.54	0.66
	% of Total	0	0.04	0.37	0.02	0.12	0.05	0.05	0.66
Games and Toys	Frequency	0	25	16	3	3	0	0	47
	Row %	0	53.19	34.04	6.38	6.38	0	0	100.00
	Column %	0	5.24	1.28	0.15	0.23	0	0	0.84
	% of Total	0	0.45	0.29	0.05	0.05	0	0	0.84
Fair/Playground	Frequency	0	17	42	2	1	0	0	62
	Row %	0	27.42	67.74	3.23	1.61	0	0	100.00
	Column %	0	3.56	3.36	0.10	0.08	0	0	1.10
	% of Total	0	0.30	0.75	0.04	0.02	0	0	1.10
Vehicles	Frequency	0	33	102	39	27	10	3	214
	Row %	0	15.42	47.66	18.22	12.62	4.67	1.40	100.00
	Column %	0	6.92	8.15	2.00	2.05	2.58	1.54	3.81
	% of Total	0	0.59	1.82	0.69	0.48	0.18	0.05	3.81

/...

**Table 17a: The Twenty Most Common Product Groups Involved in Accidents by Age – Male  
(continued)**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Sports Equipment	Frequency	0	16	674	1461	774	42	8	2975
	Row %	0	0.54	22.66	49.11	26.02	1.41	0.27	100.00
	Column %	0	3.35	53.88	74.81	58.77	10.82	4.10	52.99
	% of Total	0	0.29	12.01	26.02	13.79	0.75	0.14	52.99
Unspecified Product	Frequency	10	67	37	38	26	10	10	198
	Row %	5.05	33.84	18.69	19.19	13.13	5.05	5.05	100.00
	Column %	30.30	14.05	2.96	1.95	1.97	2.58	5.13	3.53
	% of Total	0.18	1.19	0.66	0.68	0.46	0.18	0.18	3.53
Total	Frequency	33	477	1251	1953	1317	388	195	5614
	Row %	0.59	8.50	22.28	34.79	23.46	6.91	3.47	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.59	8.50	22.28	34.79	23.46	6.91	3.47	100.00

**Table 17b: The Twenty Most Common Product Groups Involved in Accidents by Age – Female**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Housing/Buildi- ng Elements	Frequency	17	95	117	94	148	125	151	747
	Row %	2.28	12.72	15.66	12.58	19.81	16.73	20.21	100.00
	Column %	38.64	25.20	15.58	17.00	26.10	29.14	35.87	23.77
	% of Total	0.54	3.02	3.72	2.99	4.71	3.98	4.81	23.77
Containers and Wrappings	Frequency	0	3	5	5	7	8	4	32
	Row %	0	9.38	15.63	15.63	21.88	25.00	12.50	100.00
	Column %	0	0.80	0.67	0.90	1.23	1.86	0.95	1.02
	% of Total	0	0.10	0.16	0.16	0.22	0.25	0.13	1.02
DIY Equipment	Frequency	0	4	5	10	25	20	8	72
	Row %	0	5.56	6.94	13.89	34.72	27.78	11.11	100.00
	Column %	0	1.06	0.67	1.81	4.41	4.66	1.90	2.29
	% of Total	0	0.13	0.16	0.32	0.80	0.64	0.25	2.29
Particles	Frequency	0	6	2	4	11	10	0	33
	Row %	0	18.18	6.06	12.12	33.33	30.30	0	100.00
	Column %	0	1.59	0.27	0.72	1.94	2.33	0	1.05
	% of Total	0	0.19	0.06	0.13	0.35	0.32	0	1.05
Hot Foods/Liquids and Smoking Material	Frequency	2	14	10	37	27	20	4	114
	Row %	1.75	12.28	8.77	32.46	23.68	17.54	3.51	100.00
	Column %	4.55	3.71	1.33	6.69	4.76	4.66	0.95	3.63
	% of Total	0.06	0.45	0.32	1.18	0.86	0.64	0.13	3.63
Footwear	Frequency	0	4	15	17	12	13	29	90
	Row %	0	4.44	16.67	18.89	13.33	14.44	32.22	100.00
	Column %	0	1.06	2.00	3.07	2.12	3.03	6.89	2.86
	% of Total	0	0.13	0.48	0.54	0.38	0.41	0.92	2.86

/...

**Table 17b: The Twenty Most Common Product Groups Involved in Accidents by Age – Female  
(continued)**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Garden Equipment	Frequency	0	1	8	0	4	8	7	28
	Row %	0	3.57	28.57	0	14.29	28.57	25.00	100.00
	Column %	0	0.27	1.07	0	0.71	1.86	1.66	0.89
	% of Total	0	0.03	0.25	0	0.13	0.25	0.22	0.89
Heating Equipment	Frequency	2	12	5	6	2	5	4	36
	Row %	5.56	33.33	13.89	16.67	5.56	13.89	11.11	100.00
	Column %	4.55	3.18	0.67	1.08	0.35	1.17	0.95	1.15
	% of Total	0.06	0.38	0.16	0.19	0.06	0.16	0.13	1.15
Bathroom Equipment	Frequency	0	4	3	6	7	13	12	45
	Row %	0	8.89	6.67	13.33	15.56	28.89	26.67	100.00
	Column %	0	1.06	0.40	1.08	1.23	3.03	2.85	1.43
	% of Total	0	0.13	0.10	0.19	0.22	0.41	0.38	1.43
Floor Coverings	Frequency	0	13	9	13	25	24	31	115
	Row %	0	11.30	7.83	11.30	21.74	20.87	26.96	100.00
	Column %	0	3.45	1.20	2.35	4.41	5.59	7.36	3.66
	% of Total	0	0.41	0.29	0.41	0.80	0.76	0.99	3.66
Household Furniture	Frequency	10	82	36	20	33	25	70	276
	Row %	3.62	29.71	13.04	7.25	11.96	9.06	25.36	100.00
	Column %	22.73	21.75	4.79	3.62	5.82	5.83	16.63	8.78
	% of Total	0.32	2.61	1.15	0.64	1.05	0.80	2.23	8.78
Kitchen Utensils	Frequency	0	6	8	24	35	17	1	91
	Row %	0	6.59	8.79	26.37	38.46	18.68	1.10	100.00
	Column %	0	1.59	1.07	4.34	6.17	3.96	0.24	2.90
	% of Total	0	0.19	0.25	0.76	1.11	0.54	0.03	2.90

/...

**Table 17b: The Twenty Most Common Product Groups Involved in Accidents by Age – Female**  
**(continued)**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Outdoor Environment Structures	Frequency	0	13	54	37	66	82	57	309
	Row %	0	4.21	17.48	11.97	21.36	26.54	18.45	100.00
	Column %	0	3.45	7.19	6.69	11.64	19.11	13.54	9.83
	% of Total	0	0.41	1.72	1.18	2.10	2.61	1.81	9.83
Animals and Animal Accessories	Frequency	0	5	41	20	33	20	10	129
	Row %	0	3.88	31.78	15.50	25.58	15.50	7.75	100.00
	Column %	0	1.33	5.46	3.62	5.82	4.66	2.38	4.11
	% of Total	0	0.16	1.30	0.64	1.05	0.64	0.32	4.11
Plants, Trees and Bushes	Frequency	0	0	8	0	1	1	1	11
	Row %	0	0	72.73	0	9.09	9.09	9.09	100.00
	Column %	0	0	1.07	0	0.18	0.23	0.24	0.35
	% of Total	0	0	0.25	0	0.03	0.03	0.03	0.35
Games and Toys	Frequency	0	7	22	3	8	1	2	43
	Row %	0	16.28	51.16	6.98	18.60	2.33	4.65	100.00
	Column %	0	1.86	2.93	0.54	1.41	0.23	0.48	1.37
	% of Total	0	0.22	0.70	0.10	0.25	0.03	0.06	1.37
Fair/Playground	Frequency	0	19	53	4	0	0	0	76
	Row %	0	25.00	69.74	5.26	0	0	0	100.00
	Column %	0	5.04	7.06	0.72	0	0	0	2.42
	% of Total	0	0.60	1.69	0.13	0	0	0	2.42
Vehicles	Frequency	0	22	86	9	12	5	5	139
	Row %	0	15.83	61.87	6.47	8.63	3.60	3.60	100.00
	Column %	0	5.84	11.45	1.63	2.12	1.17	1.19	4.42
	% of Total	0	0.70	2.74	0.29	0.38	0.16	0.16	4.42

/...

**Table 17b: The Twenty Most Common Product Groups Involved in Accidents by Age – Female  
(continued)**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Sports Equipment	Frequency	0	9	244	228	86	13	3	583
	Row %	0	1.54	41.85	39.11	14.75	2.23	0.51	100.00
	Column %	0	2.39	32.49	41.23	15.17	3.03	0.71	18.56
	% of Total	0	0.29	7.77	7.26	2.74	0.41	0.10	18.56
Unspecified Product	Frequency	13	58	20	16	25	19	22	173
	Row %	7.51	33.53	11.56	9.25	14.45	10.98	12.72	100.00
	Column %	29.55	15.38	2.66	2.89	4.41	4.43	5.23	5.51
	% of Total	0.41	1.85	0.64	0.51	0.80	0.60	0.70	5.51
Total	Frequency	44	377	751	553	567	429	421	3142
	Row %	1.40	12.00	23.90	17.60	18.05	13.65	13.40	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	1.40	12.00	23.90	17.60	18.05	13.65	13.40	100.00

**Table 17c: The Twenty Most Common Product Groups Involved in Accidents by Age – Total**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Housing/Buildi- ng Elements	Frequency	22	208	253	207	266	200	195	1351
	Row %	1.63	15.40	18.73	15.32	19.69	14.80	14.43	100.00
	Column %	28.57	24.36	12.64	8.26	14.12	24.48	31.66	15.43
	% of Total	0.25	2.38	2.89	2.36	3.04	2.28	2.23	15.43
Containers and Wrappings	Frequency	1	6	11	9	13	11	4	55
	Row %	1.82	10.91	20.00	16.36	23.64	20.00	7.27	100.00
	Column %	1.30	0.70	0.55	0.36	0.69	1.35	0.65	0.63
	% of Total	0.01	0.07	0.13	0.10	0.15	0.13	0.05	0.63
DIY Equipment	Frequency	0	4	16	56	85	69	20	250
	Row %	0	1.60	6.40	22.40	34.00	27.60	8.00	100.00
	Column %	0	0.47	0.80	2.23	4.51	8.45	3.25	2.86
	% of Total	0	0.05	0.18	0.64	0.97	0.79	0.23	2.86
Particles	Frequency	0	12	7	24	38	28	5	114
	Row %	0	10.53	6.14	21.05	33.33	24.56	4.39	100.00
	Column %	0	1.41	0.35	0.96	2.02	3.43	0.81	1.30
	% of Total	0	0.14	0.08	0.27	0.43	0.32	0.06	1.30
Hot Foods/Liquids and Smoking Material	Frequency	5	39	21	75	58	50	14	262
	Row %	1.91	14.89	8.02	28.63	22.14	19.08	5.34	100.00
	Column %	6.49	4.57	1.05	2.99	3.08	6.12	2.27	2.99
	% of Total	0.06	0.45	0.24	0.86	0.66	0.57	0.16	2.99
Footwear	Frequency	0	12	31	44	29	22	35	173
	Row %	0	6.94	17.92	25.43	16.76	12.72	20.23	100.00
	Column %	0	1.41	1.55	1.76	1.54	2.69	5.68	1.98
	% of Total	0	0.14	0.35	0.50	0.33	0.25	0.40	1.98
Garden Equipment	Frequency	0	6	20	6	12	22	17	83

/...



**Table 17c: The Twenty Most Common Product Groups Involved in Accidents by Age – Total (continued)**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Garden Equipment	Row %	0	7.23	24.10	7.23	14.46	26.51	20.48	100.00
	Column %	0	0.70	1.00	0.24	0.64	2.69	2.76	0.95
	% of Total	0	0.07	0.23	0.07	0.14	0.25	0.19	0.95
Heating Equipment	Frequency	3	21	9	11	8	15	6	73
	Row %	4.11	28.77	12.33	15.07	10.96	20.55	8.22	100.00
	Column %	3.90	2.46	0.45	0.44	0.42	1.84	0.97	0.83
	% of Total	0.03	0.24	0.10	0.13	0.09	0.17	0.07	0.83
Bathroom Equipment	Frequency	0	9	5	9	21	19	18	81
	Row %	0	11.11	6.17	11.11	25.93	23.46	22.22	100.00
	Column %	0	1.05	0.25	0.36	1.11	2.33	2.92	0.93
	% of Total	0	0.10	0.06	0.10	0.24	0.22	0.21	0.93
Floor Coverings	Frequency	1	22	20	31	57	45	41	217
	Row %	0.46	10.14	9.22	14.29	26.27	20.74	18.89	100.00
	Column %	1.30	2.58	1.00	1.24	3.03	5.51	6.66	2.48
	% of Total	0.01	0.25	0.23	0.35	0.65	0.51	0.47	2.48
Household Furniture	Frequency	21	177	85	39	62	33	92	509
	Row %	4.13	34.77	16.70	7.66	12.18	6.48	18.07	100.00
	Column %	27.27	20.73	4.25	1.56	3.29	4.04	14.94	5.81
	% of Total	0.24	2.02	0.97	0.45	0.71	0.38	1.05	5.81
Kitchen Utensils	Frequency	1	15	20	57	72	30	6	201
	Row %	0.50	7.46	9.95	28.36	35.82	14.93	2.99	100.00
	Column %	1.30	1.76	1.00	2.27	3.82	3.67	0.97	2.30
	% of Total	0.01	0.17	0.23	0.65	0.82	0.34	0.07	2.30
Outdoor Environment Structures	Frequency	0	36	118	104	137	137	87	619
	Row %	0	5.82	19.06	16.80	22.13	22.13	14.05	100.00

/...

**Table 17c: The Twenty Most Common Product Groups Involved in Accidents by Age – Total (continued)**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Outdoor Environment Structures	Column %	0	4.22	5.89	4.15	7.27	16.77	14.12	7.07
	% of Total	0	0.41	1.35	1.19	1.56	1.56	0.99	7.07
Animals and Animal Accessories	Frequency	0	12	61	30	56	32	19	210
	Row %	0	5.71	29.05	14.29	26.67	15.24	9.05	100.00
	Column %	0	1.41	3.05	1.20	2.97	3.92	3.08	2.40
	% of Total	0	0.14	0.70	0.34	0.64	0.37	0.22	2.40
Plants, Trees and Bushes	Frequency	0	2	29	1	8	4	4	48
	Row %	0	4.17	60.42	2.08	16.67	8.33	8.33	100.00
	Column %	0	0.23	1.45	0.04	0.42	0.49	0.65	0.55
	% of Total	0	0.02	0.33	0.01	0.09	0.05	0.05	0.55
Games and Toys	Frequency	0	32	38	6	11	1	2	90
	Row %	0	35.56	42.22	6.67	12.22	1.11	2.22	100.00
	Column %	0	3.75	1.90	0.24	0.58	0.12	0.32	1.03
	% of Total	0	0.37	0.43	0.07	0.13	0.01	0.02	1.03
Fair/Playground	Frequency	0	36	95	6	1	0	0	138
	Row %	0	26.09	68.84	4.35	0.72	0	0	100.00
	Column %	0	4.22	4.75	0.24	0.05	0	0	1.58
	% of Total	0	0.41	1.08	0.07	0.01	0	0	1.58
Vehicles	Frequency	0	55	188	48	39	15	8	353
	Row %	0	15.58	53.26	13.60	11.05	4.25	2.27	100.00
	Column %	0	6.44	9.39	1.92	2.07	1.84	1.30	4.03
	% of Total	0	0.63	2.15	0.55	0.45	0.17	0.09	4.03
Sports Equipment	Frequency	0	25	918	1689	860	55	11	3558
	Row %	0	0.70	25.80	47.47	24.17	1.55	0.31	100.00
	Column %	0	2.93	45.85	67.40	45.65	6.73	1.79	40.63

/...

**Table 17c: The Twenty Most Common Product Groups Involved in Accidents by Age – Total  
(continued)**

		Age Groups							All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Sports Equipment	% of Total	0	0.29	10.48	19.29	9.82	0.63	0.13	40.63
Unspecified Product	Frequency	23	125	57	54	51	29	32	371
	Row %	6.20	33.69	15.36	14.56	13.75	7.82	8.63	100.00
	Column %	29.87	14.64	2.85	2.15	2.71	3.55	5.19	4.24
	% of Total	0.26	1.43	0.65	0.62	0.58	0.33	0.37	4.24
Total	Frequency	77	854	2002	2506	1884	817	616	8756
	Row %	0.88	9.75	22.86	28.62	21.52	9.33	7.04	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.88	9.75	22.86	28.62	21.52	9.33	7.04	100.00

**Table 18a: The Twenty Most Common Product Groups Causing Injuries by Age – Male**

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Housing/Buildi- ng Elements	FREQUENCY	13	148	149	121	131	84	59	705
	ROW %	1.84	20.99	21.13	17.16	18.58	11.91	8.37	100.00
	COLUMN %	39.39	31.03	11.91	6.20	9.95	21.65	30.26	12.56
	% OF TOTAL	0.23	2.64	2.65	2.16	2.33	1.50	1.05	12.56
Containers and Wrappings	FREQUENCY	1	3	6	3	6	2	.	21
	ROW %	4.76	14.29	28.57	14.29	28.57	9.52	.	100.00
	COLUMN %	3.03	0.63	0.48	0.15	0.46	0.52	.	0.37
	% OF TOTAL	0.02	0.05	0.11	0.05	0.11	0.04	.	0.37
DIY Equipment	FREQUENCY	.	.	11	26	41	31	6	115
	ROW %	.	.	9.57	22.61	35.65	26.96	5.22	100.00
	COLUMN %	.	.	0.88	1.33	3.11	7.99	3.08	2.05
	% OF TOTAL	.	.	0.20	0.46	0.73	0.55	0.11	2.05
Particles	FREQUENCY	.	6	5	21	28	20	5	85
	ROW %	.	7.06	5.88	24.71	32.94	23.53	5.88	100.00
	COLUMN %	.	1.26	0.40	1.08	2.13	5.15	2.56	1.51
	% OF TOTAL	.	0.11	0.09	0.37	0.50	0.36	0.09	1.51
Hot Foods/Liquids and Smoking Material	FREQUENCY	4	25	10	40	29	34	13	155
	ROW %	2.58	16.13	6.45	25.81	18.71	21.94	8.39	100.00
	COLUMN %	12.12	5.24	0.80	2.05	2.20	8.76	6.67	2.76
	% OF TOTAL	0.07	0.45	0.18	0.71	0.52	0.61	0.23	2.76
Footwear	FREQUENCY	1	12	32	46	47	41	21	200
	ROW %	0.50	6.00	16.00	23.00	23.50	20.50	10.50	100.00
	COLUMN %	3.03	2.52	2.56	2.36	3.57	10.57	10.77	3.56
	% OF TOTAL	0.02	0.21	0.57	0.82	0.84	0.73	0.37	3.56

/...

**Table 18a: The Twenty Most Common Product Groups Causing Injuries by Age – Male**  
**(continued)**

		AGE GROUPS							ALL AGE GROUPS
		< 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 64	65 +	
Garden Equipment	FREQUENCY	.	5	10	9	10	15	9	58
	ROW %	.	8.62	17.24	15.52	17.24	25.86	15.52	100.00
	COLUMN %	.	1.05	0.80	0.46	0.76	3.87	4.62	1.03
	% OF TOTAL	.	0.09	0.18	0.16	0.18	0.27	0.16	1.03
Heating Equipment	FREQUENCY	2	12	5	5	6	10	3	43
	ROW %	4.65	27.91	11.63	11.63	13.95	23.26	6.98	100.00
	COLUMN %	6.06	2.52	0.40	0.26	0.46	2.58	1.54	0.77
	% OF TOTAL	0.04	0.21	0.09	0.09	0.11	0.18	0.05	0.77
Bathroom Equipment	FREQUENCY	.	5	2	2	14	3	2	28
	ROW %	.	17.86	7.14	7.14	50.00	10.71	7.14	100.00
	COLUMN %	.	1.05	0.16	0.10	1.06	0.77	1.03	0.50
	% OF TOTAL	.	0.09	0.04	0.04	0.25	0.05	0.04	0.50
Floor Coverings	FREQUENCY	2	10	6	12	20	11	9	70
	ROW %	2.86	14.29	8.57	17.14	28.57	15.71	12.86	100.00
	COLUMN %	6.06	2.10	0.48	0.61	1.52	2.84	4.62	1.25
	% OF TOTAL	0.04	0.18	0.11	0.21	0.36	0.20	0.16	1.25
Household Furniture	FREQUENCY	3	66	25	18	25	8	13	158
	ROW %	1.90	41.77	15.82	11.39	15.82	5.06	8.23	100.00
	COLUMN %	9.09	13.84	2.00	0.92	1.90	2.06	6.67	2.81
	% OF TOTAL	0.05	1.18	0.45	0.32	0.45	0.14	0.23	2.81
Kitchen Utensils	FREQUENCY	.	9	12	30	40	14	5	110
	ROW %	.	8.18	10.91	27.27	36.36	12.73	4.55	100.00
	COLUMN %	.	1.89	0.96	1.54	3.04	3.61	2.56	1.96
	% OF TOTAL	.	0.16	0.21	0.53	0.71	0.25	0.09	1.96

/...

**18a: The Twenty Most Common Product Groups Causing Injuries by Age – Male (continued)**

		AGE GROUPS							ALL AGE GROUPS
		< 1	1 -4	5 -14	15 -24	25 -44	45 -64	65+	
Medicines	FREQUENCY	.	14	.	3	1	.	1	19
	ROW %	.	73.68	.	15.79	5.26	.	5.26	100.00
	COLUMN %	.	2.94	.	0.15	0.08	.	0.51	0.34
	% OF TOTAL	.	0.25	.	0.05	0.02	.	0.02	0.34
Outdoor environment structures	FREQUENCY	1	46	191	96	68	47	19	468
	ROW %	0.21	9.83	40.81	20.51	14.53	10.04	4.06	100.00
	COLUMN %	3.03	9.64	15.27	4.92	5.16	12.11	9.74	8.34
	% OF TOTAL	0.02	0.82	3.40	1.71	1.21	0.84	0.34	8.34
Animals and Animal Accessories	FREQUENCY	.	6	17	9	21	11	7	71
	ROW %	.	8.45	23.94	12.68	29.58	15.49	9.86	100.00
	COLUMN %	.	1.26	1.36	0.46	1.59	2.84	3.59	1.26
	% OF TOTAL	.	0.11	0.30	0.16	0.37	0.20	0.12	1.26
Games and Toys	FREQUENCY	.	25	14	3	3	.	.	45
	ROW %	.	55.56	31.11	6.67	6.67	.	.	100.00
	COLUMN %	.	5.24	1.12	0.15	0.23	.	.	0.80
	% OF TOTAL	.	0.45	0.25	0.05	0.05	.	.	0.80
Fair/Playground	FREQUENCY	.	10	29	2	1	.	.	42
	ROW %	.	23.81	69.05	4.76	2.38	.	.	100.00
	COLUMN %	.	2.10	2.32	0.10	0.08	.	.	0.75
	% OF TOTAL	.	0.18	0.52	0.04	0.02	.	.	0.75
Vehicles	FREQUENCY	.	17	47	21	18	3	3	109
	ROW %	.	15.60	43.12	19.27	16.51	2.75	2.75	100.00
	COLUMN %	.	3.56	3.76	1.08	1.37	0.77	1.54	1.94
	% OF TOTAL	.	0.30	0.84	0.37	0.32	0.05	0.05	1.94
Sports Equipment	FREQUENCY	.	13	640	1447	773	41	7	2921
	ROW %	.	0.45	21.91	49.54	26.46	1.40	0.24	100.00

/...

**Table 18a: The Twenty Most Common Product Groups Causing Injuries by Age – Male**  
**(continued)**

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Sports Equipment	COLUMN %	.	2.73	51.16	74.09	58.69	10.57	3.59	52.03
	% OF TOTAL	.	0.23	11.40	25.77	13.77	0.73	0.12	52.03
Unspecified product	FREQUENCY	6	45	40	39	35	13	13	191
	ROW %	3.14	23.56	20.94	20.42	18.32	6.81	6.81	100.00
	COLUMN %	18.18	9.43	3.20	2.00	2.66	3.35	6.67	3.40
	% OF TOTAL	0.11	0.80	0.71	0.69	0.62	0.23	0.23	3.40
TOTAL	FREQUENCY	33	477	1251	1953	1317	388	195	5614
	ROW %	0.59	8.50	22.28	34.79	23.46	6.91	3.47	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.59	8.50	22.28	34.79	23.46	6.91	3.47	100.00

**Table 18b: The Twenty Most Common Product Groups Causing Injuries by Age – Female**

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Housing/Buildi- ng Elements	FREQUENCY	20	135	120	107	167	145	198	892
	ROW %	2.24	15.13	13.45	12.00	18.72	16.26	22.20	100.00
	COLUMN %	45.45	35.81	15.98	19.35	29.45	33.80	47.03	28.39
	% OF TOTAL	0.64	4.30	3.82	3.41	5.32	4.61	6.30	28.39
Containers and Wrappings	FREQUENCY	.	3	5	5	8	8	3	32
	ROW %	.	9.38	15.63	15.63	25.00	25.00	9.38	100.00
	COLUMN %	.	0.80	0.67	0.90	1.41	1.86	0.71	1.02
	% OF TOTAL	.	0.10	0.16	0.16	0.25	0.25	0.10	1.02
DIY Equipment	FREQUENCY	.	2	2	7	10	8	6	35
	ROW %	.	5.71	5.71	20.00	28.57	22.86	17.14	100.00
	COLUMN %	.	0.53	0.27	1.27	1.76	1.86	1.43	1.11
	% OF TOTAL	.	0.06	0.06	0.22	0.32	0.25	0.19	1.11
Particles	FREQUENCY	.	6	2	7	11	10	.	36
	ROW %	.	16.67	5.56	19.44	30.56	27.78	.	100.00
	COLUMN %	.	1.59	0.27	1.27	1.94	2.33	.	1.15
	% OF TOTAL	.	0.19	0.06	0.22	0.35	0.32	.	1.15
Hot Foods/Liquids and Smoking Material	FREQUENCY	2	15	10	28	27	21	4	107
	ROW %	1.87	14.02	9.35	26.17	25.23	19.63	3.74	100.00
	COLUMN %	4.55	3.98	1.33	5.06	4.76	4.90	0.95	3.41
	% OF TOTAL	0.06	0.48	0.32	0.89	0.86	0.67	0.13	3.41
Footwear	FREQUENCY	2	17	35	32	39	53	52	230
	ROW %	0.87	7.39	15.22	13.91	16.96	23.04	22.61	100.00
	COLUMN %	4.55	4.51	4.66	5.79	6.88	12.35	12.35	7.32
	% OF TOTAL	0.06	0.54	1.11	1.02	1.24	1.69	1.65	7.32

/...



**Table 18b: The Twenty Most Common Product Groups Causing Injuries by Age – Female**  
(continued)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 64	65+	
Garden Equipment	FREQUENCY	.	1	6	.	4	8	8	27
	ROW %	.	3.70	22.22	.	14.81	29.63	29.63	100.00
	COLUMN %	.	0.27	0.80	.	0.71	1.86	1.90	0.86
	% OF TOTAL	.	0.03	0.19	.	0.13	0.25	0.25	0.86
Heating Equipment	FREQUENCY	1	13	5	6	1	4	2	32
	ROW %	3.13	40.63	15.63	18.75	3.13	12.50	6.25	100.00
	COLUMN %	2.27	3.45	0.67	1.08	0.18	0.93	0.48	1.02
	% OF TOTAL	0.03	0.41	0.16	0.19	0.03	0.13	0.06	1.02
Bathroom Equipment	FREQUENCY	.	3	3	5	6	14	7	38
	ROW %	.	7.89	7.89	13.16	15.79	36.84	18.42	100.00
	COLUMN %	.	0.80	0.40	0.90	1.06	3.26	1.66	1.21
	% OF TOTAL	.	0.10	0.10	0.16	0.19	0.45	0.22	1.21
Floor Coverings	FREQUENCY	1	8	7	8	16	10	21	71
	ROW %	1.41	11.27	9.86	11.27	22.54	14.08	29.58	100.00
	COLUMN %	2.27	2.12	0.93	1.45	2.82	2.33	4.99	2.26
	% OF TOTAL	0.03	0.25	0.22	0.25	0.51	0.32	0.67	2.26
Household Furniture	FREQUENCY	9	56	29	16	27	20	44	201
	ROW %	4.48	27.86	14.43	7.96	13.43	9.95	21.89	100.00
	COLUMN %	20.45	14.85	3.86	2.89	4.76	4.66	10.45	6.40
	% OF TOTAL	0.29	1.78	0.92	0.51	0.86	0.64	1.40	6.40
Kitchen Utensils	FREQUENCY	.	5	9	22	32	16	1	85
	ROW %	.	5.88	10.59	25.88	37.65	18.82	1.18	100.00
	COLUMN %	.	1.33	1.20	3.98	5.64	3.73	0.24	2.71
	% OF TOTAL	.	0.16	0.29	0.70	1.02	0.51	0.03	2.71
Medicines	FREQUENCY	.	18	.	1	.	.	.	19

**Table 18b: The Twenty Most Common Product Groups Causing Injuries by Age – Female**  
**(continued)**

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Medicines	ROW %	.	94.74	.	5.26	.	.	.	100.00
	COLUMN %	.	4.77	.	0.18	.	.	.	0.60
	% OF TOTAL	.	0.57	.	0.03	.	.	.	0.60
Outdoor environment structures	FREQUENCY	.	26	127	39	62	57	39	350
	ROW %	.	7.43	36.29	11.14	17.71	16.29	11.14	100.00
	COLUMN %	.	6.90	16.91	7.05	10.93	13.29	9.26	11.14
	% OF TOTAL	.	0.83	4.04	1.24	1.97	1.81	1.24	11.14
Animals and Animal Accessories	FREQUENCY	.	4	36	20	32	19	9	120
	ROW %	.	3.33	30.00	16.67	26.67	15.83	7.50	100.00
	COLUMN %	.	1.06	4.79	3.62	5.64	4.43	2.14	3.82
	% OF TOTAL	.	0.13	1.15	0.64	1.02	0.60	0.29	3.82
Games and Toys	FREQUENCY	.	6	22	3	7	1	2	41
	ROW %	.	14.63	53.66	7.32	17.07	2.44	4.88	100.00
	COLUMN %	.	1.59	2.93	0.54	1.23	0.23	0.48	1.30
	% OF TOTAL	.	0.19	0.70	0.10	0.22	0.03	0.06	1.30
Fair/Playground	FREQUENCY	.	12	25	4	.	.	.	41
	ROW %	.	29.27	60.98	9.76	.	.	.	100.00
	COLUMN %	.	3.18	3.33	0.72	.	.	.	1.30
	% OF TOTAL	.	0.38	0.80	0.13	.	.	.	1.30
Vehicles	FREQUENCY	.	14	52	7	7	4	2	86
	ROW %	.	16.28	60.47	8.14	8.14	4.65	2.33	100.00
	COLUMN %	.	3.71	6.92	1.27	1.23	0.93	0.48	2.74
	% OF TOTAL	.	0.45	1.65	0.22	0.22	0.13	0.06	2.74
Sports Equipment	FREQUENCY	.	4	232	222	85	11	3	557
	ROW %	.	0.72	41.65	39.86	15.26	1.97	0.54	100.00

/...

**Table 18b: The Twenty Most Common Product Groups Causing Injuries by Age – Female  
(continued)**

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Sports Equipment	COLUMN %	.	1.06	30.89	40.14	14.99	2.56	0.71	17.73
	% OF TOTAL	.	0.13	7.38	7.07	2.71	0.35	0.10	17.73
Unspecified product	FREQUENCY	9	29	24	14	26	20	20	142
	ROW %	6.34	20.42	16.90	9.86	18.31	14.08	14.08	100.00
	COLUMN %	20.45	7.69	3.20	2.53	4.59	4.66	4.75	4.52
	% OF TOTAL	0.29	0.92	0.76	0.45	0.83	0.64	0.64	4.52
TOTAL	FREQUENCY	44	377	751	553	567	429	421	3142
	ROW %	1.40	12.00	23.90	17.60	18.05	13.65	13.40	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	1.40	12.00	23.90	17.60	18.05	13.65	13.40	100.00

**Table 18c: The Twenty Most Common Product Groups Causing Injuries by Age – Total**

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Housing/Buildi- ng Elements	FREQUENCY	33	283	269	228	298	229	257	1597
	ROW %	2.07	17.72	16.84	14.28	18.66	14.34	16.09	100.00
	COLUMN %	42.86	33.14	13.44	9.10	15.82	28.03	41.72	18.24
	% OF TOTAL	0.38	3.23	3.07	2.60	3.40	2.62	2.94	18.24
Containers and Wrappings	FREQUENCY	1	6	11	8	14	10	3	53
	ROW %	1.89	11.32	20.75	15.09	26.42	18.87	5.66	100.00
	COLUMN %	1.30	0.70	0.55	0.32	0.74	1.22	0.49	0.61
	% OF TOTAL	0.01	0.07	0.13	0.09	0.16	0.11	0.03	0.61
DIY Equipment	FREQUENCY	.	2	13	33	51	39	12	150
	ROW %	.	1.33	8.67	22.00	34.00	26.00	8.00	100.00
	COLUMN %	.	0.23	0.65	1.32	2.71	4.77	1.95	1.71
	% OF TOTAL	.	0.02	0.15	0.38	0.58	0.45	0.14	1.71
Particles	FREQUENCY	.	12	7	28	39	30	5	121
	ROW %	.	9.92	5.79	23.14	32.23	24.79	4.13	100.00
	COLUMN %	.	1.41	0.35	1.12	2.07	3.67	0.81	1.38
	% OF TOTAL	.	0.14	0.08	0.32	0.45	0.34	0.06	1.38
Hot Foods/Liquids and Smoking Material	FREQUENCY	6	40	20	68	56	55	17	262
	ROW %	2.29	15.27	7.63	25.95	21.37	20.99	6.49	100.00
	COLUMN %	7.79	4.68	1.00	2.71	2.97	6.73	2.76	2.99
	% OF TOTAL	0.07	0.46	0.23	0.78	0.64	0.63	0.19	2.99
Footwear	FREQUENCY	3	29	67	78	86	94	73	430
	ROW %	0.70	6.74	15.58	18.14	20.00	21.86	16.98	100.00
	COLUMN %	3.90	3.40	3.35	3.11	4.56	11.51	11.85	4.91
	% OF TOTAL	0.03	0.33	0.77	0.89	0.98	1.07	0.83	4.91
Garden Equipment	FREQUENCY	.	6	16	9	14	23	17	85

/...

**Table 18c: The Twenty Most Common Product Groups Causing Injuries by Age – Total**  
**(continued)**

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Garden Equipment	ROW %	.	7.06	18.82	10.59	16.47	27.06	20.00	100.00
	COLUMN %	.	0.70	0.80	0.36	0.74	2.82	2.76	0.97
	% OF TOTAL	.	0.07	0.18	0.10	0.16	0.26	0.19	0.97
Heating Equipment	FREQUENCY	3	25	10	11	7	14	5	75
	ROW %	4.00	33.33	13.33	14.67	9.33	18.67	6.67	100.00
	COLUMN %	3.90	2.93	0.50	0.44	0.37	1.71	0.81	0.86
	% OF TOTAL	0.03	0.29	0.11	0.13	0.08	0.16	0.06	0.86
Bathroom Equipment	FREQUENCY	.	8	5	7	20	17	9	66
	ROW %	.	12.12	7.58	10.61	30.30	25.76	13.64	100.00
	COLUMN %	.	0.94	0.25	0.28	1.06	2.08	1.46	0.75
	% OF TOTAL	.	0.09	0.06	0.08	0.23	0.19	0.10	0.75
Floor Coverings	FREQUENCY	3	18	13	20	36	21	30	141
	ROW %	2.13	12.77	9.22	14.18	25.53	14.89	21.28	100.00
	COLUMN %	3.90	2.11	0.65	0.80	1.91	2.57	4.87	1.61
	% OF TOTAL	0.03	0.21	0.15	0.23	0.41	0.24	0.34	1.61
Household Furniture	FREQUENCY	12	122	54	34	52	28	57	359
	ROW %	3.34	33.98	15.04	9.47	14.48	7.80	15.88	100.00
	COLUMN %	15.58	14.29	2.70	1.36	2.76	3.43	9.25	4.10
	% OF TOTAL	0.14	1.39	0.62	0.39	0.59	0.32	0.65	4.10
Kitchen Utensils	FREQUENCY	.	14	21	52	72	30	6	195
	ROW %	.	7.18	10.77	26.67	36.92	15.38	3.08	100.00
	COLUMN %	.	1.64	1.05	2.08	3.82	3.67	0.97	2.23
	% OF TOTAL	.	0.16	0.24	0.59	0.82	0.34	0.07	2.23
Medicines	FREQUENCY	.	32	.	4	1	.	1	38
	ROW %	.	84.21	.	10.53	2.63	.	2.63	100.00

/...

**Table 18c: The Twenty Most Common Product Groups Causing Injuries by Age – Total**  
**(continued)**

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Medicines	COLUMN %	.	3.75	.	0.16	0.05	.	0.16	0.43
	% OF TOTAL	.	0.37	.	0.05	0.01	.	0.01	0.43
Outdoor environment structures	FREQUENCY	1	72	318	135	130	104	58	818
	ROW %	0.12	8.80	38.88	16.50	15.89	12.71	7.09	100.00
	COLUMN %	1.30	8.43	15.88	5.39	6.90	12.73	9.42	9.34
	% OF TOTAL	0.01	0.82	3.63	1.54	1.48	1.19	0.66	9.34
Animals and Animal Accessories	FREQUENCY	.	10	53	29	53	30	16	191
	ROW %	.	5.24	27.75	15.18	27.75	15.71	8.38	100.00
	COLUMN %	.	1.17	2.65	1.16	2.81	3.67	2.60	2.18
	% OF TOTAL	.	0.11	0.61	0.33	0.61	0.34	0.18	2.18
Games and Toys	FREQUENCY	.	31	36	6	10	1	2	86
	ROW %	.	36.05	41.86	6.98	11.63	1.16	2.33	100.00
	COLUMN %	.	3.63	1.80	0.24	0.53	0.12	0.32	0.98
	% OF TOTAL	.	0.35	0.41	0.07	0.11	0.01	0.02	0.98
Fair/Playground	FREQUENCY	.	22	54	6	1	.	.	83
	ROW %	.	26.51	65.06	7.23	1.20	.	.	100.00
	COLUMN %	.	2.58	2.70	0.24	0.05	.	.	0.95
	% OF TOTAL	.	0.25	0.62	0.07	0.01	.	.	0.95
Vehicles	FREQUENCY	.	31	99	28	25	7	5	195
	ROW %	.	15.90	50.77	14.36	12.82	3.59	2.56	100.00
	COLUMN %	.	3.63	4.95	1.12	1.33	0.86	0.81	2.23
	% OF TOTAL	.	0.35	1.13	0.32	0.29	0.08	0.06	2.23
Sports Equipment	FREQUENCY	.	17	872	1669	858	52	10	3478
	ROW %	.	0.49	25.07	47.99	24.67	1.50	0.29	100.00
	COLUMN %	.	1.99	43.56	66.60	45.54	6.36	1.62	39.72

/...

**Table 18c: The Twenty Most Common Product Groups Causing Injuries by Age – Total**  
**(continued)**

		AGE GROUPS							ALL AGE GROUPS
		< 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 64	65+	
Sports Equipment	% OF TOTAL	.	0.19	9.96	19.06	9.80	0.59	0.11	39.72
Unspecified product	FREQUENCY	15	74	64	53	61	33	33	333
	ROW %	4.50	22.22	19.22	15.92	18.32	9.91	9.91	100.00
	COLUMN %	19.48	8.67	3.20	2.11	3.24	4.04	5.36	3.80
	% OF TOTAL	0.17	0.85	0.73	0.61	0.70	0.38	0.38	3.80
TOTAL	FREQUENCY	77	854	2002	2506	1884	817	616	8756
	ROW %	0.88	9.75	22.86	28.62	21.52	9.33	7.04	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.88	9.75	22.86	28.62	21.52	9.33	7.04	100.00

# European Home and Leisure Accident Surveillance System Coding Form

# EHLASS

# Cork University Hospital

**Wilton, Cork, Republic of Ireland. Telephone: 021-4546400**

HOSPITAL RECORD NUMBER	
DATE OF TREATMENT (YYMMDD)	YY:    MM:    DD:
TIME OF ATTENDANCE	
NUMBER OF HOSPITALISED DAYS	
TREATMENT AND FOLLOW-UP	
AGE OF PATIENT	
SEX OF PATIENT	
ACCIDENT MECHANISM	
PLACE OF ACCIDENT	
ACTIVITY AT TIME OF ACCIDENT	
INJURY DIAGNOSIS	TYPE 1
	TYPE 2
PART OF THE BODY AFFECTED	PART 1
	PART 2
PRODUCT INVOLVED IN ACCIDENT	
PRODUCT CAUSING INJURY	
OTHER PRODUCT	
ACCIDENT DESCRIPTION	
HOSPITAL RECORD NUMBER (OPTIONAL)	