


EHLASS Report for Ireland 2001



DEPARTMENT
OF HEALTH AND
CHILDREN
AN ROINN
SLÁINTE AGUS
LEANAÍ

European Home and Leisure Accident Surveillance System

EHLASS

Report for Ireland

2001

European Home and Leisure Accident Surveillance System (EHLASS)



Prepared by:
The Information Management Unit
Department of Health and Children
Hawkins House
Hawkins Street
Dublin 2
Republic of Ireland

Table of Contents

	Page
INTRODUCTION	
General Demographic Data.....	1
Health Services Data.....	2
Accidents in Ireland	3
Accident Prevention Initiatives.....	4
The EHLASS Survey in Ireland	5
MAIN RESULTS	
Key Facts, Comments and Conclusions.....	6
Accidents by Age Group and Sex.....	9
Estimation of National Totals.....	10
Accidents by Month, Day and Time	11
Accident Mechanism	13
Place of Occurrence of Accidents.....	135
Activity at Time of Accident.....	17
Type of Injury Sustained.....	19
Part of Body Injured.....	21
Type of Treatment	23
Hospitalisation	25
Accident Mechanism:Length of Stay and Hospitalisation Rate.....	26
Type of Injury: Length of Stay and Hospitalisation Rate	27
Products Involved in Accidents.....	28
Products Causing Injuries.....	29
Products Involved in Accidents(Age Breakdown)	30
Products Causing Injuries(Age Breakdown)	31
Selected Product Groups Broken Down by Type of Injury.....	32
APPENDICES	
Accident Mechanism	34
Place of Accident.....	46
Activity at Time of Accident.....	52
Principal Injury Diagnosis	58
Part of Body Injured.....	67
Treatment and Follow Up	70
The Twenty Most Common Product Groups Involved in Accidents	73
The Twenty Most Common Product Groups Causing Injuries.....	85
Sample EHLASS coding form.....	97


General Demographic Data

Table 1 shows the estimated population of Ireland broken down by age and sex and figure 1 displays this graphically. Both are based on the 2001 population estimate from the Central Statistics Office.

Table 1. Estimated Population by Age and Sex, 2001

Age	Male		Female		Total	
	(000's)	%	(000's)	%	(000's)	%
0-4	140	3.6	131	3.4	271	7.1
5-9	135	3.5	127	3.3	262	6.8
10-14	148	3.9	141	3.7	289	7.5
15-19	167	4.3	159	4.1	326	8.5
20-24	169	4.4	166	4.3	335	8.7
25-29	160	4.2	157	4.1	317	8.3
30-34	138	3.6	137	3.6	275	7.2
35-39	134	3.5	138	3.6	272	7.1
40-44	129	3.4	132	3.4	261	6.8
45-49	122	3.2	121	3.1	243	6.3
50-54	114	3.0	112	2.9	226	5.9
55-59	93	2.4	91	2.4	184	4.8
60-64	75	2.0	75	2.0	150	3.9
65-69	63	1.6	66	1.7	129	3.4
70-74	51	1.3	60	1.6	111	2.9
75-79	37	1.0	52	1.4	89	2.3
80-84	22	0.6	36	0.9	58	1.5
85+	14	0.4	30	0.8	44	1.1
Total	1,911	49.7	1,931	50.3	3,842	100

Figure 1. Population Pyramid for Ireland 2001



Source: Central Statistics Office

Health Services Data

The public health service in Ireland is administered by 7 health boards and the Eastern Regional Health Authority, which, in turn, is sub-divided into three boards. Acute hospital services are provided by health board and voluntary hospitals. The health board hospitals are managed by the health boards while voluntary hospitals are owned and operated by religious orders or incorporated by charter and work under lay boards of governors. Both types of hospitals are funded by the State. Table 2 gives the number of hospitals, the average number of in-patient beds available and the number of discharges by type of hospital. Long stay units and psychiatric hospitals are not included in these figures. Data on private health care are not readily available.

Table 2. Acute Public Hospitals Summary Statistics, 2001

Type of Hospital	Number of Hospitals	Average Number of In-Patient Beds Available*	Number of Discharges*
Health Board	37	6,937	356,114
Voluntary	23	5,069	204,422
Total	60	12,006	560,536
per 100,000 population	1.6	313	14,601

Source: Department of Health and Children: In-Patient Activity System.

*Provisional figures.

The total number of whole-time equivalent personnel employed in the operation and administration of the public health service in 2001 was 92,996. The numbers employed in the medical/dental and nursing professions are shown in table 3. The rate per 100,000 population for each of the categories is also given. The figures do not include general practitioners. In 2001 there were 1,863 GP's paid on a fee-per-panel patient basis for the provision of services to those entitled to free GP services. The number of health professionals employed in the provision of private health care is not available.

Table 3. Employment of Medical/Dental, and Nursing and Para-Medical Personnel in the Public Health Services, 2001

Profession	Numbers Employed	Per 100,000 Population
Medical/Dental	6,285	164
Nursing	31,429	818
Total	37,714	982

Source: Department of Health and Children: Personnel Census System

Note: Numbers refer to whole-time equivalents

Accidents in Ireland

Deaths from Accidents

Provisional figures for 2001 show that there were 1,143 deaths resulting from accidents. The principal causes were motor vehicle traffic accidents (366 deaths, 32%) and accidental falls (333 deaths, 29%). Accidents accounted for over 3.8% of all deaths and ranked fourth after cardiovascular disease, cancer and respiratory system diseases.

For deaths to persons less than 45 years of age (excluding infant deaths), accidents were the principal cause of death and were responsible for almost 27% of all deaths in that age group. The most common cause of accidental death in this age group was motor vehicle traffic accidents with 263 deaths which accounts for 56.6% of all accidental deaths in this age group.

Table 4 shows the frequency and percentage of each of the principal causes of death in 2001.

Table 4. Principal Causes of Death, 2001 for All Ages and for Persons Aged 1-44 Years

Cause of Death	All Ages	Percent	1-44 Years	Percent
Circulatory Diseases	11,914	40.0	186	10.8
Cancer	7,577	25.4	335	19.4
Respiratory Diseases	4,412	14.8	68	3.9
Accidents	1,143	3.8	465	26.9
Other Causes	4,766	16.0	672	38.9
Total	29,812	100.0	1,726	100.0

Note: All figures are provisional based on year of registration.

Hospitalisation from Accidents

The Hospital In-Patient Enquiry (HIPE) system shows that in 2001 nearly 10% of hospital in-patient discharges were attributable to accidental injuries. This figure is considerably higher for the younger age groups as shown in table 5.

Table 5. Hospitalisation due to Accidents Number and Percentage of Total, 2001

	1-14 years	15-24 years	25-44 years	All Ages
Accidents	11,614	10,105	11,588	52,948
% of Total Discharges	19.6	15.3	7.7	9.6

Source: Hospital In-Patient Enquiry, 2001.

Note: The HIPE system has approximately 96% coverage of acute hospital in-patient discharges.

Accident Prevention Initiatives

Health Promotion Structure

Health Promotion Unit was established by the Government in 1988 in recognition of the fact that the provision of information and education on health needed to be supported by an environment that made healthy choices easier for people. Since its establishment in 1988, the Health Promotion Unit has been concerned on the one hand with policy development, research and evaluation, and on the other hand, with raising awareness of lifestyle issues through multi-media information campaigns and the development of materials for the public. It is recognised that the creation of an environment that makes health choices easier for people requires the co-operation of many sectors other than the traditional health sector. The prevention of accidents is a good example of an area that requires such a multi-sectoral approach.

The National Health Strategy

In November 2001 the Minister for Health and Children launched the 2001 National Health Strategy. Accidents are one of the areas targeted in the Strategy and, accordingly, a National Injury Prevention Strategy to co-ordinate action on injury prevention will be prepared as part of the action plan of the Strategy.

The Health Promotion Strategy

The Health Promotion Strategy 2000-2005 sets out a broad policy framework within which action can be carried out at an appropriate level to advance strategic aims and objectives. This strategy aims to promote a holistic approach to health in Ireland.

One of the strategic aims focuses on safety and injury prevention. The specific aim is *to contribute to a reduction in the percentage of the population affected by fatal and nonfatal injuries*. The Objectives are:

To work in partnership to promote safety and injury prevention (especially amongst children and older people) with a particular focus on fall prevention, accidents in the home and on the road and farm.

To support the implementation of the recommendations in the Government Strategy for Road Safety 1998-2002 and the National Alcohol Policy.

Specific Initiatives

The Health Promotion Unit has produced or supported the production of a number of educational resources aimed at preventing accidents.

Play it Safe: a guide to preventing children's accidents.

A First Aid Calendar giving information on what to do in the event of an accident.

A Back Care booklet aimed at preventing back injury.

A new information booklet for professionals, *Childcare and SIDS*, and an accompanying leaflet for the general public *Caring for your Child* were launched in 1999. The booklet was produced by the Irish Sudden Infant Death Association and funded by the Health Promotion Unit. The leaflet is included in the Bounty Pack that is distributed to all new mothers in Maternity Hospitals.

The EHLASS Survey in Ireland

Use of EHLASS Data

EHLASS provides a harmonised approach throughout the EU to facilitate the analyses of inter-country differences in modes and distributions of home and leisure accidents. EHLASS contributes to the formulation of EU policies and initiatives on accidents and product safety. EHLASS is the only source of detailed information on home and leisure accidents in Ireland. Some general information is available through the Hospital In-Patient Enquiry (HIPE) system but this concentrates on medical diagnoses rather than on specific causes of accidents

This report is the eleventh national EHLASS report for Ireland. These reports are aids to identifying those more likely to be at risk of being involved in home and leisure accidents and the products and activities most likely to be associated with these events. This can facilitate the targeting of suitable areas for accident prevention initiatives.

The following current areas of use can be identified:

Input into Health Promotion initiatives;

- ◆ provision of data to domestic consumer organisations;
- ◆ analyses for international comparisons;
- ◆ determination of impact of accidents on the Health Services;
- ◆ identification of dangerous products.

Origins and Purpose of EHLASS

The EHLASS survey was initially set up in April 1986 as a five-year demonstration project. The objective was to monitor home and leisure accidents in a harmonised manner throughout the EU in order to determine their causes, the circumstances of their occurrence, their consequences and, most importantly, to provide information on consumer products involved. Armed with accurate information, it was felt that consumer policy could be directed at the more serious problems and that better use could be made of available resources.

Data collection systems were set up for the collection of EHLASS data in the casualty departments of selected hospitals in each of the member states. The information was subsequently gathered together by the European Commission in Brussels. Extensive analysis was undertaken on 778,838 accidents reported throughout the EU. Centralised analysis of EHLASS data proved problematic due to lack of co-ordination in data quality. In 1989 it was decided that each member state should produce its own annual EHLASS report in a harmonised format specified by the European Commission. This is the eleventh such report for Ireland.

EHLASS in Ireland

Data collection began in Ireland in April, 1986 in Cork University Hospital and Mayo General Hospital, Castlebar. Two people are employed in each of these hospitals to carry out the collection of the data and the coding of the forms. The task is performed by nurses in Cork University Hospital and in Mayo General Hospital the work is carried out by clerical staff. In addition, the Hospital Administrator, the Medical Records Officer and Casualty staff in each

hospital assist in overseeing the data collection process. The completed forms are sent to the Department of Health and Children where they are individually checked for completeness and validity. The checked forms are sent to an external agency for keying into a computer file. Further validations are carried out to prevent errors being included in the annual report.

There are guidelines as to which cases are to be included in EHLASS and a set coding methodology is used in the data capture process. The guidelines and methodology have been set down by the EU and have been followed throughout in the collection of EHLASS data. Essentially EHLASS includes all home and leisure accidents where the persons involved sought treatment at the casualty department of either of the two hospitals involved in the survey. Excluded from the survey are road traffic accidents, accidents at work, suicide attempts and intentionally inflicted injuries through acts of violence (except in the case of fights between children under 10).

The two participating hospitals in Ireland reported on 7,609 EHLASS accidents in 2001. Cork University Hospital reported 6,106 accidents while Mayo General Hospital reported the remaining 1,503 (see table 6). The two hospitals have different types of catchment areas. Mayo General serves a large, predominately rural area while Cork University operates in the suburbs of a city.

Although the two hospitals together serve a reasonably varied urban/rural population base, these areas are not sufficiently definable or representative to arrive at national estimates or to calculate relative risks. The inclusion of a hospital in Dublin, the main urban area, in the survey would help resolve this problem. Nevertheless, EHLASS data is very valuable in showing the distribution of accidents and their consequent injuries and in identifying products with high risks.

Table 6. Hospitals Participating in the EHLASS Survey, 2001

HOSPITAL	Average Number of In-Patient Beds Available*	Number of Discharges*	EHLASS Accidents Reported
Cork University	547	26,855	6,106
Mayo General	213	16,270	1,503

Source: Department of Health and Children: In-Patient Activity System.

*Provisional figures.

Key Facts, Comments and Conclusions

These comments are intended to highlight important features of the data. They are presented in the same order as the chapter headings in the main body of the report.

Accidents by Age Group and Sex

In 2001 there were 4,975 accidents involving males and 2,634 accidents involving females. This provides a male to female ratio of 65.4% male to 34.6% female (figure 3) which is consistent with previous years. A large proportion of accidents occurred to people in the age groups below the age of 25 years with 66.9% of male victims and 58.6% of female victims were in these age groups. 6.8% of all female victims were in the 75 years and older age bracket while only 1.5% of all accidents for males occurred in that age bracket. This ratio of females to males in this age bracket is 2.4 : 1. The numbers of female accident victims is lower than males for all age brackets up to 50 years but is greater for all age brackets greater than 50 years with the exception of the 65-69 age bracket where there was one fewer accident for females than males.

Accidents by Month, Day and Time

Fewer accidents were recorded during the winter months (figure 4a). More accidents are reported early in the week and during weekends (figure 4b) and fewer accidents are treated at night time (figure 4c). These statistics only refer to time and day of attendance at hospital, however, and do not necessarily reflect the distribution of the day of occurrence of the accidents.

Accident Mechanism

The 'struck/hit' mechanism category accounted for 40% of all accidents recorded (figure 5a). This varied significantly with gender - 50% for males but only 21% for females (figures 5b & 5c). Likewise, 56% of accidents involving females were due to falls compared to 31% in males. The age distribution for falls shows significantly higher risks in the very young and very old age groups for both sexes with falls accounting for nearly four out of every five accidents to females in the 65+ age bracket while in the under 1 age group falls accounted for 69% of accidents for males and 84% of accidents for females.

Place of Occurrence

Figure 6a shows that sports areas were the most frequently reported places of occurrence of home and leisure accidents in 2001. In the 15-24 age group approximately 74% of male and 30% of female accidents occurred in a sports area (figures 6b & 6c). However, for the very young and very old 'in the home' and 'around the home' are by far the more frequent places of occurrence.

Activity at Time of Accident

Sports were marginally the most frequent activity associated with accidents, and together with play/leisure account for 75% of all accidents recorded (figure 7a). Sporting activities were involved in over 51% of all accidents to males and for nearly 74% of males in the 15-24 age group. Not surprisingly, among the very young the play/leisure category accounts for a large majority of accidents.

Type of Injury Sustained

Fractures and contusion/bruises were each involved in around 30% of all injuries sustained and this is quite consistently high in all age groups for both sexes (figures 8a-8c). Fractures were involved in nearly a half of all injuries treated in women aged 65 years of age and over (46.8%).

Part of Body Injured

Injuries to the upper and lower limbs accounted for 70% of the total of all injuries. Children aged less than 5 years sustained a much higher level of injuries to the head and face (figures 9a-9c).

Type of Treatment

Around 22% of home and leisure accidents were categorised as 'minor' while just over 10% required hospitalisation. Over 67% received some treatment and were then released. The percentages hospitalised are higher for the younger and older age groups (figures 10a-10c). Five deaths were reported in 2001.

Hospitalisation

790 patients were hospitalised of the 7,609 cases reported. Over 53% of hospitalised patients were discharged after only 1 day and the mean length of stay was 2.1 days. The average length of stay was significantly higher for the very old at over 5.8 days (figures 11a & 11b)

The longest average length of stay was recorded in the 'light/radiation' category, however this refers to a single case. The accident mechanism 'hot liquid' resulted in the next longest average length of just over 4.5 days. 31 out of 77 'poisoning' victims were hospitalised resulting in the highest hospitalisation rate of 40%. (figures 12a & 12b). The highest mean length of stay for a particular injury type was 6 days for the 'abrasion' category but this also refers to a single case and luxation/dislocation is the next highest at 5.6 days. Poisoning/corrosion had the highest hospitalisation rate of over 40% (figures 13a & 13b).

Products Involved in Accident/Causing Injury

Sports equipment products were involved in over a third of all accidents and caused over a third of all injuries (tables 7-10). Injuries caused by 'foods and hot liquids' had the highest hospitalisation rate of over 21 per 100 accidents while the longest average length of stay of over 6 days was for bathroom related products. Product groupings are associated with different patterns of injury types as shown in a selection of bar charts presented in figures 14a – 14h.

Improvements to EHLASS

A review of EHLASS, aimed at updating and improving the usefulness and homogeneity of EHLASS data, is ongoing. An improved classification system is being designed and expanded so it may also be used to capture information on other types of accident and emergency activities. This will provide EU member states the option of using standard classification systems to obtain an overview of all cases attending casualty departments, not just home and leisure accidents.

Accidents by Age Group and Sex.

Figure 2a. Accident Distribution by Age, 2001 - Males




Figure 2b. Accident Distribution by Age, 2001 - Females





Figure 3. Accident Distribution - Male/Female Split by Age 2001



Estimation of National Totals

Reliable estimates of total home and leisure accidents occurring in Ireland cannot be based on the present EHLASS survey results. While it is thought that the hospitals involved in the survey represent a reasonable cross-section of urban and rural communities, the size of each hospital's catchment area is not sufficiently precise to allow for the extrapolation of the data to produce national estimates.

Accidents by Month, Day and Time

Figure 4a. Distribution of Accidents by Month, 2001




Figure 4b. Distribution of Accidents by Day of Week, 2001




Figure 4c. Distribution of Accidents by Time of Day, 2001




Figure 5a. Percentage Distribution of Most Frequent Accident Mechanisms, 2001




Figure 5b. Accident Mechanism by Age; Percentage Distribution of Most Frequent Mechanisms, 2001 - Males




Figure 5c. Accident Mechanism by Age; Percentage Distribution of Most Frequent Mechanisms, 2001 - Females




Figure 6a. Percentage Distribution of Most Frequent Places of Occurrence of Accidents, 2001




Figure 6b. Place of Accident by Age - Males - Percentage Distribution of Most Frequent Places, 2000




Figure 6c. Place of Accident by Age - Females - Percentage Distribution of Most Frequent Places, 2001




Figure 7a. Percentage Distribution of Most Frequent Activities at the Time of the Accident, 2001




Table 7b. Activity by Age - Males - Percentage Distribution of Most Frequent Activities, 2001




Table 7c. Activity by Age - Females - Percentage Distribution of Most Frequent Activities, 2001




Figure 8a. Percentage Distribution of Most Frequent Injury Types, 2001




Figure 8b. Principal Injury Diagnosis by Age - Males - Percentage Distribution of Most Frequent Injuries, 2001




Figure 8c. Principal Injury Diagnosis by Age - Females - Percentage Distribution of Most Frequent Injuries, 2001




Figure 9a. Percentage Distribution of Most Frequent Parts of the Body Injured, 2001




Figure 9b. Part of Body Injured by Age - Males - Percentage Distribution of Most Frequent Body Parts Injured, 2001




Figure 9c. Part of Body Injured by Age - Females - Percentage Distribution of Most Frequent Body Parts Injured, 2001




Figure 10a. Percentage Distribution of Treatments, 2001




Figure 10b. Type of Treatment by Age - Males - Percentage Distribution of Treatments, 2001





Figure 10c. Type of Treatment by Age - Females - Percentage Distribution of Treatments, 2001



Hospitalisation

Figure 11a. Distribution of Accidents Resulting in Hospitalisation by Length of Stay in Days, 2001





Figure 11b. Average Length of Stay in Days by Age Group, 2001



Accident Mechanism: Length of Stay and Hospitalisation Rate

Figure 12a. Average Length of Stay by Accident Mechanism, 2001






Figure 12b. Hospitalisation Rate per 100 Accidents by Accident Mechanism, 2001




Type of Injury: Length of Stay and Hospitalisation Rate

Figure 13a. Average Length of Stay by Type of Injury, 2001



Housing/Building Elements Principal Types of Injury



Products Involved in Accidents

Table 7. The twenty most common product groups involved in accidents ranked by accident frequency and also showing percentage of all accidents, hospitalisation rates and average length of stay in days.

DESCRIPTION OF PRODUCT GROUPING	EHLASS CODE	NUMBER OF ACCIDENTS	PERCENT OF ALL ACCIDENTS	HOSPITALISATION RATE	AVERAGE LENGTH OF STAY
Sports equipment	50	2735	35.94	6.8	2.34
Housing/building elements	7	1115	14.65	13.09	3.06
Clothing and sportswear	5	615	8.08	8.13	1.68
Household furniture	23	412	5.41	14.56	3.85
Vehicles	45	356	4.68	15.45	2.45
Outdoor environment structures	34	329	4.32	9.12	2.6
DIY equipment	10	222	2.92	7.66	4.59
Kitchen utensils	25	212	2.79	5.19	2.91
Food/hot liquids	16	196	2.58	21.43	3.14
Floor coverings	22	132	1.73	6.82	6.11
Animals and animal accessories	37	116	1.52	14.66	1.59
Fair/playground	42	111	1.46	18.92	2.67
Garden equipment	19	85	1.12	10.59	3.78
Bathroom equipment	21	71	0.93	19.72	6.07
Heating equipment	20	68	0.89	17.65	1.83
Particles	13	65	0.85	.	.
Plants, trees and bushes	38	60	0.79	20	1.5
Lighting equipment	30	51	0.67	5.88	6
Footwear	17	47	0.62	8.51	1.75
Games and toys	39	46	0.6	6.52	1.33
Other product codes	98	410	5.39	15.37	2.55
Unknown	99	155	2.04	16.77	2.54
Total		7609	100	10.38	2.73

Products Causing Injuries

Table 8. The twenty most common product groups causing injuries ranked by accident frequency and also showing percent of all accidents, hospitalisation rates and average length of stay in days.

DESCRIPTION OF PRODUCT GROUPING	EHLASS CODE	NUMBER OF ACCIDENTS	PERCENT OF ALL ACCIDENTS	HOSPITALISATION RATE	AVERAGE LENGTH OF STAY
Sports equipment	50	2736	36	6.87	2.36
Housing/building elements	7	1155	15.2	12.47	3.11
Clothing and sportswear	5	612	8.05	8.17	1.56
Household furniture	23	397	5.22	14.61	4.26
Outdoor environment structures	34	346	4.55	9.25	2.19
Vehicles	45	340	4.47	16.18	2.35
Food and hot liquids	16	235	3.09	22.98	3.09
Kitchen utensils	25	203	2.67	3.45	2.71
DIY equipment	10	198	2.61	6.57	5.31
Floor coverings	22	133	1.75	6.02	2.25
Animals and animal accessories	37	112	1.47	15.18	1.59
Fair/playground	42	109	1.43	18.35	2.75
Garden equipment	19	86	1.13	10.47	3.78
Heating equipment	20	74	0.97	20.27	2.27
Bathroom equipment	21	71	0.93	21.13	6.87
Particles	13	67	0.88	.	.
Plants, trees and bushes	38	61	0.8	21.31	1.54
Lighting equipment	30	53	0.7	5.66	6
Games and toys	39	47	0.62	6.38	1.33
Footwear	17	35	0.46	5.71	2.5
Other product codes	98	389	5.12	14.91	2.64
Total		7609	100	10.38	2.69

Products Involved in Accidents (Age Breakdown)

Table 9. The twenty most common product groups involved in accidents ranked by accident frequency and distributed by age group









PRODUCT INVOLVED IN ACCIDENT	AGE GROUPS							ALL AGE GROUPS
	< 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 64	65+	
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
Clothing and Sportswear	-	10	139	338	123	5	-	615
Housing/Building Elements	7	180	240	205	208	155	120	1115
DIY Equipment	1	4	6	38	98	53	22	222
Particles	-	2	8	12	23	18	2	65
Hot Foods/Liquids and Smoking Material	3	28	18	55	47	31	14	196
Footwear	-	1	9	12	21	3	1	47
Garden Equipment	-	8	12	4	20	25	16	85
Heating Equipment	3	22	14	7	11	7	4	68
Bathroom Equipment	-	7	5	10	15	15	19	71
Floor Coverings	1	6	23	32	31	15	24	132
Household Furniture	16	155	70	40	35	30	66	412
Kitchen Utensils	2	16	24	64	72	25	9	212
Lighting equipment	1	8	16	15	7	3	1	51
Outdoor environment structures	-	15	72	49	91	45	57	329
Animals and Animal Accessories	-	11	33	12	21	20	19	116
Plants, Trees and Bushes	-	4	37	7	8	2	2	60
Games and Toys	-	14	22	2	6	2	-	46
Fair/Playground	-	34	72	4	1	-	-	111
Vehicles	-	38	221	49	30	10	8	356
Sports Equipment	-	21	698	1205	713	76	22	2735
Unspecified product	14	160	108	74	97	61	51	565
TOTAL	48	744	1847	2234	1678	601	457	7609

Products Causing Injuries (Age Breakdown)

Table 10. The twenty most common product groups causing injuries ranked by accident frequency and distributed by age group

PRODUCT CAUSING THE ACCIDENT	AGE GROUPS							ALL AGE GROUPS
	< 1	1-4	5-14	15-24	25-44	45-64	65+	
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	
Clothing and Sportswear	-	9	139	336	124	4	-	612
Housing/Building Elements	8	195	245	202	216	160	129	1155
DIY Equipment	1	3	6	34	89	46	19	198
Particles	-	3	8	12	24	18	2	67
Hot Foods/Liquids and Smoking Material	5	30	22	65	53	38	22	235
Footwear	-	-	6	11	13	1	4	35
Garden Equipment	-	8	11	5	20	25	17	86
Heating Equipment	3	26	13	8	12	6	6	74
Bathroom Equipment	-	7	3	10	14	17	20	71
Floor Coverings	1	11	23	33	31	16	18	133
Household Furniture	15	146	66	37	39	32	62	397
Kitchen Utensils	-	14	22	65	69	26	7	203
Lighting equipment	1	8	16	14	8	5	1	53
Outdoor environment structures	-	17	87	47	97	44	54	346
Animals and Animal Accessories	-	11	31	12	20	19	19	112
Plants, Trees and Bushes	-	4	37	8	8	2	2	61
Games and Toys	-	14	22	2	6	3	-	47
Fair/Playground	-	34	70	4	1	-	-	109
Vehicles	-	37	215	46	28	9	5	340
Sports Equipment	-	20	696	1209	714	75	22	2736
Unspecified product	14	147	109	74	92	55	48	539
TOTAL	48	744	1847	2234	1678	601	457	7609

Figures 14a – 14h. Selected Product Groups Broken Down by Type of Injury



Appendices

The following pages contain detailed tables of the results of the EHLASS data collection process in Ireland for 2001 and present a detailed analysis of the data for each of the variables listed above by age group and sex.

Each of the major fields of data is tabulated. The tables are broken down into male and female summaries with totals given in each case for both sexes. Every table is subdivided into age groups and a total is given for all age groups.

Within each category the actual number of accidents reported is given as the Frequency. The Row % is the percentage of the total number of accidents in that category for each of the age groups. The Column % represents the percentage of accidents that the category in question represents for the given age group in relation to all categories. The number of accidents reported for each age group within a category is also expressed as a percentage of the total number of accidents recorded (% of Total).

Tables are given for the following categories:

Tables 11a-11c - Accident Mechanism;

Tables 12a-12c - Place of Occurrence;

Tables 13a-13c - Activity at Time of Accident;

Tables 14a-14c - Principal Injury Diagnosis;

Tables 15a-15c - Part of Body Injured;

Tables 16a-16c - Treatment and Follow-up;

Tables 17a-17c - Product Involved in Accident;

Tables 18a-18c - Product Causing Injury.

Table 11a. Accident Mechanism (Males)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Fall	FREQUENCY	20	203	482	331	280	129	100	1545
	ROW %	1.29	13.14	31.20	21.42	18.12	8.35	6.47	100.00
	COLUMN %	68.97	52.32	41.84	18.80	23.37	44.95	62.50	31.06
	% OF TOTAL	0.40	4.08	9.69	6.65	5.63	2.59	2.01	31.06
Strain	FREQUENCY	1	1	27	131	103	21	7	291
	ROW %	0.34	0.34	9.28	45.02	35.40	7.22	2.41	100.00
	COLUMN %	3.45	0.26	2.34	7.44	8.60	7.32	4.38	5.85
	% OF TOTAL	0.02	0.02	0.54	2.63	2.07	0.42	0.14	5.85
Cut/Pierce	FREQUENCY	.	14	37	64	92	36	13	256
	ROW %	.	5.47	14.45	25.00	35.94	14.06	5.08	100.00
	COLUMN %	.	3.61	3.21	3.63	7.68	12.54	8.13	5.15
	% OF TOTAL	.	0.28	0.74	1.29	1.85	0.72	0.26	5.15
Struck/Hit	FREQUENCY	3	70	530	1160	645	60	19	2487
	ROW %	0.12	2.81	21.31	46.64	25.93	2.41	0.76	100.00
	COLUMN %	10.34	18.04	46.01	65.87	53.84	20.91	11.88	49.99
	% OF TOTAL	0.06	1.41	10.65	23.32	12.96	1.21	0.38	49.99
Jammed/Pinched	FREQUENCY	1	34	30	13	4	3	3	88
	ROW %	1.14	38.64	34.09	14.77	4.55	3.41	3.41	100.00
	COLUMN %	3.45	8.76	2.60	0.74	0.33	1.05	1.88	1.77
	% OF TOTAL	0.02	0.68	0.60	0.26	0.08	0.06	0.06	1.77
Other Contacts	FREQUENCY	.	3	9	14	8	6	5	45
	ROW %	.	6.67	20.00	31.11	17.78	13.33	11.11	100.00
	COLUMN %	.	0.77	0.78	0.80	0.67	2.09	3.13	0.90
	% OF TOTAL	.	0.06	0.18	0.28	0.16	0.12	0.10	0.90

(Continued)

Table 11a (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Foreign Body, Ingestion of etc.	FREQUENCY	.	5	7	14	29	16	3	74
	ROW %	.	6.76	9.46	18.92	39.19	21.62	4.05	100.00
	COLUMN %	.	1.29	0.61	0.80	2.42	5.57	1.88	1.49
	% OF TOTAL	.	0.10	0.14	0.28	0.58	0.32	0.06	1.49
Strangulation	FREQUENCY	1	1
	ROW %	100.00	100.00
	COLUMN %	0.63	0.02
	% OF TOTAL	0.02	0.02
Drowning and Near Drowning	FREQUENCY	.	1	1	.	.	.	1	3
	ROW %	.	33.33	33.33	.	.	.	33.33	100.00
	COLUMN %	.	0.26	0.09	.	.	.	0.63	0.06
	% OF TOTAL	.	0.02	0.02	.	.	.	0.02	0.06
Poisoning	FREQUENCY	.	29	5	5	1	.	.	40
	ROW %	.	72.50	12.50	12.50	2.50	.	.	100.00
	COLUMN %	.	7.47	0.43	0.28	0.08	.	.	0.80
	% OF TOTAL	.	0.58	0.10	0.10	0.02	.	.	0.80
Chemical Exposure	FREQUENCY	.	1	.	1	.	.	.	2
	ROW %	.	50.00	.	50.00	.	.	.	100.00
	COLUMN %	.	0.26	.	0.06	.	.	.	0.04
	% OF TOTAL	.	0.02	.	0.02	.	.	.	0.04
Hot Liquid	FREQUENCY	3	9	6	10	10	4	3	45
	ROW %	6.67	20.00	13.33	22.22	22.22	8.89	6.67	100.00
	COLUMN %	10.34	2.32	0.52	0.57	0.83	1.39	1.88	0.90
	% OF TOTAL	0.06	0.18	0.12	0.20	0.20	0.08	0.06	0.90

(Continued)

Table 11a (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Hot Object	FREQUENCY	1	5	3	2	5	6	2	24
	ROW %	4.17	20.83	12.50	8.33	20.83	25.00	8.33	100.00
	COLUMN %	3.45	1.29	0.26	0.11	0.42	2.09	1.25	0.48
	% OF TOTAL	0.02	0.10	0.06	0.04	0.10	0.12	0.04	0.48
Fire	FREQUENCY	.	2	4	5	7	1	2	21
	ROW %	.	9.52	19.05	23.81	33.33	4.76	9.52	100.00
	COLUMN %	.	0.52	0.35	0.28	0.58	0.35	1.25	0.42
	% OF TOTAL	.	0.04	0.08	0.10	0.14	0.02	0.04	0.42
Other Thermal Exposure	FREQUENCY	.	2	.	.	2	1	.	5
	ROW %	.	40.00	.	.	40.00	20.00	.	100.00
	COLUMN %	.	0.52	.	.	0.17	0.35	.	0.10
	% OF TOTAL	.	0.04	.	.	0.04	0.02	.	0.10
Light & Other Radiation	FREQUENCY	.	.	2	1	2	.	.	5
	ROW %	.	.	40.00	20.00	40.00	.	.	100.00
	COLUMN %	.	.	0.17	0.06	0.17	.	.	0.10
	% OF TOTAL	.	.	0.04	0.02	0.04	.	.	0.10
Electricity	FREQUENCY	.	.	.	1	2	1	.	4
	ROW %	.	.	.	25.00	50.00	25.00	.	100.00
	COLUMN %	.	.	.	0.06	0.17	0.35	.	0.08
	% OF TOTAL	.	.	.	0.02	0.04	0.02	.	0.08

(Continued)

Table 11a (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Other Mechanism Specified	FREQUENCY	.	9	9	8	6	3	1	36
	ROW %	.	25.00	25.00	22.22	16.67	8.33	2.78	100.00
	COLUMN %	.	2.32	0.78	0.45	0.50	1.05	0.63	0.72
	% OF TOTAL	.	0.18	0.18	0.16	0.12	0.06	0.02	0.72
Not Known	FREQUENCY	.	.	.	1	2	.	.	3
	ROW %	.	.	.	33.33	66.67	.	.	100.00
	COLUMN %	.	.	.	0.06	0.16	.	.	0.06
	% OF TOTAL	.	.	.	0.02	0.04	.	.	0.06
TOTAL	FREQUENCY	29	388	1152	1761	1198	287	160	4975
	ROW %	0.58	7.80	23.16	35.40	24.08	5.77	3.22	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.58	7.80	23.16	35.40	24.08	5.77	3.22	100.00

Table 11b. Accident Mechanism (Females)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Fall	FREQUENCY	16	200	408	210	214	182	234	1464
	ROW %	1.09	13.66	27.87	14.34	14.62	12.43	15.98	100.00
	COLUMN %	84.21	56.18	58.71	44.40	44.58	57.96	78.79	55.58
	% OF TOTAL	0.61	7.59	15.49	7.97	8.12	6.91	8.88	55.58
Strain	FREQUENCY	.	5	23	28	50	23	3	132
	ROW %	.	3.79	17.42	21.21	37.88	17.42	2.27	100.00
	COLUMN %	.	1.40	3.31	5.92	10.42	7.32	1.01	5.01
	% OF TOTAL	.	0.19	0.87	1.06	1.90	0.87	0.11	5.01
Cut/Pierce	FREQUENCY	.	8	21	34	44	31	13	151
	ROW %	.	5.30	13.91	22.52	29.14	20.53	8.61	100.00
	COLUMN %	.	2.25	3.02	7.19	9.17	9.87	4.38	5.73
	% OF TOTAL	.	0.30	0.80	1.29	1.67	1.18	0.49	5.73
Struck/Hit	FREQUENCY	.	44	189	155	105	39	27	559
	ROW %	.	7.87	33.81	27.73	18.78	6.98	4.83	100.00
	COLUMN %	.	12.36	27.19	32.77	21.88	12.42	9.09	21.22
	% OF TOTAL	.	1.67	7.18	5.88	3.99	1.48	1.03	21.22
Jammed/Pinched	FREQUENCY	.	20	15	6	9	5	1	56
	ROW %	.	35.71	26.79	10.71	16.07	8.93	1.79	100.00
	COLUMN %	.	5.62	2.16	1.27	1.88	1.59	0.34	2.13
	% OF TOTAL	.	0.76	0.57	0.23	0.34	0.19	0.04	2.13
Explosion	FREQUENCY	1	.	.	1
	ROW %	100.00	.	.	100.00
	COLUMN %	0.21	.	.	0.04
	% OF TOTAL	0.04	.	.	0.04

(Continued)

Table 11b (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Other Contacts	FREQUENCY	.	4	4	2	5	7	9	31
	ROW %	.	12.90	12.90	6.45	16.13	22.58	29.03	100.00
	COLUMN %	.	1.12	0.58	0.42	1.04	2.23	3.03	1.18
	% OF TOTAL	.	0.15	0.15	0.08	0.19	0.27	0.34	1.18
Foreign Body, Ingestion of etc.	FREQUENCY	.	5	8	3	12	9	3	40
	ROW %	.	12.50	20.00	7.50	30.00	22.50	7.50	100.00
	COLUMN %	.	1.40	1.15	0.63	2.50	2.87	1.01	1.52
	% OF TOTAL	.	0.19	0.30	0.11	0.46	0.34	0.11	1.52
Strangulation	FREQUENCY	1	.	1	2
	ROW %	50.00	.	50.00	100.00
	COLUMN %	0.21	.	0.34	0.08
	% OF TOTAL	0.04	.	0.04	0.08
Respiratory Obstruction	FREQUENCY	1	.	.	1
	ROW %	100.00	.	.	100.00
	COLUMN %	0.21	.	.	0.04
	% OF TOTAL	0.04	.	.	0.04
Poisoning	FREQUENCY	.	26	5	2	1	1	2	37
	ROW %	.	70.27	13.51	5.41	2.70	2.70	5.41	100.00
	COLUMN %	.	7.30	0.72	0.42	0.21	0.32	0.67	1.40
	% OF TOTAL	.	0.99	0.19	0.08	0.04	0.04	0.08	1.40
Chemical Exposure	FREQUENCY	.	3	.	.	.	1	.	4
	ROW %	.	75.00	.	.	.	25.00	.	100.00
	COLUMN %	.	0.84	.	.	.	0.32	.	0.15
	% OF TOTAL	.	0.11	.	.	.	0.04	.	0.15

(Continued)

Table 11b(contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Hot Liquid	FREQUENCY	2	18	7	18	14	8	1	68
	ROW %	2.94	26.47	10.29	26.47	20.59	11.76	1.47	100.00
	COLUMN %	10.53	5.06	1.01	3.81	2.92	2.55	0.34	2.58
	% OF TOTAL	0.08	0.68	0.27	0.68	0.53	0.30	0.04	2.58
Hot Object	FREQUENCY	.	6	4	5	11	7	2	35
	ROW %	.	17.14	11.43	14.29	31.43	20.00	5.71	100.00
	COLUMN %	.	1.69	0.58	1.06	2.29	2.23	0.67	1.33
	% OF TOTAL	.	0.23	0.15	0.19	0.42	0.27	0.08	1.33
Fire	FREQUENCY	1	7	4	4	6	.	.	22
	ROW %	4.55	31.82	18.18	18.18	27.27	.	.	100.00
	COLUMN %	5.26	1.97	0.58	0.85	1.25	.	.	0.84
	% OF TOTAL	0.04	0.27	0.15	0.15	0.23	.	.	0.84
Other Thermal Exposure	FREQUENCY	.	.	1	.	.	.	1	2
	ROW %	.	.	50.00	.	.	.	50.00	100.00
	COLUMN %	.	.	0.14	.	.	.	0.34	0.08
	% OF TOTAL	.	.	0.04	.	.	.	0.04	0.08
Light & Other Radiation	FREQUENCY	.	1	.	3	.	.	.	4
	ROW %	.	25.00	.	75.00	.	.	.	100.00
	COLUMN %	.	0.28	.	0.63	.	.	.	0.15
	% OF TOTAL	.	0.04	.	0.11	.	.	.	0.15

(Continued)

Table 11b(contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Other Mechanism Specified	FREQUENCY	.	9	6	2	4	1	.	22
	ROW %	.	40.91	27.27	9.09	18.18	4.55	.	100.00
	COLUMN %	.	2.53	0.86	0.42	0.83	0.32	.	0.84
	% OF TOTAL	.	0.34	0.23	0.08	0.15	0.04	.	0.84
Not Known	FREQUENCY	.	.	.	1	2	.	.	3
	ROW %	.	.	.	33.33	66.67	.	.	100.00
	COLUMN %	.	.	.	0.21	0.42	.	.	0.12
	% OF TOTAL	.	.	.	0.04	0.08	.	.	0.12
TOTAL	FREQUENCY	19	356	695	473	480	314	297	2634
	ROW %	0.72	13.52	26.39	17.96	18.22	11.92	11.28	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.72	13.52	26.39	17.96	18.22	11.92	11.28	100.00

Table 11c. Accident Mechanism (Total)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Fall	FREQUENCY	36	403	890	541	494	311	334	3009
	ROW %	1.20	13.39	29.58	17.98	16.42	10.34	11.10	100.00
	COLUMN %	75.00	54.17	48.19	24.22	29.44	51.75	73.09	39.55
	% OF TOTAL	0.47	5.30	11.70	7.11	6.49	4.09	4.39	39.55
Strain	FREQUENCY	1	6	50	159	153	44	10	423
	ROW %	0.24	1.42	11.82	37.59	36.17	10.40	2.36	100.00
	COLUMN %	2.08	0.81	2.71	7.12	9.12	7.32	2.19	5.56
	% OF TOTAL	0.01	0.08	0.66	2.09	2.01	0.58	0.13	5.56
Cut/Pierce	FREQUENCY	.	22	58	98	136	67	26	407
	ROW %	.	5.41	14.25	24.08	33.42	16.46	6.39	100.00
	COLUMN %	.	2.96	3.14	4.39	8.10	11.15	5.69	5.35
	% OF TOTAL	.	0.29	0.76	1.29	1.79	0.88	0.34	5.35
Struck/Hit	FREQUENCY	3	114	719	1315	750	99	46	3046
	ROW %	0.10	3.74	23.60	43.17	24.62	3.25	1.51	100.00
	COLUMN %	6.25	15.32	38.93	58.86	44.70	16.47	10.07	40.03
	% OF TOTAL	0.04	1.50	9.45	17.28	9.86	1.30	0.60	40.03
Jammed/Pinched	FREQUENCY	1	54	45	19	13	8	4	144
	ROW %	0.69	37.50	31.25	13.19	9.03	5.56	2.78	100.00
	COLUMN %	2.08	7.26	2.44	0.85	0.77	1.33	0.88	1.89
	% OF TOTAL	0.01	0.71	0.59	0.25	0.17	0.11	0.05	1.89
Explosion	FREQUENCY	1	.	.	1
	ROW %	100.00	.	.	100.00
	COLUMN %	0.06	.	.	0.01
	% OF TOTAL	0.01	.	.	0.01

(Continued)

Table 11c (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Other Contacts	FREQUENCY	.	7	13	16	13	13	14	76
	ROW %	.	9.21	17.11	21.05	17.11	17.11	18.42	100.00
	COLUMN %	.	0.94	0.70	0.72	0.77	2.16	3.06	1.00
	% OF TOTAL	.	0.09	0.17	0.21	0.17	0.17	0.18	1.00
Foreign Body, Ingestion of etc.	FREQUENCY	.	10	15	17	41	25	6	114
	ROW %	.	8.77	13.16	14.91	35.96	21.93	5.26	100.00
	COLUMN %	.	1.34	0.81	0.76	2.44	4.16	1.31	1.50
	% OF TOTAL	.	0.13	0.20	0.22	0.54	0.33	0.08	1.50
Strangulation	FREQUENCY	1	.	2	3
	ROW %	33.33	.	66.67	100.00
	COLUMN %	0.06	.	0.44	0.04
	% OF TOTAL	0.01	.	0.03	0.04
Respiratory Obstruction	FREQUENCY	1	.	.	1
	ROW %	100.00	.	.	100.00
	COLUMN %	0.06	.	.	0.01
	% OF TOTAL	0.01	.	.	0.01
Drowning and Near Drowning	FREQUENCY	.	1	1	.	.	.	1	3
	ROW %	.	33.33	33.33	.	.	.	33.33	100.00
	COLUMN %	.	0.13	0.05	.	.	.	0.22	0.04
	% OF TOTAL	.	0.01	0.01	.	.	.	0.01	0.04
Poisoning	FREQUENCY	.	55	10	7	2	1	2	77
	ROW %	.	71.43	12.99	9.09	2.60	1.30	2.60	100.00
	COLUMN %	.	7.39	0.54	0.31	0.12	0.17	0.44	1.01
	% OF TOTAL	.	0.72	0.13	0.09	0.03	0.01	0.03	1.01

(Continued)

Table 11c (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Chemical Exposure	FREQUENCY	.	4	.	1	.	1	.	6
	ROW %	.	66.67	.	16.67	.	16.67	.	100.00
	COLUMN %	.	0.54	.	0.04	.	0.17	.	0.08
	% OF TOTAL	.	0.05	.	0.01	.	0.01	.	0.08
Hot Liquid	FREQUENCY	5	27	13	28	24	12	4	113
	ROW %	4.42	23.89	11.50	24.78	21.24	10.62	3.54	100.00
	COLUMN %	10.42	3.63	0.70	1.25	1.43	2.00	0.88	1.49
	% OF TOTAL	0.07	0.35	0.17	0.37	0.32	0.16	0.05	1.49
Hot Object	FREQUENCY	1	11	7	7	16	13	4	59
	ROW %	1.69	18.64	11.86	11.86	27.12	22.03	6.78	100.00
	COLUMN %	2.08	1.48	0.38	0.31	0.95	2.16	0.88	0.78
	% OF TOTAL	0.01	0.14	0.09	0.09	0.21	0.17	0.05	0.78
Fire	FREQUENCY	1	9	8	9	13	1	2	43
	ROW %	2.33	20.93	18.60	20.93	30.23	2.33	4.65	100.00
	COLUMN %	2.08	1.21	0.43	0.40	0.77	0.17	0.44	0.57
	% OF TOTAL	0.01	0.12	0.11	0.12	0.17	0.01	0.03	0.57
Other Thermal Exposure	FREQUENCY	.	2	1	.	2	1	1	7
	ROW %	.	28.57	14.29	.	28.57	14.29	14.29	100.00
	COLUMN %	.	0.27	0.05	.	0.12	0.17	0.22	0.09
	% OF TOTAL	.	0.03	0.01	.	0.03	0.01	0.01	0.09
Light & Other Radiation	FREQUENCY	.	1	2	4	2	.	.	9
	ROW %	.	11.11	22.22	44.44	22.22	.	.	100.00
	COLUMN %	.	0.13	0.11	0.18	0.12	.	.	0.12
	% OF TOTAL	.	0.01	0.03	0.05	0.03	.	.	0.12

(Continued)

Table 11c (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Electricity	FREQUENCY	.	.	.	1	2	1	.	4
	ROW %	.	.	.	25.00	50.00	25.00	.	100.00
	COLUMN %	.	.	.	0.04	0.12	0.17	.	0.05
	% OF TOTAL	.	.	.	0.01	0.03	0.01	.	0.05
Other Mechanism Specified	FREQUENCY	.	18	15	10	10	4	1	58
	ROW %	.	31.03	25.86	17.24	17.24	6.90	1.72	100.00
	COLUMN %	.	2.42	0.81	0.45	0.60	0.67	0.22	0.76
	% OF TOTAL	.	0.24	0.20	0.13	0.13	0.05	0.01	0.76
Not Known	FREQUENCY	.	.	.	2	4	.	.	6
	ROW %	.	.	.	33.33	66.67	.	.	100.00
	COLUMN %	.	.	.	0.08	0.24	.	.	0.08
	% OF TOTAL	.	.	.	0.02	0.06	.	.	0.08
TOTAL	FREQUENCY	48	744	1847	2234	1678	601	457	7609
	ROW %	0.63	9.78	24.27	29.36	22.05	7.90	6.01	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.63	9.78	24.27	29.36	22.05	7.90	6.01	100.00

Table 12a. Place of Accident (Males)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
In The Home	FREQUENCY	28	263	167	167	213	98	94	1030
	ROW %	2.72	25.53	16.21	16.21	20.68	9.51	9.13	100.00
	COLUMN %	96.55	67.78	14.50	9.48	17.78	34.15	58.75	20.70
	% OF TOTAL	0.56	5.29	3.36	3.36	4.28	1.97	1.89	20.70
Around The Home	FREQUENCY	.	91	327	160	141	90	42	851
	ROW %	.	10.69	38.43	18.80	16.57	10.58	4.94	100.00
	COLUMN %	.	23.45	28.39	9.09	11.77	31.36	26.25	17.11
	% OF TOTAL	.	1.83	6.57	3.22	2.83	1.81	0.84	17.11
Transport Area	FREQUENCY	1	2	46	16	20	11	12	108
	ROW %	0.93	1.85	42.59	14.81	18.52	10.19	11.11	100.00
	COLUMN %	3.45	0.52	3.99	0.91	1.67	3.83	7.50	2.17
	% OF TOTAL	0.02	0.04	0.92	0.32	0.40	0.22	0.24	2.17
Work Site/Agricultural Area	FREQUENCY	.	1	5	19	43	23	2	93
	ROW %	.	1.08	5.38	20.43	46.24	24.73	2.15	100.00
	COLUMN %	.	0.26	0.43	1.08	3.59	8.01	1.25	1.87
	% OF TOTAL	.	0.02	0.10	0.38	0.86	0.46	0.04	1.87
School Area	FREQUENCY	.	9	28	7	6	2	.	52
	ROW %	.	17.31	53.85	13.46	11.54	3.85	.	100.00
	COLUMN %	.	2.32	2.43	0.40	0.50	0.70	.	1.05
	% OF TOTAL	.	0.18	0.56	0.14	0.12	0.04	.	1.05
Shop/Service Area	FREQUENCY	.	4	4	6	14	1	.	29
	ROW %	.	13.79	13.79	20.69	48.28	3.45	.	100.00
	COLUMN %	.	1.03	0.35	0.34	1.17	0.35	.	0.58
	% OF TOTAL	.	0.08	0.08	0.12	0.28	0.02	.	0.58

(Continued)

Table 12a. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Sports Area	FREQUENCY	.	13	524	1311	676	32	2	2558
	ROW %	.	0.51	20.48	51.25	26.43	1.25	0.08	100.00
	COLUMN %	.	3.35	45.49	74.45	56.43	11.15	1.25	51.42
	% OF TOTAL	.	0.26	10.53	26.35	13.59	0.64	0.04	51.42
Leisure Area	FREQUENCY	.	3	49	64	72	25	8	221
	ROW %	.	1.36	22.17	28.96	32.58	11.31	3.62	100.00
	COLUMN %	.	0.77	4.25	3.63	6.01	8.71	5.00	4.44
	% OF TOTAL	.	0.06	0.98	1.29	1.45	0.50	0.16	4.44
Other Areas	FREQUENCY	.	2	2	2	4	1	.	11
	ROW %	.	18.18	18.18	18.18	36.36	9.09	.	100.00
	COLUMN %	.	0.52	0.17	0.11	0.33	0.35	.	0.22
	% OF TOTAL	.	0.04	0.04	0.04	0.08	0.02	.	0.22
Not Known	FREQUENCY	.	.	.	9	9	4	.	22
	ROW %	.	.	.	40.91	40.91	18.18	.	100.00
	COLUMN %	.	.	.	0.51	0.75	1.39	.	0.44
	% OF TOTAL	.	.	.	0.18	0.18	0.08	.	0.44
TOTAL	FREQUENCY	29	388	1152	1761	1198	287	160	4975
	ROW %	0.58	7.80	23.16	35.40	24.08	5.77	3.22	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.58	7.80	23.16	35.40	24.08	5.77	3.22	100.00

Table 12b. Place of Accident (Females)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
In The Home	FREQUENCY	19	277	158	175	241	202	203	1275
	ROW %	1.49	21.73	12.39	13.73	18.90	15.84	15.92	100.00
	COLUMN %	100.00	77.81	22.73	37.00	50.21	64.33	68.35	48.41
	% OF TOTAL	0.72	10.52	6.00	6.64	9.15	7.67	7.71	48.41
Around The Home	FREQUENCY	.	64	262	64	91	63	61	605
	ROW %	.	10.58	43.31	10.58	15.04	10.41	10.08	100.00
	COLUMN %	.	17.98	37.70	13.53	18.96	20.06	20.54	22.97
	% OF TOTAL	.	2.43	9.95	2.43	3.45	2.39	2.32	22.97
Transport Area	FREQUENCY	.	.	23	9	11	8	13	64
	ROW %	.	.	35.94	14.06	17.19	12.50	20.31	100.00
	COLUMN %	.	.	3.31	1.90	2.29	2.55	4.38	2.43
	% OF TOTAL	.	.	0.87	0.34	0.42	0.30	0.49	2.43
Work Site/Agricultural Area	FREQUENCY	.	.	2	2	.	3	1	8
	ROW %	.	.	25.00	25.00	.	37.50	12.50	100.00
	COLUMN %	.	.	0.29	0.42	.	0.96	0.34	0.30
	% OF TOTAL	.	.	0.08	0.08	.	0.11	0.04	0.30
School Area	FREQUENCY	.	4	32	4	2	.	.	42
	ROW %	.	9.52	76.19	9.52	4.76	.	.	100.00
	COLUMN %	.	1.12	4.60	0.85	0.42	.	.	1.59
	% OF TOTAL	.	0.15	1.21	0.15	0.08	.	.	1.59
Shop/Service Area	FREQUENCY	.	4	3	9	14	9	7	46
	ROW %	.	8.70	6.52	19.57	30.43	19.57	15.22	100.00
	COLUMN %	.	1.12	0.43	1.90	2.92	2.87	2.36	1.75
	% OF TOTAL	.	0.15	0.11	0.34	0.53	0.34	0.27	1.75

(Continued)

Table 12b. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Sports Area	FREQUENCY	.	4	152	142	67	14	6	385
	ROW %	.	1.04	39.48	36.88	17.40	3.64	1.56	100.00
	COLUMN %	.	1.12	21.87	30.02	13.96	4.46	2.02	14.62
	% OF TOTAL	.	0.15	5.77	5.39	2.54	0.53	0.23	14.62
Leisure Area	FREQUENCY	.	2	60	63	51	15	4	195
	ROW %	.	1.03	30.77	32.31	26.15	7.69	2.05	100.00
	COLUMN %	.	0.56	8.63	13.32	10.63	4.78	1.35	7.40
	% OF TOTAL	.	0.08	2.28	2.39	1.94	0.57	0.15	7.40
Other Areas	FREQUENCY	.	1	2	3	2	.	1	9
	ROW %	.	11.11	22.22	33.33	22.22	.	11.11	100.00
	COLUMN %	.	0.28	0.29	0.63	0.42	.	0.34	0.34
	% OF TOTAL	.	0.04	0.08	0.11	0.08	.	0.04	0.34
Not Known	FREQUENCY	.	.	1	2	1	.	1	5
	ROW %	.	.	20.00	40.00	20.00	.	20.00	100.00
	COLUMN %	.	.	0.14	0.42	0.21	.	0.34	0.19
	% OF TOTAL	.	.	0.04	0.08	0.04	.	0.04	0.19
TOTAL	FREQUENCY	19	356	695	473	480	314	297	2634
	ROW %	0.72	13.52	26.39	17.96	18.22	11.92	11.28	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.72	13.52	26.39	17.96	18.22	11.92	11.28	100.00

Table 12c. Place of Accident (Total)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
In The Home	FREQUENCY	47	540	325	342	454	300	297	2305
	ROW %	2.04	23.43	14.10	14.84	19.70	13.02	12.89	100.00
	COLUMN %	97.92	72.58	17.60	15.31	27.06	49.92	64.99	30.29
	% OF TOTAL	0.62	7.10	4.27	4.49	5.97	3.94	3.90	30.29
Around The Home	FREQUENCY	.	155	589	224	232	153	103	1456
	ROW %	.	10.65	40.45	15.38	15.93	10.51	7.07	100.00
	COLUMN %	.	20.83	31.89	10.03	13.83	25.46	22.54	19.14
	% OF TOTAL	.	2.04	7.74	2.94	3.05	2.01	1.35	19.14
Transport Area	FREQUENCY	1	2	69	25	31	19	25	172
	ROW %	0.58	1.16	40.12	14.53	18.02	11.05	14.53	100.00
	COLUMN %	2.08	0.27	3.74	1.12	1.85	3.16	5.47	2.26
	% OF TOTAL	0.01	0.03	0.91	0.33	0.41	0.25	0.33	2.26
Work Site/Agricultural Area	FREQUENCY	.	1	7	21	43	26	3	101
	ROW %	.	0.99	6.93	20.79	42.57	25.74	2.97	100.00
	COLUMN %	.	0.13	0.38	0.94	2.56	4.33	0.66	1.33
	% OF TOTAL	.	0.01	0.09	0.28	0.57	0.34	0.04	1.33
School Area	FREQUENCY	.	13	60	11	8	2	.	94
	ROW %	.	13.83	63.83	11.70	8.51	2.13	.	100.00
	COLUMN %	.	1.75	3.25	0.49	0.48	0.33	.	1.24
	% OF TOTAL	.	0.17	0.79	0.14	0.11	0.03	.	1.24
Shop/Service Area	FREQUENCY	.	8	7	15	28	10	7	75
	ROW %	.	10.67	9.33	20.00	37.33	13.33	9.33	100.00
	COLUMN %	.	1.08	0.38	0.67	1.67	1.66	1.53	0.99
	% OF TOTAL	.	0.11	0.09	0.20	0.37	0.13	0.09	0.99

(Continued)

Table 12c. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Sports Area	FREQUENCY	.	17	676	1453	743	46	8	2943
	ROW %	.	0.58	22.97	49.37	25.25	1.56	0.27	100.00
	COLUMN %	.	2.28	36.60	65.04	44.28	7.65	1.75	38.68
	% OF TOTAL	.	0.22	8.88	19.10	9.76	0.60	0.11	38.68
Leisure Area	FREQUENCY	.	5	109	127	123	40	12	416
	ROW %	.	1.20	26.20	30.53	29.57	9.62	2.88	100.00
	COLUMN %	.	0.67	5.90	5.68	7.33	6.66	2.63	5.47
	% OF TOTAL	.	0.07	1.43	1.67	1.62	0.53	0.16	5.47
Other Areas	FREQUENCY	.	3	4	5	6	1	1	20
	ROW %	.	15.00	20.00	25.00	30.00	5.00	5.00	100.00
	COLUMN %	.	0.40	0.22	0.22	0.36	0.17	0.22	0.26
	% OF TOTAL	.	0.04	0.05	0.07	0.08	0.01	0.01	0.26
Not Known	FREQUENCY	.	.	1	11	10	4	1	27
	ROW %	.	.	3.70	40.74	37.04	14.81	3.70	100.00
	COLUMN %	.	.	0.05	0.49	0.60	0.67	0.22	0.35
	% OF TOTAL	.	.	0.01	0.14	0.13	0.05	0.01	0.35
TOTAL	FREQUENCY	48	744	1847	2234	1678	601	457	7609
	ROW %	0.63	9.78	24.27	29.36	22.05	7.90	6.01	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.63	9.78	24.27	29.36	22.05	7.90	6.01	100.00

Table 13a. Activity at Time of Accident (Males)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Household Activity	FREQUENCY	.	3	9	80	127	43	38	300
	ROW %	.	1.00	3.00	26.67	42.33	14.33	12.67	100.00
	COLUMN %	.	0.77	0.78	4.54	10.60	14.98	23.75	6.03
	% OF TOTAL	.	0.06	0.18	1.61	2.55	0.86	0.76	6.03
"Do-It-Yourself" / Gardening	FREQUENCY	.	.	7	66	128	79	32	312
	ROW %	.	.	2.24	21.15	41.03	25.32	10.26	100.00
	COLUMN %	.	.	0.61	3.75	10.68	27.53	20.00	6.27
	% OF TOTAL	.	.	0.14	1.33	2.57	1.59	0.64	6.27
Shopping	FREQUENCY	.	1	2	1	6	4	2	16
	ROW %	.	6.25	12.50	6.25	37.50	25.00	12.50	100.00
	COLUMN %	.	0.26	0.17	0.06	0.50	1.39	1.25	0.32
	% OF TOTAL	.	0.02	0.04	0.02	0.12	0.08	0.04	0.32
School Activity	FREQUENCY	.	.	1	7	2	.	.	10
	ROW %	.	.	10.00	70.00	20.00	.	.	100.00
	COLUMN %	.	.	0.09	0.40	0.17	.	.	0.20
	% OF TOTAL	.	.	0.02	0.14	0.04	.	.	0.20
Sports	FREQUENCY	.	11	523	1302	680	32	2	2550
	ROW %	.	0.43	20.51	51.06	26.67	1.25	0.08	100.00
	COLUMN %	.	2.84	45.40	73.94	56.76	11.15	1.25	51.26
	% OF TOTAL	.	0.22	10.51	26.17	13.67	0.64	0.04	51.26
Play/ Leisure Activity	FREQUENCY	23	346	582	262	164	83	49	1509
	ROW %	1.52	22.93	38.57	17.36	10.87	5.50	3.25	100.00
	COLUMN %	79.31	89.18	50.52	14.88	13.69	28.92	30.63	30.33
	% OF TOTAL	0.46	6.95	11.70	5.27	3.30	1.67	0.98	30.33

Continued)

Table 13a. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Personal Needs	FREQUENCY	5	24	23	28	66	36	33	215
	ROW %	2.33	11.16	10.70	13.02	30.70	16.74	15.35	100.00
	COLUMN %	17.24	6.19	2.00	1.59	5.51	12.54	20.63	4.32
	% OF TOTAL	0.10	0.48	0.46	0.56	1.33	0.72	0.66	4.32
Other Activities	FREQUENCY	1	3	4	14	23	9	4	58
	ROW %	1.72	5.17	6.90	24.14	39.66	15.52	6.90	100.00
	COLUMN %	3.45	0.77	0.35	0.80	1.92	3.14	2.50	1.17
	% OF TOTAL	0.02	0.06	0.08	0.28	0.46	0.18	0.08	1.17
Not Known	FREQUENCY	.	.	1	1	2	1	.	5
	ROW %	.	.	20.00	20.00	40.00	20.00	.	100.00
	COLUMN %	.	.	0.09	0.06	0.17	0.35	.	0.10
	% OF TOTAL	.	.	0.02	0.02	0.04	0.02	.	0.10
TOTAL	FREQUENCY	29	388	1152	1761	1198	287	160	4975
	ROW %	0.58	7.80	23.16	35.40	24.08	5.77	3.22	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.58	7.80	23.16	35.40	24.08	5.77	3.22	100.00

Table 13b. Activity at Time of Accident (Females)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Household Activity	FREQUENCY	.	2	13	101	169	137	97	519
	ROW %	.	0.39	2.50	19.46	32.56	26.40	18.69	100.00
	COLUMN %	.	0.56	1.87	21.35	35.21	43.63	32.66	19.70
	% OF TOTAL	.	0.08	0.49	3.83	6.42	5.20	3.68	19.70
"Do-It-Yourself" /Gardening	FREQUENCY	.	1	1	11	54	41	21	129
	ROW %	.	0.78	0.78	8.53	41.86	31.78	16.28	100.00
	COLUMN %	.	0.28	0.14	2.33	11.25	13.06	7.07	4.90
	% OF TOTAL	.	0.04	0.04	0.42	2.05	1.56	0.80	4.90
Shopping	FREQUENCY	.	.	.	3	14	9	12	38
	ROW %	.	.	.	7.89	36.84	23.68	31.58	100.00
	COLUMN %	.	.	.	0.63	2.92	2.87	4.04	1.44
	% OF TOTAL	.	.	.	0.11	0.53	0.34	0.46	1.44
School Activity	FREQUENCY	.	.	1	2	.	.	.	3
	ROW %	.	.	33.33	66.67	.	.	.	100.00
	COLUMN %	.	.	0.14	0.42	.	.	.	0.11
	% OF TOTAL	.	.	0.04	0.08	.	.	.	0.11
Sports	FREQUENCY	.	4	144	139	66	13	6	372
	ROW %	.	1.08	38.71	37.37	17.74	3.49	1.61	100.00
	COLUMN %	.	1.12	20.72	29.39	13.75	4.14	2.02	14.12
	% OF TOTAL	.	0.15	5.47	5.28	2.51	0.49	0.23	14.12
Play/ Leisure Activity	FREQUENCY	16	321	501	182	130	78	103	1331
	ROW %	1.20	24.12	37.64	13.67	9.77	5.86	7.74	100.00
	COLUMN %	84.21	90.17	72.09	38.48	27.08	24.84	34.68	50.53
	% OF TOTAL	0.61	12.19	19.02	6.91	4.94	2.96	3.91	50.53

(Continued)

Table 13b. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Personal Needs	FREQUENCY	3	25	32	31	41	34	57	223
	ROW %	1.35	11.21	14.35	13.90	18.39	15.25	25.56	100.00
	COLUMN %	15.79	7.02	4.60	6.55	8.54	10.83	19.19	8.47
	% OF TOTAL	0.11	0.95	1.21	1.18	1.56	1.29	2.16	8.47
Other Activities	FREQUENCY	.	2	3	3	6	1	1	16
	ROW %	.	12.50	18.75	18.75	37.50	6.25	6.25	100.00
	COLUMN %	.	0.56	0.43	0.63	1.25	0.32	0.34	0.61
	% OF TOTAL	.	0.08	0.11	0.11	0.23	0.04	0.04	0.61
Not Known	FREQUENCY	.	1	.	1	.	1	.	3
	ROW %	.	33.33	.	33.33	.	33.33	.	100.00
	COLUMN %	.	0.28	.	0.21	.	0.32	.	0.11
	% OF TOTAL	.	0.04	.	0.04	.	0.04	.	0.11
TOTAL	FREQUENCY	19	356	695	473	480	314	297	2634
	ROW %	0.72	13.52	26.39	17.96	18.22	11.92	11.28	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.72	13.52	26.39	17.96	18.22	11.92	11.28	100.00

Table 13c. Activity at Time of Accident (Total)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Household Activity	FREQUENCY	.	5	22	181	296	180	135	819
	ROW %	.	0.61	2.69	22.10	36.14	21.98	16.48	100.00
	COLUMN %	.	0.67	1.19	8.10	17.64	29.95	29.54	10.76
	% OF TOTAL	.	0.07	0.29	2.38	3.89	2.37	1.77	10.76
"Do-It-Yourself" /Gardening	FREQUENCY	.	1	8	77	182	120	53	441
	ROW %	.	0.23	1.81	17.46	41.27	27.21	12.02	100.00
	COLUMN %	.	0.13	0.43	3.45	10.85	19.97	11.60	5.80
	% OF TOTAL	.	0.01	0.11	1.01	2.39	1.58	0.70	5.80
Shopping	FREQUENCY	.	1	2	4	20	13	14	54
	ROW %	.	1.85	3.70	7.41	37.04	24.07	25.93	100.00
	COLUMN %	.	0.13	0.11	0.18	1.19	2.16	3.06	0.71
	% OF TOTAL	.	0.01	0.03	0.05	0.26	0.17	0.18	0.71
School Activity	FREQUENCY	.	.	2	9	2	.	.	13
	ROW %	.	.	15.38	69.23	15.38	.	.	100.00
	COLUMN %	.	.	0.11	0.40	0.12	.	.	0.17
	% OF TOTAL	.	.	0.03	0.12	0.03	.	.	0.17
Sports	FREQUENCY	.	15	667	1441	746	45	8	2922
	ROW %	.	0.51	22.83	49.32	25.53	1.54	0.27	100.00
	COLUMN %	.	2.02	36.11	64.50	44.46	7.49	1.75	38.40
	% OF TOTAL	.	0.20	8.77	18.94	9.80	0.59	0.11	38.40
Play/ Leisure Activity	FREQUENCY	39	667	1083	444	294	161	152	2840
	ROW %	1.37	23.49	38.13	15.63	10.35	5.67	5.35	100.00
	COLUMN %	81.25	89.65	58.64	19.87	17.52	26.79	33.26	37.32
	% OF TOTAL	0.51	8.77	14.23	5.84	3.86	2.12	2.00	37.32
Personal Needs	FREQUENCY	8	49	55	59	107	70	90	438

(Continued)

Table 13c. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Personal Needs	ROW %	1.83	11.19	12.56	13.47	24.43	15.98	20.55	100.00
	COLUMN %	16.67	6.59	2.98	2.64	6.38	11.65	19.69	5.76
	% OF TOTAL	0.11	0.64	0.72	0.78	1.41	0.92	1.18	5.76
Other Activities	FREQUENCY	1	5	7	17	29	10	5	74
	ROW %	1.35	6.76	9.46	22.97	39.19	13.51	6.76	100.00
	COLUMN %	2.08	0.67	0.38	0.76	1.73	1.66	1.09	0.97
	% OF TOTAL	0.01	0.07	0.09	0.22	0.38	0.13	0.07	0.97
Not Known	FREQUENCY	.	1	1	2	2	2	.	8
	ROW %	.	12.50	12.50	25.00	25.00	25.00	.	100.00
	COLUMN %	.	0.13	0.05	0.09	0.12	0.33	.	0.11
	% OF TOTAL	.	0.01	0.01	0.03	0.03	0.03	.	0.11
TOTAL	FREQUENCY	48	744	1847	2234	1678	601	457	7609
	ROW %	0.63	9.78	24.27	29.36	22.05	7.90	6.01	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.63	9.78	24.27	29.36	22.05	7.90	6.01	100.00

Table 14a. Principal Injury Diagnosis (Males)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Contusion, Bruise	FREQUENCY	12	93	306	616	341	56	28	1452
	ROW %	0.83	6.40	21.07	42.42	23.48	3.86	1.93	100.00
	COLUMN %	41.38	23.97	26.56	34.98	28.46	19.51	17.50	29.19
	% OF TOTAL	0.24	1.87	6.15	12.38	6.85	1.13	0.56	29.19
Abrasion	FREQUENCY	1	10	18	20	25	7	6	87
	ROW %	1.15	11.49	20.69	22.99	28.74	8.05	6.90	100.00
	COLUMN %	3.45	2.58	1.56	1.14	2.09	2.44	3.75	1.75
	% OF TOTAL	0.02	0.20	0.36	0.40	0.50	0.14	0.12	1.75
Open Wound (incl. cut, laceration)	FREQUENCY	4	130	168	191	153	50	29	725
	ROW %	0.55	17.93	23.17	26.34	21.10	6.90	4.00	100.00
	COLUMN %	13.79	33.51	14.58	10.85	12.77	17.42	18.13	14.57
	% OF TOTAL	0.08	2.61	3.38	3.84	3.08	1.01	0.58	14.57
Fracture	FREQUENCY	5	62	494	500	287	64	35	1447
	ROW %	0.35	4.28	34.14	34.55	19.83	4.42	2.42	100.00
	COLUMN %	17.24	15.98	42.88	28.39	23.96	22.30	21.88	29.09
	% OF TOTAL	0.10	1.25	9.93	10.05	5.77	1.29	0.70	29.09
Luxation, Dislocation	FREQUENCY	1	4	16	59	55	3	3	141
	ROW %	0.71	2.84	11.35	41.84	39.01	2.13	2.13	100.00
	COLUMN %	3.45	1.03	1.39	3.35	4.59	1.05	1.88	2.83
	% OF TOTAL	0.02	0.08	0.32	1.19	1.11	0.06	0.06	2.83
Distorsion, Sprain	FREQUENCY	.	3	47	171	93	20	8	342
	ROW %	.	0.88	13.74	50.00	27.19	5.85	2.34	100.00
	COLUMN %	.	0.77	4.08	9.71	7.76	6.97	5.00	6.87
	% OF TOTAL	.	0.06	0.94	3.44	1.87	0.40	0.16	6.87

(Continued)

Table 14a. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Injury To Nerve(s)	FREQUENCY	.	.	4	7	6	2	1	20
	ROW %	.	.	20.00	35.00	30.00	10.00	5.00	100.00
	COLUMN %	.	.	0.35	0.40	0.50	0.70	0.63	0.40
	% OF TOTAL	.	.	0.08	0.14	0.12	0.04	0.02	0.40
Injury To Blood Vessel(s)	FREQUENCY	.	13	17	28	41	13	6	118
	ROW %	.	11.02	14.41	23.73	34.75	11.02	5.08	100.00
	COLUMN %	.	3.35	1.48	1.59	3.42	4.53	3.75	2.37
	% OF TOTAL	.	0.26	0.34	0.56	0.82	0.26	0.12	2.37
Injury To Tendon(s) and/or Muscle(s)	FREQUENCY	.	5	35	112	122	35	24	333
	ROW %	.	1.50	10.51	33.63	36.64	10.51	7.21	100.00
	COLUMN %	.	1.29	3.04	6.36	10.18	12.20	15.00	6.69
	% OF TOTAL	.	0.10	0.70	2.25	2.45	0.70	0.48	6.69
Crushing, Amputation	FREQUENCY	.	3	1	1	3	2	3	13
	ROW %	.	23.08	7.69	7.69	23.08	15.38	23.08	100.00
	COLUMN %	.	0.77	0.09	0.06	0.25	0.70	1.88	0.26
	% OF TOTAL	.	0.06	0.02	0.02	0.06	0.04	0.06	0.26
Poisoning, Corrosion	FREQUENCY	.	18	1	1	.	.	.	20
	ROW %	.	90.00	5.00	5.00	.	.	.	100.00
	COLUMN %	.	4.64	0.09	0.06	.	.	.	0.40
	% OF TOTAL	.	0.36	0.02	0.02	.	.	.	0.40
Burns, Scalds	FREQUENCY	4	21	12	18	18	12	7	92
	ROW %	4.35	22.83	13.04	19.57	19.57	13.04	7.61	100.00
	COLUMN %	13.79	5.41	1.04	1.02	1.50	4.18	4.38	1.85
	% OF TOTAL	0.08	0.42	0.24	0.36	0.36	0.24	0.14	1.85

(Continued)

Table 14a. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Electrocution	FREQUENCY	1	1	.	2
	ROW %	50.00	50.00	.	100.00
	COLUMN %	0.08	0.35	.	0.04
	% OF TOTAL	0.02	0.02	.	0.04
Radiation (e.g. Sunlight, X-Rays, Ultraviolet, Welding Light, etc.)	FREQUENCY	.	.	1	1	.	.	.	2
	ROW %	.	.	50.00	50.00	.	.	.	100.00
	COLUMN %	.	.	0.09	0.06	.	.	.	0.04
	% OF TOTAL	.	.	0.02	0.02	.	.	.	0.04
No Injury Diagnosed	FREQUENCY	.	5	5	11	14	8	1	44
	ROW %	.	11.36	11.36	25.00	31.82	18.18	2.27	100.00
	COLUMN %	.	1.29	0.43	0.62	1.17	2.79	0.63	0.88
	% OF TOTAL	.	0.10	0.10	0.22	0.28	0.16	0.02	0.88
Other Type of Injury Specified	FREQUENCY	2	21	21	24	30	11	8	117
	ROW %	1.71	17.95	17.95	20.51	25.64	9.40	6.84	100.00
	COLUMN %	6.90	5.41	1.82	1.36	2.50	3.83	5.00	2.35
	% OF TOTAL	0.04	0.42	0.42	0.48	0.60	0.22	0.16	2.35
Not Known	FREQUENCY	.	.	6	1	9	3	1	20
	ROW %	.	.	30.00	5.00	45.00	15.00	5.00	100.00
	COLUMN %	.	.	0.52	0.06	0.75	1.05	0.63	0.40
	% OF TOTAL	.	.	0.12	0.02	0.18	0.06	0.02	0.40
TOTAL	FREQUENCY	29	388	1152	1761	1198	287	160	4975
	ROW %	0.58	7.80	23.16	35.40	24.08	5.77	3.22	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.58	7.80	23.16	35.40	24.08	5.77	3.22	100.00

Table 14b. Principal Injury Diagnosis (Females)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Contusion, Bruise	FREQUENCY	11	92	176	168	122	66	71	706
	ROW %	1.56	13.03	24.93	23.80	17.28	9.35	10.06	100.00
	COLUMN %	57.89	25.84	25.32	35.52	25.42	21.02	23.91	26.80
	% OF TOTAL	0.42	3.49	6.68	6.38	4.63	2.51	2.70	26.80
Abrasion	FREQUENCY	.	15	16	9	12	12	8	72
	ROW %	.	20.83	22.22	12.50	16.67	16.67	11.11	100.00
	COLUMN %	.	4.21	2.30	1.90	2.50	3.82	2.69	2.73
	% OF TOTAL	.	0.57	0.61	0.34	0.46	0.46	0.30	2.73
Open Wound (incl. cut, laceration)	FREQUENCY	3	83	78	52	51	35	36	338
	ROW %	0.89	24.56	23.08	15.38	15.09	10.36	10.65	100.00
	COLUMN %	15.79	23.31	11.22	10.99	10.63	11.15	12.12	12.83
	% OF TOTAL	0.11	3.15	2.96	1.97	1.94	1.33	1.37	12.83
Fracture	FREQUENCY	1	73	288	108	110	88	139	807
	ROW %	0.12	9.05	35.69	13.38	13.63	10.90	17.22	100.00
	COLUMN %	5.26	20.51	41.44	22.83	22.92	28.03	46.80	30.64
	% OF TOTAL	0.04	2.77	10.93	4.10	4.18	3.34	5.28	30.64
Luxation, Dislocation	FREQUENCY	.	6	6	9	10	5	3	39
	ROW %	.	15.38	15.38	23.08	25.64	12.82	7.69	100.00
	COLUMN %	.	1.69	0.86	1.90	2.08	1.59	1.01	1.48
	% OF TOTAL	.	0.23	0.23	0.34	0.38	0.19	0.11	1.48
Distorsion, Sprain	FREQUENCY	.	2	38	35	37	22	17	151
	ROW %	.	1.32	25.17	23.18	24.50	14.57	11.26	100.00
	COLUMN %	.	0.56	5.47	7.40	7.71	7.01	5.72	5.73
	% OF TOTAL	.	0.08	1.44	1.33	1.40	0.84	0.65	5.73

(Continued)

Table 14b. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Injury To Nerve(s)	FREQUENCY	.	1	.	3	2	2	.	8
	ROW %	.	12.50	.	37.50	25.00	25.00	.	100.00
	COLUMN %	.	0.28	.	0.63	0.42	0.64	.	0.30
	% OF TOTAL	.	0.04	.	0.11	0.08	0.08	.	0.30
Injury To Blood Vessel(s)	FREQUENCY	.	3	17	9	11	11	1	52
	ROW %	.	5.77	32.69	17.31	21.15	21.15	1.92	100.00
	COLUMN %	.	0.84	2.45	1.90	2.29	3.50	0.34	1.97
	% OF TOTAL	.	0.11	0.65	0.34	0.42	0.42	0.04	1.97
Injury To Tendon(s) and/or Muscle(s)	FREQUENCY	.	7	35	37	64	44	10	197
	ROW %	.	3.55	17.77	18.78	32.49	22.34	5.08	100.00
	COLUMN %	.	1.97	5.04	7.82	13.33	14.01	3.37	7.48
	% OF TOTAL	.	0.27	1.33	1.40	2.43	1.67	0.38	7.48
Crushing, Amputation	FREQUENCY	.	.	2	.	4	.	.	6
	ROW %	.	.	33.33	.	66.67	.	.	100.00
	COLUMN %	.	.	0.29	.	0.83	.	.	0.23
	% OF TOTAL	.	.	0.08	.	0.15	.	.	0.23
Poisoning, Corrosion	FREQUENCY	.	17	2	1	.	1	1	22
	ROW %	.	77.27	9.09	4.55	.	4.55	4.55	100.00
	COLUMN %	.	4.78	0.29	0.21	.	0.32	0.34	0.84
	% OF TOTAL	.	0.65	0.08	0.04	.	0.04	0.04	0.84
Burns, Scalds	FREQUENCY	2	25	14	23	29	16	4	113
	ROW %	1.77	22.12	12.39	20.35	25.66	14.16	3.54	100.00
	COLUMN %	10.53	7.02	2.01	4.86	6.04	5.10	1.35	4.29
	% OF TOTAL	0.08	0.95	0.53	0.87	1.10	0.61	0.15	4.29

(Continued)

Table 14b. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Radiation (e.g. Sunlight, X-Rays, Ultraviolet, Welding Light, etc.)	FREQUENCY	.	.	.	3	.	.	.	3
	ROW %	.	.	.	100.00	.	.	.	100.00
	COLUMN %	.	.	.	0.63	.	.	.	0.11
	% OF TOTAL	.	.	.	0.11	.	.	.	0.11
No Injury Diagnosed	FREQUENCY	.	3	4	3	5	3	2	20
	ROW %	.	15.00	20.00	15.00	25.00	15.00	10.00	100.00
	COLUMN %	.	0.84	0.58	0.63	1.04	0.96	0.67	0.76
	% OF TOTAL	.	0.11	0.15	0.11	0.19	0.11	0.08	0.76
Other Type of Injury Specified	FREQUENCY	2	28	19	11	17	5	4	86
	ROW %	2.33	32.56	22.09	12.79	19.77	5.81	4.65	100.00
	COLUMN %	10.53	7.87	2.73	2.33	3.54	1.59	1.35	3.26
	% OF TOTAL	0.08	1.06	0.72	0.42	0.65	0.19	0.15	3.26
Not Known	FREQUENCY	.	1	.	2	6	4	1	14
	ROW %	.	7.14	.	14.29	42.86	28.57	7.14	100.00
	COLUMN %	.	0.28	.	0.42	1.25	1.27	0.34	0.53
	% OF TOTAL	.	0.04	.	0.08	0.23	0.15	0.04	0.53
TOTAL	FREQUENCY	19	356	695	473	480	314	297	2634
	ROW %	0.72	13.52	26.39	17.96	18.22	11.92	11.28	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.72	13.52	26.39	17.96	18.22	11.92	11.28	100.00

Table 14c. Principal Injury Diagnosis (Total)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Contusion, Bruise	FREQUENCY	23	185	482	784	463	122	99	2158
	ROW %	1.07	8.57	22.34	36.33	21.46	5.65	4.59	100.00
	COLUMN %	47.92	24.87	26.10	35.09	27.59	20.30	21.66	28.36
	% OF TOTAL	0.30	2.43	6.33	10.30	6.08	1.60	1.30	28.36
Abrasion	FREQUENCY	1	25	34	29	37	19	14	159
	ROW %	0.63	15.72	21.38	18.24	23.27	11.95	8.81	100.00
	COLUMN %	2.08	3.36	1.84	1.30	2.21	3.16	3.06	2.09
	% OF TOTAL	0.01	0.33	0.45	0.38	0.49	0.25	0.18	2.09
Open Wound (incl. cut, laceration)	FREQUENCY	7	213	246	243	204	85	65	1063
	ROW %	0.66	20.04	23.14	22.86	19.19	8.00	6.11	100.00
	COLUMN %	14.58	28.63	13.32	10.88	12.16	14.14	14.22	13.97
	% OF TOTAL	0.09	2.80	3.23	3.19	2.68	1.12	0.85	13.97
Fracture	FREQUENCY	6	135	782	608	397	152	174	2254
	ROW %	0.27	5.99	34.69	26.97	17.61	6.74	7.72	100.00
	COLUMN %	12.50	18.15	42.34	27.22	23.66	25.29	38.07	29.62
	% OF TOTAL	0.08	1.77	10.28	7.99	5.22	2.00	2.29	29.62
Luxation, Dislocation	FREQUENCY	1	10	22	68	65	8	6	180
	ROW %	0.56	5.56	12.22	37.78	36.11	4.44	3.33	100.00
	COLUMN %	2.08	1.34	1.19	3.04	3.87	1.33	1.31	2.37
	% OF TOTAL	0.01	0.13	0.29	0.89	0.85	0.11	0.08	2.37
Distorsion, Sprain	FREQUENCY	.	5	85	206	130	42	25	493
	ROW %	.	1.01	17.24	41.78	26.37	8.52	5.07	100.00
	COLUMN %	.	0.67	4.60	9.22	7.75	6.99	5.47	6.48
	% OF TOTAL	.	0.07	1.12	2.71	1.71	0.55	0.33	6.48

(Continued)

Table 14c. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Injury To Nerve(s)	FREQUENCY	.	1	4	10	8	4	1	28
	ROW %	.	3.57	14.29	35.71	28.57	14.29	3.57	100.00
	COLUMN %	.	0.13	0.22	0.45	0.48	0.67	0.22	0.37
	% OF TOTAL	.	0.01	0.05	0.13	0.11	0.05	0.01	0.37
Injury To Blood Vessel(s)	FREQUENCY	.	16	34	37	52	24	7	170
	ROW %	.	9.41	20.00	21.76	30.59	14.12	4.12	100.00
	COLUMN %	.	2.15	1.84	1.66	3.10	3.99	1.53	2.23
	% OF TOTAL	.	0.21	0.45	0.49	0.68	0.32	0.09	2.23
Injury To Tendon(s) and/or Muscle(s)	FREQUENCY	.	12	70	149	186	79	34	530
	ROW %	.	2.26	13.21	28.11	35.09	14.91	6.42	100.00
	COLUMN %	.	1.61	3.79	6.67	11.08	13.14	7.44	6.97
	% OF TOTAL	.	0.16	0.92	1.96	2.44	1.04	0.45	6.97
Crushing, Amputation	FREQUENCY	.	3	3	1	7	2	3	19
	ROW %	.	15.79	15.79	5.26	36.84	10.53	15.79	100.00
	COLUMN %	.	0.40	0.16	0.04	0.42	0.33	0.66	0.25
	% OF TOTAL	.	0.04	0.04	0.01	0.09	0.03	0.04	0.25
Poisoning, Corrosion	FREQUENCY	.	35	3	2	.	1	1	42
	ROW %	.	83.33	7.14	4.76	.	2.38	2.38	100.00
	COLUMN %	.	4.70	0.16	0.09	.	0.17	0.22	0.55
	% OF TOTAL	.	0.46	0.04	0.03	.	0.01	0.01	0.55
Burns, Scalds	FREQUENCY	6	46	26	41	47	28	11	205
	ROW %	2.93	22.44	12.68	20.00	22.93	13.66	5.37	100.00
	COLUMN %	12.50	6.18	1.41	1.84	2.80	4.66	2.41	2.69
	% OF TOTAL	0.08	0.60	0.34	0.54	0.62	0.37	0.14	2.69

(Continued)

Table 14c. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Electrocution	FREQUENCY	1	1	.	2
	ROW %	50.00	50.00	.	100.00
	COLUMN %	0.06	0.17	.	0.03
	% OF TOTAL	0.01	0.01	.	0.03
Radiation (e.g. Sunlight, X-Rays, Ultraviolet, Welding Light, etc.)	FREQUENCY	.	.	1	4	.	.	.	5
	ROW %	.	.	20.00	80.00	.	.	.	100.00
	COLUMN %	.	.	0.05	0.18	.	.	.	0.07
	% OF TOTAL	.	.	0.01	0.05	.	.	.	0.07
No Injury Diagnosed	FREQUENCY	.	8	9	14	19	11	3	64
	ROW %	.	12.50	14.06	21.88	29.69	17.19	4.69	100.00
	COLUMN %	.	1.08	0.49	0.63	1.13	1.83	0.66	0.84
	% OF TOTAL	.	0.11	0.12	0.18	0.25	0.14	0.04	0.84
Other Type of Injury Specified	FREQUENCY	4	49	40	35	47	16	12	203
	ROW %	1.97	24.14	19.70	17.24	23.15	7.88	5.91	100.00
	COLUMN %	8.33	6.59	2.17	1.57	2.80	2.66	2.63	2.67
	% OF TOTAL	0.05	0.64	0.53	0.46	0.62	0.21	0.16	2.67
Not Known	FREQUENCY	.	1	6	3	15	7	2	34
	ROW %	.	2.94	17.65	8.82	44.12	20.59	5.88	100.00
	COLUMN %	.	0.13	0.32	0.13	0.89	1.16	0.44	0.45
	% OF TOTAL	.	0.01	0.08	0.04	0.20	0.09	0.03	0.45
TOTAL	FREQUENCY	48	744	1847	2234	1678	601	457	7609
	ROW %	0.63	9.78	24.27	29.36	22.05	7.90	6.01	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.63	9.78	24.27	29.36	22.05	7.90	6.01	100.00

Table 15a. Part of Body Injured (Males)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Head And Face	FREQUENCY	18	196	220	250	183	49	40	956
	ROW %	1.88	20.50	23.01	26.15	19.14	5.13	4.18	100.00
	COLUMN %	62.07	50.52	19.10	14.20	15.28	17.07	25.00	19.22
	% OF TOTAL	0.36	3.94	4.42	5.03	3.68	0.98	0.80	19.22
Upper Limbs	FREQUENCY	4	93	597	751	470	109	47	2071
	ROW %	0.19	4.49	28.83	36.26	22.69	5.26	2.27	100.00
	COLUMN %	13.79	23.97	51.82	42.65	39.23	37.98	29.38	41.63
	% OF TOTAL	0.08	1.87	12.00	15.10	9.45	2.19	0.94	41.63
Lower Limbs	FREQUENCY	3	37	248	612	427	90	36	1453
	ROW %	0.21	2.55	17.07	42.12	29.39	6.19	2.48	100.00
	COLUMN %	10.34	9.54	21.53	34.75	35.64	31.36	22.50	29.21
	% OF TOTAL	0.06	0.74	4.98	12.30	8.58	1.81	0.72	29.21
Other Parts	FREQUENCY	4	62	87	146	118	39	37	493
	ROW %	0.81	12.58	17.65	29.61	23.94	7.91	7.51	100.00
	COLUMN %	13.79	15.98	7.55	8.29	9.85	13.59	23.13	9.91
	% OF TOTAL	0.08	1.25	1.75	2.93	2.37	0.78	0.74	9.91
Not Known	FREQUENCY	.	.	.	2	.	.	.	2
	ROW %	.	.	.	100.00	.	.	.	100.00
	COLUMN %	.	.	.	0.11	.	.	.	0.04
	% OF TOTAL	.	.	.	0.04	.	.	.	0.04
TOTAL	FREQUENCY	29	388	1152	1761	1198	287	160	4975
	ROW %	0.58	7.80	23.16	35.40	24.08	5.77	3.22	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.58	7.80	23.16	35.40	24.08	5.77	3.22	100.00

Table 15b. Part of Body Injured (Females)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Head And Face	FREQUENCY	15	152	127	65	63	42	34	498
	ROW %	3.01	30.52	25.50	13.05	12.65	8.43	6.83	100.00
	COLUMN %	78.95	42.70	18.27	13.74	13.13	13.38	11.45	18.91
	% OF TOTAL	0.57	5.77	4.82	2.47	2.39	1.59	1.29	18.91
Upper Limbs	FREQUENCY	.	91	393	206	178	122	109	1099
	ROW %	.	8.28	35.76	18.74	16.20	11.10	9.92	100.00
	COLUMN %	.	25.56	56.55	43.55	37.08	38.85	36.70	41.72
	% OF TOTAL	.	3.45	14.92	7.82	6.76	4.63	4.14	41.72
Lower Limbs	FREQUENCY	3	43	139	155	178	111	74	703
	ROW %	0.43	6.12	19.77	22.05	25.32	15.79	10.53	100.00
	COLUMN %	15.79	12.08	20.00	32.77	37.08	35.35	24.92	26.69
	% OF TOTAL	0.11	1.63	5.28	5.88	6.76	4.21	2.81	26.69
Other Parts	FREQUENCY	1	69	36	47	60	39	80	332
	ROW %	0.30	20.78	10.84	14.16	18.07	11.75	24.10	100.00
	COLUMN %	5.26	19.38	5.18	9.94	12.50	12.42	26.94	12.60
	% OF TOTAL	0.04	2.62	1.37	1.78	2.28	1.48	3.04	12.60
Not Known	FREQUENCY	.	1	.	.	1	.	.	2
	ROW %	.	50.00	.	.	50.00	.	.	100.00
	COLUMN %	.	0.28	.	.	0.21	.	.	0.08
	% OF TOTAL	.	0.04	.	.	0.04	.	.	0.08
TOTAL	FREQUENCY	19	356	695	473	480	314	297	2634
	ROW %	0.72	13.52	26.39	17.96	18.22	11.92	11.28	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.72	13.52	26.39	17.96	18.22	11.92	11.28	100.00

Table 15c. Part of Body Injured (Total)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Head And Face	FREQUENCY	33	348	347	315	246	91	74	1454
	ROW %	2.27	23.93	23.87	21.66	16.92	6.26	5.09	100.00
	COLUMN %	68.75	46.77	18.79	14.10	14.66	15.14	16.19	19.11
	% OF TOTAL	0.43	4.57	4.56	4.14	3.23	1.20	0.97	19.11
Upper Limbs	FREQUENCY	4	184	990	957	648	231	156	3170
	ROW %	0.13	5.80	31.23	30.19	20.44	7.29	4.92	100.00
	COLUMN %	8.33	24.73	53.60	42.84	38.62	38.44	34.14	41.66
	% OF TOTAL	0.05	2.42	13.01	12.58	8.52	3.04	2.05	41.66
Lower Limbs	FREQUENCY	6	80	387	767	605	201	110	2156
	ROW %	0.28	3.71	17.95	35.58	28.06	9.32	5.10	100.00
	COLUMN %	12.50	10.75	20.95	34.33	36.05	33.44	24.07	28.33
	% OF TOTAL	0.08	1.05	5.09	10.08	7.95	2.64	1.45	28.33
Other Parts	FREQUENCY	5	131	123	193	178	78	117	825
	ROW %	0.61	15.88	14.91	23.39	21.58	9.45	14.18	100.00
	COLUMN %	10.42	17.61	6.66	8.64	10.61	12.98	25.60	10.84
	% OF TOTAL	0.07	1.72	1.62	2.54	2.34	1.03	1.54	10.84
Not Known	FREQUENCY	.	1	.	2	1	.	.	4
	ROW %	.	25.00	.	50.00	25.00	.	.	100.00
	COLUMN %	.	0.13	.	0.09	0.06	.	.	0.05
	% OF TOTAL	.	0.01	.	0.03	0.01	.	.	0.05
TOTAL	FREQUENCY	48	744	1847	2234	1678	601	457	7609
	ROW %	0.63	9.78	24.27	29.36	22.05	7.90	6.01	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.63	9.78	24.27	29.36	22.05	7.90	6.01	100.00

Table 16a. Treatment and Follow-Up (Males)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Group A: Minor	FREQUENCY	4	91	163	348	293	92	39	1030
	ROW %	0.39	8.83	15.83	33.79	28.45	8.93	3.79	100.00
	COLUMN %	13.79	23.45	14.15	19.76	24.46	32.06	24.38	20.70
	% OF TOTAL	0.08	1.83	3.28	6.99	5.89	1.85	0.78	20.70
Group B: Treated	FREQUENCY	18	233	862	1286	829	164	90	3482
	ROW %	0.52	6.69	24.76	36.93	23.81	4.71	2.58	100.00
	COLUMN %	62.07	60.05	74.83	73.03	69.20	57.14	56.25	69.99
	% OF TOTAL	0.36	4.68	17.33	25.85	16.66	3.30	1.81	69.99
Group C: Hospitalised	FREQUENCY	7	64	124	127	76	31	31	460
	ROW %	1.52	13.91	26.96	27.61	16.52	6.74	6.74	100.00
	COLUMN %	24.14	16.49	10.76	7.21	6.34	10.80	19.38	9.25
	% OF TOTAL	0.14	1.29	2.49	2.55	1.53	0.62	0.62	9.25
Death	FREQUENCY	.	.	3	3
	ROW %	.	.	100.00	100.00
	COLUMN %	.	.	0.26	0.06
	% OF TOTAL	.	.	0.06	0.06
TOTAL	FREQUENCY	29	388	1152	1761	1198	287	160	4975
	ROW %	0.58	7.80	23.16	35.40	24.08	5.77	3.22	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.58	7.80	23.16	35.40	24.08	5.77	3.22	100.00

Table 16b. Treatment and Follow-Up (Females)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Group A: Minor	FREQUENCY	4	86	152	128	136	90	36	632
	ROW %	0.63	13.61	24.05	20.25	21.52	14.24	5.70	100.00
	COLUMN %	21.05	24.16	21.87	27.06	28.33	28.66	12.12	23.99
	% OF TOTAL	0.15	3.26	5.77	4.86	5.16	3.42	1.37	23.99
Group B: Treated	FREQUENCY	8	201	463	323	320	190	165	1670
	ROW %	0.48	12.04	27.72	19.34	19.16	11.38	9.88	100.00
	COLUMN %	42.11	56.46	66.62	68.29	66.67	60.51	55.56	63.40
	% OF TOTAL	0.30	7.63	17.58	12.26	12.15	7.21	6.26	63.40
Group C: Hospitalised	FREQUENCY	7	69	80	22	24	34	94	330
	ROW %	2.12	20.91	24.24	6.67	7.27	10.30	28.48	100.00
	COLUMN %	36.84	19.38	11.51	4.65	5.00	10.83	31.65	12.53
	% OF TOTAL	0.27	2.62	3.04	0.84	0.91	1.29	3.57	12.53
Death	FREQUENCY	2	2
	ROW %	100.00	100.00
	COLUMN %	0.67	0.08
	% OF TOTAL	0.08	0.08
TOTAL	FREQUENCY	19	356	695	473	480	314	297	2634
	ROW %	0.72	13.52	26.39	17.96	18.22	11.92	11.28	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.72	13.52	26.39	17.96	18.22	11.92	11.28	100.00

Table 16c. Treatment and Follow-Up (Total)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Group A: Minor	FREQUENCY	8	177	315	476	429	182	75	1662
	ROW %	0.48	10.65	18.95	28.64	25.81	10.95	4.51	100.00
	COLUMN %	16.67	23.79	17.05	21.31	25.57	30.28	16.41	21.84
	% OF TOTAL	0.11	2.33	4.14	6.26	5.64	2.39	0.99	21.84
Group B: Treated	FREQUENCY	26	434	1325	1609	1149	354	255	5152
	ROW %	0.50	8.42	25.72	31.23	22.30	6.87	4.95	100.00
	COLUMN %	54.17	58.33	71.74	72.02	68.47	58.90	55.80	67.71
	% OF TOTAL	0.34	5.70	17.41	21.15	15.10	4.65	3.35	67.71
Group C: Hospitalised	FREQUENCY	14	133	204	149	100	65	125	790
	ROW %	1.77	16.84	25.82	18.86	12.66	8.23	15.82	100.00
	COLUMN %	29.17	17.88	11.04	6.67	5.96	10.82	27.35	10.38
	% OF TOTAL	0.18	1.75	2.68	1.96	1.31	0.85	1.64	10.38
Death	FREQUENCY	.	.	3	.	.	.	2	5
	ROW %	.	.	60.00	.	.	.	40.00	100.00
	COLUMN %	.	.	0.16	.	.	.	0.44	0.07
	% OF TOTAL	.	.	0.04	.	.	.	0.03	0.07
TOTAL	FREQUENCY	48	744	1847	2234	1678	601	457	7609
	ROW %	0.63	9.78	24.27	29.36	22.05	7.90	6.01	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.63	9.78	24.27	29.36	22.05	7.90	6.01	100.00

Table 17a. The Most Common Product Groups Involved in Accidents (Males)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Clothing and Sportswear	FREQUENCY	.	5	116	302	112	2	.	537
	ROW %	.	0.93	21.60	56.24	20.86	0.37	.	100.00
	COLUMN %	.	1.29	10.07	17.15	9.35	0.70	.	10.79
	% OF TOTAL	.	0.10	2.33	6.07	2.25	0.04	.	10.79
Housing/Building Elements	FREQUENCY	3	102	126	108	90	46	39	514
	ROW %	0.58	19.84	24.51	21.01	17.51	8.95	7.59	100.00
	COLUMN %	10.34	26.29	10.94	6.13	7.51	16.03	24.38	10.33
	% OF TOTAL	0.06	2.05	2.53	2.17	1.81	0.92	0.78	10.33
DIY Equipment	FREQUENCY	1	1	4	30	74	39	19	168
	ROW %	0.60	0.60	2.38	17.86	44.05	23.21	11.31	100.00
	COLUMN %	3.45	0.26	0.35	1.70	6.18	13.59	11.88	3.38
	% OF TOTAL	0.02	0.02	0.08	0.60	1.49	0.78	0.38	3.38
Particles	FREQUENCY	.	1	5	10	18	13	2	49
	ROW %	.	2.04	10.20	20.41	36.73	26.53	4.08	100.00
	COLUMN %	.	0.26	0.43	0.57	1.50	4.53	1.25	0.98
	% OF TOTAL	.	0.02	0.10	0.20	0.36	0.26	0.04	0.98
Hot Foods/Liquids and Smoking Material	FREQUENCY	2	11	9	30	23	14	7	96
	ROW %	2.08	11.46	9.38	31.25	23.96	14.58	7.29	100.00
	COLUMN %	6.90	2.84	0.78	1.70	1.92	4.88	4.38	1.93
	% OF TOTAL	0.04	0.22	0.18	0.60	0.46	0.28	0.14	1.93
Garden Equipment	FREQUENCY	.	4	8	3	9	14	5	43
	ROW %	.	9.30	18.60	6.98	20.93	32.56	11.63	100.00
	COLUMN %	.	1.03	0.69	0.17	0.75	4.88	3.13	0.86
	% OF TOTAL	.	0.08	0.16	0.06	0.18	0.28	0.10	0.86

(Continued)

Table 17a. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Heating Equipment	FREQUENCY	2	9	7	2	6	4	.	30
	ROW %	6.67	30.00	23.33	6.67	20.00	13.33	.	100.00
	COLUMN %	6.90	2.32	0.61	0.11	0.50	1.39	.	0.60
	% OF TOTAL	0.04	0.18	0.14	0.04	0.12	0.08	.	0.60
Bathroom Equipment	FREQUENCY	.	1	3	5	9	9	5	32
	ROW %	.	3.13	9.38	15.63	28.13	28.13	15.63	100.00
	COLUMN %	.	0.26	0.26	0.28	0.75	3.14	3.13	0.64
	% OF TOTAL	.	0.02	0.06	0.10	0.18	0.18	0.10	0.64
Floor Coverings	FREQUENCY	.	3	10	14	17	5	6	55
	ROW %	.	5.45	18.18	25.45	30.91	9.09	10.91	100.00
	COLUMN %	.	0.77	0.87	0.80	1.42	1.74	3.75	1.11
	% OF TOTAL	.	0.06	0.20	0.28	0.34	0.10	0.12	1.11
Household Furniture	FREQUENCY	10	72	44	22	10	10	18	186
	ROW %	5.38	38.71	23.66	11.83	5.38	5.38	9.68	100.00
	COLUMN %	34.48	18.56	3.82	1.25	0.83	3.48	11.25	3.74
	% OF TOTAL	0.20	1.45	0.88	0.44	0.20	0.20	0.36	3.74
Kitchen Utensils	FREQUENCY	1	11	13	34	42	7	3	111
	ROW %	0.90	9.91	11.71	30.63	37.84	6.31	2.70	100.00
	COLUMN %	3.45	2.84	1.13	1.93	3.51	2.44	1.88	2.23
	% OF TOTAL	0.02	0.22	0.26	0.68	0.84	0.14	0.06	2.23
Lighting equipment	FREQUENCY	1	4	10	8	3	.	1	27
	ROW %	3.70	14.81	37.04	29.63	11.11	.	3.70	100.00
	COLUMN %	3.45	1.03	0.87	0.45	0.25	.	0.63	0.54
	% OF TOTAL	0.02	0.08	0.20	0.16	0.06	.	0.02	0.54

(Continued)

Table 17a. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Outdoor environment structures	FREQUENCY	.	7	37	27	56	23	15	165
	ROW %	.	4.24	22.42	16.36	33.94	13.94	9.09	100.00
	COLUMN %	.	1.80	3.21	1.53	4.67	8.01	9.38	3.32
	% OF TOTAL	.	0.14	0.74	0.54	1.13	0.46	0.30	3.32
Animals and Animal Accessories	FREQUENCY	.	4	18	9	12	9	6	58
	ROW %	.	6.90	31.03	15.52	20.69	15.52	10.34	100.00
	COLUMN %	.	1.03	1.56	0.51	1.00	3.14	3.75	1.17
	% OF TOTAL	.	0.08	0.36	0.18	0.24	0.18	0.12	1.17
Plants, Trees and Bushes	FREQUENCY	.	4	17	5	3	1	2	32
	ROW %	.	12.50	53.13	15.63	9.38	3.13	6.25	100.00
	COLUMN %	.	1.03	1.48	0.28	0.25	0.35	1.25	0.64
	% OF TOTAL	.	0.08	0.34	0.10	0.06	0.02	0.04	0.64
Fair/Playground	FREQUENCY	.	18	30	2	.	.	.	50
	ROW %	.	36.00	60.00	4.00	.	.	.	100.00
	COLUMN %	.	4.64	2.60	0.11	.	.	.	1.01
	% OF TOTAL	.	0.36	0.60	0.04	.	.	.	1.01
Vehicles	FREQUENCY	.	26	136	40	24	5	7	238
	ROW %	.	10.92	57.14	16.81	10.08	2.10	2.94	100.00
	COLUMN %	.	6.70	11.81	2.27	2.00	1.74	4.38	4.78
	% OF TOTAL	.	0.52	2.73	0.80	0.48	0.10	0.14	4.78
Sports Equipment	FREQUENCY	.	15	495	1057	619	54	13	2253
	ROW %	.	0.67	21.97	46.92	27.47	2.40	0.58	100.00
	COLUMN %	.	3.87	42.97	60.02	51.67	18.82	8.13	45.29
	% OF TOTAL	.	0.30	9.95	21.25	12.44	1.09	0.26	45.29

(Continued)

Table 17a. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Unspecified product	FREQUENCY	9	90	64	53	71	32	12	331
	ROW %	2.72	27.19	19.34	16.01	21.45	9.67	3.63	100.00
	COLUMN %	31.03	23.20	5.56	3.01	5.93	11.15	7.50	6.65
	% OF TOTAL	0.18	1.81	1.29	1.07	1.43	0.64	0.24	6.65
TOTAL	FREQUENCY	29	388	1152	1761	1198	287	160	4975
	ROW %	0.58	7.80	23.16	35.40	24.08	5.77	3.22	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.58	7.80	23.16	35.40	24.08	5.77	3.22	100.00

Table 17b. The Most Common Product Groups Involved in Accidents (Females)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Clothing and Sportswear	FREQUENCY	.	5	23	36	11	3	.	78
	ROW %	.	6.41	29.49	46.15	14.10	3.85	.	100.00
	COLUMN %	.	1.40	3.31	7.61	2.29	0.96	.	2.96
	% OF TOTAL	.	0.19	0.87	1.37	0.42	0.11	.	2.96
Housing/Building Elements	FREQUENCY	4	78	114	97	118	109	81	601
	ROW %	0.67	12.98	18.97	16.14	19.63	18.14	13.48	100.00
	COLUMN %	21.05	21.91	16.40	20.51	24.58	34.71	27.27	22.82
	% OF TOTAL	0.15	2.96	4.33	3.68	4.48	4.14	3.08	22.82
DIY Equipment	FREQUENCY	.	3	2	8	24	14	3	54
	ROW %	.	5.56	3.70	14.81	44.44	25.93	5.56	100.00
	COLUMN %	.	0.84	0.29	1.69	5.00	4.46	1.01	2.05
	% OF TOTAL	.	0.11	0.08	0.30	0.91	0.53	0.11	2.05
Particles	FREQUENCY	.	1	3	2	5	5	.	16
	ROW %	.	6.25	18.75	12.50	31.25	31.25	.	100.00
	COLUMN %	.	0.28	0.43	0.42	1.04	1.59	.	0.61
	% OF TOTAL	.	0.04	0.11	0.08	0.19	0.19	.	0.61
Hot Foods/Liquids and Smoking Material	FREQUENCY	1	17	9	25	24	17	7	100
	ROW %	1.00	17.00	9.00	25.00	24.00	17.00	7.00	100.00
	COLUMN %	5.26	4.78	1.29	5.29	5.00	5.41	2.36	3.80
	% OF TOTAL	0.04	0.65	0.34	0.95	0.91	0.65	0.27	3.80
Garden Equipment	FREQUENCY	.	4	4	1	11	11	11	42
	ROW %	.	9.52	9.52	2.38	26.19	26.19	26.19	100.00
	COLUMN %	.	1.12	0.58	0.21	2.29	3.50	3.70	1.59
	% OF TOTAL	.	0.15	0.15	0.04	0.42	0.42	0.42	1.59

(Continued)

Table 17b. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Heating Equipment	FREQUENCY	1	13	7	5	5	3	4	38
	ROW %	2.63	34.21	18.42	13.16	13.16	7.89	10.53	100.00
	COLUMN %	5.26	3.65	1.01	1.06	1.04	0.96	1.35	1.44
	% OF TOTAL	0.04	0.49	0.27	0.19	0.19	0.11	0.15	1.44
Bathroom Equipment	FREQUENCY	.	6	2	5	6	6	14	39
	ROW %	.	15.38	5.13	12.82	15.38	15.38	35.90	100.00
	COLUMN %	.	1.69	0.29	1.06	1.25	1.91	4.71	1.48
	% OF TOTAL	.	0.23	0.08	0.19	0.23	0.23	0.53	1.48
Floor Coverings	FREQUENCY	1	3	13	18	14	10	18	77
	ROW %	1.30	3.90	16.88	23.38	18.18	12.99	23.38	100.00
	COLUMN %	5.26	0.84	1.87	3.81	2.92	3.18	6.06	2.92
	% OF TOTAL	0.04	0.11	0.49	0.68	0.53	0.38	0.68	2.92
Household Furniture	FREQUENCY	6	83	26	18	25	20	48	226
	ROW %	2.65	36.73	11.50	7.96	11.06	8.85	21.24	100.00
	COLUMN %	31.58	23.31	3.74	3.81	5.21	6.37	16.16	8.58
	% OF TOTAL	0.23	3.15	0.99	0.68	0.95	0.76	1.82	8.58
Kitchen Utensils	FREQUENCY	1	5	11	30	30	18	6	101
	ROW %	0.99	4.95	10.89	29.70	29.70	17.82	5.94	100.00
	COLUMN %	5.26	1.40	1.58	6.34	6.25	5.73	2.02	3.83
	% OF TOTAL	0.04	0.19	0.42	1.14	1.14	0.68	0.23	3.83
Lighting equipment	FREQUENCY	.	4	6	7	4	3	.	24
	ROW %	.	16.67	25.00	29.17	16.67	12.50	.	100.00
	COLUMN %	.	1.12	0.86	1.48	0.83	0.96	.	0.91
	% OF TOTAL	.	0.15	0.23	0.27	0.15	0.11	.	0.91

(Continued)

Table 17b. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Outdoor environment structures	FREQUENCY	.	8	35	22	35	22	42	164
	ROW %	.	4.88	21.34	13.41	21.34	13.41	25.61	100.00
	COLUMN %	.	2.25	5.04	4.65	7.29	7.01	14.14	6.23
	% OF TOTAL	.	0.30	1.33	0.84	1.33	0.84	1.59	6.23
Animals and Animal Accessories	FREQUENCY	.	7	15	3	9	11	13	58
	ROW %	.	12.07	25.86	5.17	15.52	18.97	22.41	100.00
	COLUMN %	.	1.97	2.16	0.63	1.88	3.50	4.38	2.20
	% OF TOTAL	.	0.27	0.57	0.11	0.34	0.42	0.49	2.20
Plants, Trees and Bushes	FREQUENCY	.	.	20	2	5	1	.	28
	ROW %	.	.	71.43	7.14	17.86	3.57	.	100.00
	COLUMN %	.	.	2.88	0.42	1.04	0.32	.	1.06
	% OF TOTAL	.	.	0.76	0.08	0.19	0.04	.	1.06
Fair/Playground	FREQUENCY	.	16	42	2	1	.	.	61
	ROW %	.	26.23	68.85	3.28	1.64	.	.	100.00
	COLUMN %	.	4.49	6.04	0.42	0.21	.	.	2.32
	% OF TOTAL	.	0.61	1.59	0.08	0.04	.	.	2.32
Vehicles	FREQUENCY	.	12	85	9	6	5	1	118
	ROW %	.	10.17	72.03	7.63	5.08	4.24	0.85	100.00
	COLUMN %	.	3.37	12.23	1.90	1.25	1.59	0.34	4.48
	% OF TOTAL	.	0.46	3.23	0.34	0.23	0.19	0.04	4.48
Sports Equipment	FREQUENCY	.	6	203	148	94	22	9	482
	ROW %	.	1.24	42.12	30.71	19.50	4.56	1.87	100.00
	COLUMN %	.	1.69	29.21	31.29	19.58	7.01	3.03	18.30
	% OF TOTAL	.	0.23	7.71	5.62	3.57	0.84	0.34	18.30

(Continued)

Table 17b. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Unspecified product	FREQUENCY	5	85	75	35	53	34	40	327
	ROW %	1.53	25.99	22.94	10.70	16.21	10.40	12.23	100.00
	COLUMN %	26.32	23.88	10.79	7.40	11.04	10.83	13.47	12.41
	% OF TOTAL	0.19	3.23	2.85	1.33	2.01	1.29	1.52	12.41
TOTAL	FREQUENCY	19	356	695	473	480	314	297	2634
	ROW %	0.72	13.52	26.39	17.96	18.22	11.92	11.28	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.72	13.52	26.39	17.96	18.22	11.92	11.28	100.00

Table 17c. The Most Common Product Groups Involved in Accidents (Total)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Clothing and Sportswear	FREQUENCY	.	10	139	338	123	5	.	615
	ROW %	.	1.63	22.60	54.96	20.00	0.81	.	100.00
	COLUMN %	.	1.34	7.53	15.13	7.33	0.83	.	8.08
	% OF TOTAL	.	0.13	1.83	4.44	1.62	0.07	.	8.08
Housing/Building Elements	FREQUENCY	7	180	240	205	208	155	120	1115
	ROW %	0.63	16.14	21.52	18.39	18.65	13.90	10.76	100.00
	COLUMN %	14.58	24.19	12.99	9.18	12.40	25.79	26.26	14.65
	% OF TOTAL	0.09	2.37	3.15	2.69	2.73	2.04	1.58	14.65
DIY Equipment	FREQUENCY	1	4	6	38	98	53	22	222
	ROW %	0.45	1.80	2.70	17.12	44.14	23.87	9.91	100.00
	COLUMN %	2.08	0.54	0.32	1.70	5.84	8.82	4.81	2.92
	% OF TOTAL	0.01	0.05	0.08	0.50	1.29	0.70	0.29	2.92
Particles	FREQUENCY	.	2	8	12	23	18	2	65
	ROW %	.	3.08	12.31	18.46	35.38	27.69	3.08	100.00
	COLUMN %	.	0.27	0.43	0.54	1.37	3.00	0.44	0.85
	% OF TOTAL	.	0.03	0.11	0.16	0.30	0.24	0.03	0.85
Hot Foods/Liquids and Smoking Material	FREQUENCY	3	28	18	55	47	31	14	196
	ROW %	1.53	14.29	9.18	28.06	23.98	15.82	7.14	100.00
	COLUMN %	6.25	3.76	0.97	2.46	2.80	5.16	3.06	2.58
	% OF TOTAL	0.04	0.37	0.24	0.72	0.62	0.41	0.18	2.58
Garden Equipment	FREQUENCY	.	8	12	4	20	25	16	85
	ROW %	.	9.41	14.12	4.71	23.53	29.41	18.82	100.00
	COLUMN %	.	1.08	0.65	0.18	1.19	4.16	3.50	1.12
	% OF TOTAL	.	0.11	0.16	0.05	0.26	0.33	0.21	1.12

(Continued)

Table 17c. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Heating Equipment	FREQUENCY	3	22	14	7	11	7	4	68
	ROW %	4.41	32.35	20.59	10.29	16.18	10.29	5.88	100.00
	COLUMN %	6.25	2.96	0.76	0.31	0.66	1.16	0.88	0.89
	% OF TOTAL	0.04	0.29	0.18	0.09	0.14	0.09	0.05	0.89
Bathroom Equipment	FREQUENCY	.	7	5	10	15	15	19	71
	ROW %	.	9.86	7.04	14.08	21.13	21.13	26.76	100.00
	COLUMN %	.	0.94	0.27	0.45	0.89	2.50	4.16	0.93
	% OF TOTAL	.	0.09	0.07	0.13	0.20	0.20	0.25	0.93
Floor Coverings	FREQUENCY	1	6	23	32	31	15	24	132
	ROW %	0.76	4.55	17.42	24.24	23.48	11.36	18.18	100.00
	COLUMN %	2.08	0.81	1.25	1.43	1.85	2.50	5.25	1.73
	% OF TOTAL	0.01	0.08	0.30	0.42	0.41	0.20	0.32	1.73
Household Furniture	FREQUENCY	16	155	70	40	35	30	66	412
	ROW %	3.88	37.62	16.99	9.71	8.50	7.28	16.02	100.00
	COLUMN %	33.33	20.83	3.79	1.79	2.09	4.99	14.44	5.41
	% OF TOTAL	0.21	2.04	0.92	0.53	0.46	0.39	0.87	5.41
Kitchen Utensils	FREQUENCY	2	16	24	64	72	25	9	212
	ROW %	0.94	7.55	11.32	30.19	33.96	11.79	4.25	100.00
	COLUMN %	4.17	2.15	1.30	2.86	4.29	4.16	1.97	2.79
	% OF TOTAL	0.03	0.21	0.32	0.84	0.95	0.33	0.12	2.79
Lighting equipment	FREQUENCY	1	8	16	15	7	3	1	51
	ROW %	1.96	15.69	31.37	29.41	13.73	5.88	1.96	100.00
	COLUMN %	2.08	1.08	0.87	0.67	0.42	0.50	0.22	0.67
	% OF TOTAL	0.01	0.11	0.21	0.20	0.09	0.04	0.01	0.67

(Continued)

Table 17c. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Outdoor environment structures	FREQUENCY	.	15	72	49	91	45	57	329
	ROW %	.	4.56	21.88	14.89	27.66	13.68	17.33	100.00
	COLUMN %	.	2.02	3.90	2.19	5.42	7.49	12.47	4.32
	% OF TOTAL	.	0.20	0.95	0.64	1.20	0.59	0.75	4.32
Animals and Animal Accessories	FREQUENCY	.	11	33	12	21	20	19	116
	ROW %	.	9.48	28.45	10.34	18.10	17.24	16.38	100.00
	COLUMN %	.	1.48	1.79	0.54	1.25	3.33	4.16	1.52
	% OF TOTAL	.	0.14	0.43	0.16	0.28	0.26	0.25	1.52
Plants, Trees and Bushes	FREQUENCY	.	4	37	7	8	2	2	60
	ROW %	.	6.67	61.67	11.67	13.33	3.33	3.33	100.00
	COLUMN %	.	0.54	2.00	0.31	0.48	0.33	0.44	0.79
	% OF TOTAL	.	0.05	0.49	0.09	0.11	0.03	0.03	0.79
Fair/Playground	FREQUENCY	.	34	72	4	1	.	.	111
	ROW %	.	30.63	64.86	3.60	0.90	.	.	100.00
	COLUMN %	.	4.57	3.90	0.18	0.06	.	.	1.46
	% OF TOTAL	.	0.45	0.95	0.05	0.01	.	.	1.46
Vehicles	FREQUENCY	.	38	221	49	30	10	8	356
	ROW %	.	10.67	62.08	13.76	8.43	2.81	2.25	100.00
	COLUMN %	.	5.11	11.97	2.19	1.79	1.66	1.75	4.68
	% OF TOTAL	.	0.50	2.90	0.64	0.39	0.13	0.11	4.68
Sports Equipment	FREQUENCY	.	21	698	1205	713	76	22	2735
	ROW %	.	0.77	25.52	44.06	26.07	2.78	0.80	100.00
	COLUMN %	.	2.82	37.79	53.94	42.49	12.65	4.81	35.94
	% OF TOTAL	.	0.28	9.17	15.84	9.37	1.00	0.29	35.94

(Continued)

Table 17c. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Unspecified product	FREQUENCY	14	175	139	88	124	66	52	658
	ROW %	2.13	26.60	21.12	13.37	18.84	10.03	7.90	100.00
	COLUMN %	29.17	23.52	7.53	3.94	7.39	10.98	11.38	8.65
	% OF TOTAL	0.18	2.30	1.83	1.16	1.63	0.87	0.68	8.65
TOTAL	FREQUENCY	48	744	1847	2234	1678	601	457	7609
	ROW %	0.63	9.78	24.27	29.36	22.05	7.90	6.01	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.63	9.78	24.27	29.36	22.05	7.90	6.01	100.00

Table 18a. The Most Common Product Groups Causing Injuries (Males)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Clothing and Sportswear	FREQUENCY	.	5	116	300	112	3	.	536
	ROW %	.	0.93	21.64	55.97	20.90	0.56	.	100.00
	COLUMN %	.	1.29	10.07	17.04	9.35	1.05	.	10.77
	% OF TOTAL	.	0.10	2.33	6.03	2.25	0.06	.	10.77
Housing/Building Elements	FREQUENCY	5	107	124	105	94	48	44	527
	ROW %	0.95	20.30	23.53	19.92	17.84	9.11	8.35	100.00
	COLUMN %	17.24	27.58	10.76	5.96	7.85	16.72	27.50	10.59
	% OF TOTAL	0.10	2.15	2.49	2.11	1.89	0.96	0.88	10.59
DIY Equipment	FREQUENCY	1	1	4	27	67	35	16	151
	ROW %	0.66	0.66	2.65	17.88	44.37	23.18	10.60	100.00
	COLUMN %	3.45	0.26	0.35	1.53	5.59	12.20	10.00	3.04
	% OF TOTAL	0.02	0.02	0.08	0.54	1.35	0.70	0.32	3.04
Particles	FREQUENCY	.	2	5	10	19	13	2	51
	ROW %	.	3.92	9.80	19.61	37.25	25.49	3.92	100.00
	COLUMN %	.	0.52	0.43	0.57	1.59	4.53	1.25	1.03
	% OF TOTAL	.	0.04	0.10	0.20	0.38	0.26	0.04	1.03
Hot Foods/Liquids and Smoking Material	FREQUENCY	3	12	9	37	26	19	10	116
	ROW %	2.59	10.34	7.76	31.90	22.41	16.38	8.62	100.00
	COLUMN %	10.34	3.09	0.78	2.10	2.17	6.62	6.25	2.33
	% OF TOTAL	0.06	0.24	0.18	0.74	0.52	0.38	0.20	2.33
Garden Equipment	FREQUENCY	.	4	7	4	9	14	6	44
	ROW %	.	9.09	15.91	9.09	20.45	31.82	13.64	100.00
	COLUMN %	.	1.03	0.61	0.23	0.75	4.88	3.75	0.88
	% OF TOTAL	.	0.08	0.14	0.08	0.18	0.28	0.12	0.88

(Continued)

Table 18a. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Heating Equipment	FREQUENCY	2	10	6	3	6	3	1	31
	ROW %	6.45	32.26	19.35	9.68	19.35	9.68	3.23	100.00
	COLUMN %	6.90	2.58	0.52	0.17	0.50	1.05	0.63	0.62
	% OF TOTAL	0.04	0.20	0.12	0.06	0.12	0.06	0.02	0.62
Bathroom Equipment	FREQUENCY	.	1	2	5	9	9	4	30
	ROW %	.	3.33	6.67	16.67	30.00	30.00	13.33	100.00
	COLUMN %	.	0.26	0.17	0.28	0.75	3.14	2.50	0.60
	% OF TOTAL	.	0.02	0.04	0.10	0.18	0.18	0.08	0.60
Floor Coverings	FREQUENCY	.	6	9	14	19	5	5	58
	ROW %	.	10.34	15.52	24.14	32.76	8.62	8.62	100.00
	COLUMN %	.	1.55	0.78	0.80	1.59	1.74	3.13	1.17
	% OF TOTAL	.	0.12	0.18	0.28	0.38	0.10	0.10	1.17
Household Furniture	FREQUENCY	9	69	42	20	11	11	16	178
	ROW %	5.06	38.76	23.60	11.24	6.18	6.18	8.99	100.00
	COLUMN %	31.03	17.78	3.65	1.14	0.92	3.83	10.00	3.58
	% OF TOTAL	0.18	1.39	0.84	0.40	0.22	0.22	0.32	3.58
Kitchen Utensils	FREQUENCY	.	10	13	35	40	7	2	107
	ROW %	.	9.35	12.15	32.71	37.38	6.54	1.87	100.00
	COLUMN %	.	2.58	1.13	1.99	3.34	2.44	1.25	2.15
	% OF TOTAL	.	0.20	0.26	0.70	0.80	0.14	0.04	2.15
Lighting equipment	FREQUENCY	1	4	10	7	3	.	1	26
	ROW %	3.85	15.38	38.46	26.92	11.54	.	3.85	100.00
	COLUMN %	3.45	1.03	0.87	0.40	0.25	.	0.63	0.52
	% OF TOTAL	0.02	0.08	0.20	0.14	0.06	.	0.02	0.52

(Continued)

Table 18a. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Outdoor environment structures	FREQUENCY	.	9	46	29	60	26	14	184
	ROW %	.	4.89	25.00	15.76	32.61	14.13	7.61	100.00
	COLUMN %	.	2.32	3.99	1.65	5.01	9.06	8.75	3.70
	% OF TOTAL	.	0.18	0.92	0.58	1.21	0.52	0.28	3.70
Animals and Animal Accessories	FREQUENCY	.	4	18	9	11	8	6	56
	ROW %	.	7.14	32.14	16.07	19.64	14.29	10.71	100.00
	COLUMN %	.	1.03	1.56	0.51	0.92	2.79	3.75	1.13
	% OF TOTAL	.	0.08	0.36	0.18	0.22	0.16	0.12	1.13
Plants, Trees and Bushes	FREQUENCY	.	4	17	5	3	1	2	32
	ROW %	.	12.50	53.13	15.63	9.38	3.13	6.25	100.00
	COLUMN %	.	1.03	1.48	0.28	0.25	0.35	1.25	0.64
	% OF TOTAL	.	0.08	0.34	0.10	0.06	0.02	0.04	0.64
Fair/Playground	FREQUENCY	.	18	28	2	.	.	.	48
	ROW %	.	37.50	58.33	4.17	.	.	.	100.00
	COLUMN %	.	4.64	2.43	0.11	.	.	.	0.96
	% OF TOTAL	.	0.36	0.56	0.04	.	.	.	0.96
Vehicles	FREQUENCY	.	26	133	37	23	4	4	227
	ROW %	.	11.45	58.59	16.30	10.13	1.76	1.76	100.00
	COLUMN %	.	6.70	11.55	2.10	1.92	1.39	2.50	4.56
	% OF TOTAL	.	0.52	2.67	0.74	0.46	0.08	0.08	4.56
Sports Equipment	FREQUENCY	.	14	494	1060	622	53	14	2257
	ROW %	.	0.62	21.89	46.96	27.56	2.35	0.62	100.00
	COLUMN %	.	3.61	42.88	60.19	51.92	18.47	8.75	45.37
	% OF TOTAL	.	0.28	9.93	21.31	12.50	1.07	0.28	45.37

(Continued)

Table 18a. (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Unspecified product	FREQUENCY	8	82	69	52	64	28	13	316
	ROW %	2.53	25.95	21.84	16.46	20.25	8.86	4.11	100.00
	COLUMN %	27.59	21.13	5.99	2.95	5.34	9.76	8.13	6.35
	% OF TOTAL	0.16	1.65	1.39	1.05	1.29	0.56	0.26	6.35
TOTAL	FREQUENCY	29	388	1152	1761	1198	287	160	4975
	ROW %	0.58	7.80	23.16	35.40	24.08	5.77	3.22	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.58	7.80	23.16	35.40	24.08	5.77	3.22	100.00

Table 18b. The Most Common Product Groups Causing Injuries (Females)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Clothing and Sportswear	FREQUENCY	.	4	23	36	12	1	.	76
	ROW %	.	5.26	30.26	47.37	15.79	1.32	.	100.00
	COLUMN %	.	1.12	3.31	7.61	2.50	0.32	.	2.89
	% OF TOTAL	.	0.15	0.87	1.37	0.46	0.04	.	2.89
Housing/Building Elements	FREQUENCY	3	88	121	97	122	112	85	628
	ROW %	0.48	14.01	19.27	15.45	19.43	17.83	13.54	100.00
	COLUMN %	15.79	24.72	17.41	20.51	25.42	35.67	28.62	23.84
	% OF TOTAL	0.11	3.34	4.59	3.68	4.63	4.25	3.23	23.84
DIY Equipment	FREQUENCY	.	2	2	7	22	11	3	47
	ROW %	.	4.26	4.26	14.89	46.81	23.40	6.38	100.00
	COLUMN %	.	0.56	0.29	1.48	4.58	3.50	1.01	1.78
	% OF TOTAL	.	0.08	0.08	0.27	0.84	0.42	0.11	1.78
Particles	FREQUENCY	.	1	3	2	5	5	.	16
	ROW %	.	6.25	18.75	12.50	31.25	31.25	.	100.00
	COLUMN %	.	0.28	0.43	0.42	1.04	1.59	.	0.61
	% OF TOTAL	.	0.04	0.11	0.08	0.19	0.19	.	0.61
Hot Foods/Liquids and Smoking Material	FREQUENCY	2	18	13	28	27	19	12	119
	ROW %	1.68	15.13	10.92	23.53	22.69	15.97	10.08	100.00
	COLUMN %	10.53	5.06	1.87	5.92	5.63	6.05	4.04	4.52
	% OF TOTAL	0.08	0.68	0.49	1.06	1.03	0.72	0.46	4.52
Garden Equipment	FREQUENCY	.	4	4	1	11	11	11	42
	ROW %	.	9.52	9.52	2.38	26.19	26.19	26.19	100.00
	COLUMN %	.	1.12	0.58	0.21	2.29	3.50	3.70	1.59
	% OF TOTAL	.	0.15	0.15	0.04	0.42	0.42	0.42	1.59

(Continued)

Table 18b (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Heating Equipment	FREQUENCY	1	16	7	5	6	3	5	43
	ROW %	2.33	37.21	16.28	11.63	13.95	6.98	11.63	100.00
	COLUMN %	5.26	4.49	1.01	1.06	1.25	0.96	1.68	1.63
	% OF TOTAL	0.04	0.61	0.27	0.19	0.23	0.11	0.19	1.63
Bathroom Equipment	FREQUENCY	.	6	1	5	5	8	16	41
	ROW %	.	14.63	2.44	12.20	12.20	19.51	39.02	100.00
	COLUMN %	.	1.69	0.14	1.06	1.04	2.55	5.39	1.56
	% OF TOTAL	.	0.23	0.04	0.19	0.19	0.30	0.61	1.56
Floor Coverings	FREQUENCY	1	5	14	19	12	11	13	75
	ROW %	1.33	6.67	18.67	25.33	16.00	14.67	17.33	100.00
	COLUMN %	5.26	1.40	2.01	4.02	2.50	3.50	4.38	2.85
	% OF TOTAL	0.04	0.19	0.53	0.72	0.46	0.42	0.49	2.85
Household Furniture	FREQUENCY	6	77	24	17	28	21	46	219
	ROW %	2.74	35.16	10.96	7.76	12.79	9.59	21.00	100.00
	COLUMN %	31.58	21.63	3.45	3.59	5.83	6.69	15.49	8.31
	% OF TOTAL	0.23	2.92	0.91	0.65	1.06	0.80	1.75	8.31
Kitchen Utensils	FREQUENCY	.	4	9	30	29	19	5	96
	ROW %	.	4.17	9.38	31.25	30.21	19.79	5.21	100.00
	COLUMN %	.	1.12	1.29	6.34	6.04	6.05	1.68	3.64
	% OF TOTAL	.	0.15	0.34	1.14	1.10	0.72	0.19	3.64
Lighting equipment	FREQUENCY	.	4	6	7	5	5	.	27
	ROW %	.	14.81	22.22	25.93	18.52	18.52	.	100.00
	COLUMN %	.	1.12	0.86	1.48	1.04	1.59	.	1.03
	% OF TOTAL	.	0.15	0.23	0.27	0.19	0.19	.	1.03

(Continued)

Table 18b (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Outdoor environment structures	FREQUENCY	.	8	41	18	37	18	40	162
	ROW %	.	4.94	25.31	11.11	22.84	11.11	24.69	100.00
	COLUMN %	.	2.25	5.90	3.81	7.71	5.73	13.47	6.15
	% OF TOTAL	.	0.30	1.56	0.68	1.40	0.68	1.52	6.15
Animals and Animal Accessories	FREQUENCY	.	7	13	3	9	11	13	56
	ROW %	.	12.50	23.21	5.36	16.07	19.64	23.21	100.00
	COLUMN %	.	1.97	1.87	0.63	1.88	3.50	4.38	2.13
	% OF TOTAL	.	0.27	0.49	0.11	0.34	0.42	0.49	2.13
Plants, Trees and Bushes	FREQUENCY	.	.	20	3	5	1	.	29
	ROW %	.	.	68.97	10.34	17.24	3.45	.	100.00
	COLUMN %	.	.	2.88	0.63	1.04	0.32	.	1.10
	% OF TOTAL	.	.	0.76	0.11	0.19	0.04	.	1.10
Fair/Playground	FREQUENCY	.	16	42	2	1	.	.	61
	ROW %	.	26.23	68.85	3.28	1.64	.	.	100.00
	COLUMN %	.	4.49	6.04	0.42	0.21	.	.	2.32
	% OF TOTAL	.	0.61	1.59	0.08	0.04	.	.	2.32
Vehicles	FREQUENCY	.	11	82	9	5	5	1	113
	ROW %	.	9.73	72.57	7.96	4.42	4.42	0.88	100.00
	COLUMN %	.	3.09	11.80	1.90	1.04	1.59	0.34	4.29
	% OF TOTAL	.	0.42	3.11	0.34	0.19	0.19	0.04	4.29
Sports Equipment	FREQUENCY	.	6	202	149	92	22	8	479
	ROW %	.	1.25	42.17	31.11	19.21	4.59	1.67	100.00
	COLUMN %	.	1.69	29.06	31.50	19.17	7.01	2.69	18.19
	% OF TOTAL	.	0.23	7.67	5.66	3.49	0.84	0.30	18.19

(Continued)

Table 18b (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Unspecified product	FREQUENCY	6	79	68	35	47	31	39	305
	ROW %	1.97	25.90	22.30	11.48	15.41	10.16	12.79	100.00
	COLUMN %	31.58	22.19	9.78	7.40	9.79	9.87	13.13	11.58
	% OF TOTAL	0.23	3.00	2.58	1.33	1.78	1.18	1.48	11.58
TOTAL	FREQUENCY	19	356	695	473	480	314	297	2634
	ROW %	0.72	13.52	26.39	17.96	18.22	11.92	11.28	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.72	13.52	26.39	17.96	18.22	11.92	11.28	100.00

Table 18c. The Most Common Product Groups Causing Injuries (Total)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Clothing and Sportswear	FREQUENCY	.	9	139	336	124	4	.	612
	ROW %	.	1.47	22.71	54.90	20.26	0.65	.	100.00
	COLUMN %	.	1.21	7.53	15.04	7.39	0.67	.	8.04
	% OF TOTAL	.	0.12	1.83	4.42	1.63	0.05	.	8.04
Housing/Building Elements	FREQUENCY	8	195	245	202	216	160	129	1155
	ROW %	0.69	16.88	21.21	17.49	18.70	13.85	11.17	100.00
	COLUMN %	16.67	26.21	13.26	9.04	12.87	26.62	28.23	15.18
	% OF TOTAL	0.11	2.56	3.22	2.65	2.84	2.10	1.70	15.18
DIY Equipment	FREQUENCY	1	3	6	34	89	46	19	198
	ROW %	0.51	1.52	3.03	17.17	44.95	23.23	9.60	100.00
	COLUMN %	2.08	0.40	0.32	1.52	5.30	7.65	4.16	2.60
	% OF TOTAL	0.01	0.04	0.08	0.45	1.17	0.60	0.25	2.60
Particles	FREQUENCY	.	3	8	12	24	18	2	67
	ROW %	.	4.48	11.94	17.91	35.82	26.87	2.99	100.00
	COLUMN %	.	0.40	0.43	0.54	1.43	3.00	0.44	0.88
	% OF TOTAL	.	0.04	0.11	0.16	0.32	0.24	0.03	0.88
Hot Foods/Liquids and Smoking Material	FREQUENCY	5	30	22	65	53	38	22	235
	ROW %	2.13	12.77	9.36	27.66	22.55	16.17	9.36	100.00
	COLUMN %	10.42	4.03	1.19	2.91	3.16	6.32	4.81	3.09
	% OF TOTAL	0.07	0.39	0.29	0.85	0.70	0.50	0.29	3.09
Garden Equipment	FREQUENCY	.	8	11	5	20	25	17	86
	ROW %	.	9.30	12.79	5.81	23.26	29.07	19.77	100.00
	COLUMN %	.	1.08	0.60	0.22	1.19	4.16	3.72	1.13
	% OF TOTAL	.	0.11	0.14	0.07	0.26	0.33	0.22	1.13

(Continued)

Table 18c (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Heating Equipment	FREQUENCY	3	26	13	8	12	6	6	74
	ROW %	4.05	35.14	17.57	10.81	16.22	8.11	8.11	100.00
	COLUMN %	6.25	3.49	0.70	0.36	0.72	1.00	1.31	0.97
	% OF TOTAL	0.04	0.34	0.17	0.11	0.16	0.08	0.08	0.97
Bathroom Equipment	FREQUENCY	.	7	3	10	14	17	20	71
	ROW %	.	9.86	4.23	14.08	19.72	23.94	28.17	100.00
	COLUMN %	.	0.94	0.16	0.45	0.83	2.83	4.38	0.93
	% OF TOTAL	.	0.09	0.04	0.13	0.18	0.22	0.26	0.93
Floor Coverings	FREQUENCY	1	11	23	33	31	16	18	133
	ROW %	0.75	8.27	17.29	24.81	23.31	12.03	13.53	100.00
	COLUMN %	2.08	1.48	1.25	1.48	1.85	2.66	3.94	1.75
	% OF TOTAL	0.01	0.14	0.30	0.43	0.41	0.21	0.24	1.75
Household Furniture	FREQUENCY	15	146	66	37	39	32	62	397
	ROW %	3.78	36.78	16.62	9.32	9.82	8.06	15.62	100.00
	COLUMN %	31.25	19.62	3.57	1.66	2.32	5.32	13.57	5.22
	% OF TOTAL	0.20	1.92	0.87	0.49	0.51	0.42	0.81	5.22
Kitchen Utensils	FREQUENCY	.	14	22	65	69	26	7	203
	ROW %	.	6.90	10.84	32.02	33.99	12.81	3.45	100.00
	COLUMN %	.	1.88	1.19	2.91	4.11	4.33	1.53	2.67
	% OF TOTAL	.	0.18	0.29	0.85	0.91	0.34	0.09	2.67
Lighting equipment	FREQUENCY	1	8	16	14	8	5	1	53
	ROW %	1.89	15.09	30.19	26.42	15.09	9.43	1.89	100.00
	COLUMN %	2.08	1.08	0.87	0.63	0.48	0.83	0.22	0.70
	% OF TOTAL	0.01	0.11	0.21	0.18	0.11	0.07	0.01	0.70

(Continued)

Table 18c (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Outdoor environment structures	FREQUENCY	.	17	87	47	97	44	54	346
	ROW %	.	4.91	25.14	13.58	28.03	12.72	15.61	100.00
	COLUMN %	.	2.28	4.71	2.10	5.78	7.32	11.82	4.55
	% OF TOTAL	.	0.22	1.14	0.62	1.27	0.58	0.71	4.55
Animals and Animal Accessories	FREQUENCY	.	11	31	12	20	19	19	112
	ROW %	.	9.82	27.68	10.71	17.86	16.96	16.96	100.00
	COLUMN %	.	1.48	1.68	0.54	1.19	3.16	4.16	1.47
	% OF TOTAL	.	0.14	0.41	0.16	0.26	0.25	0.25	1.47
Plants, Trees and Bushes	FREQUENCY	.	4	37	8	8	2	2	61
	ROW %	.	6.56	60.66	13.11	13.11	3.28	3.28	100.00
	COLUMN %	.	0.54	2.00	0.36	0.48	0.33	0.44	0.80
	% OF TOTAL	.	0.05	0.49	0.11	0.11	0.03	0.03	0.80
Fair/Playground	FREQUENCY	.	34	70	4	1	.	.	109
	ROW %	.	31.19	64.22	3.67	0.92	.	.	100.00
	COLUMN %	.	4.57	3.79	0.18	0.06	.	.	1.43
	% OF TOTAL	.	0.45	0.92	0.05	0.01	.	.	1.43
Vehicles	FREQUENCY	.	37	215	46	28	9	5	340
	ROW %	.	10.88	63.24	13.53	8.24	2.65	1.47	100.00
	COLUMN %	.	4.97	11.64	2.06	1.67	1.50	1.09	4.47
	% OF TOTAL	.	0.49	2.83	0.60	0.37	0.12	0.07	4.47
Sports Equipment	FREQUENCY	.	20	696	1209	714	75	22	2736
	ROW %	.	0.73	25.44	44.19	26.10	2.74	0.80	100.00
	COLUMN %	.	2.69	37.68	54.12	42.55	12.48	4.81	35.96
	% OF TOTAL	.	0.26	9.15	15.89	9.38	0.99	0.29	35.96

(Continued)

Table 18c (contd.)

		AGE GROUPS							ALL AGE GROUPS
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Unspecified product	FREQUENCY	14	161	137	87	111	59	52	621
	ROW %	2.25	25.93	22.06	14.01	17.87	9.50	8.37	100.00
	COLUMN %	29.17	21.64	7.42	3.89	6.62	9.82	11.38	8.16
	% OF TOTAL	0.18	2.12	1.80	1.14	1.46	0.78	0.68	8.16
TOTAL	FREQUENCY	48	744	1847	2234	1678	601	457	7609
	ROW %	0.63	9.78	24.27	29.36	22.05	7.90	6.01	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.63	9.78	24.27	29.36	22.05	7.90	6.01	100.00

EHLASS

Cork University Hospital

HOSPITAL RECORD NUMBER

DATE OF TREATMENT (YYMMDD)

YY: ____ MM: ____ DD: ____

TIME OF ATTENDANCE

NUMBER OF HOSPITALISED DAYS

TREATMENT AND FOLLOW-UP

AGE OF PATIENT

SEX OF PATIENT

ACCIDENT MECHANISM

PLACE OF ACCIDENT

ACTIVITY AT TIME OF ACCIDENT

INJURY DIAGNOSIS

TYPE 1

TYPE 2

PART OF THE BODY AFFECTED

PART 1

PART 2

PRODUCT INVOLVED IN ACCIDENT

PRODUCT CAUSING INJURY

OTHER PRODUCT

ACCIDENT DESCRIPTION

HOSPITAL RECORD NUMBER (OPTIONAL)
