



Population 2011: 210,312

• Population Change Census 2006-2011: +12.9%

This profile gives facts on health in this area. It is intended to inform health professionals, local authorities and the general public and enable them to improve health services and reduce health inequalities. Accurate health information on smoking, obesity and chronic disease data is not available at county level.



Age Comparison % of Population





Key Facts


- Is the fifth most affluent Local Authority nationally
- Has a low dependency ratio of 48.0% (i.e. the number of persons aged 0-14 and 65 and over as a proportion of those aged 15-64) national rate 49.3%
- Has an above average birth rate of 17.5 (national 15.8)
- Male incidence rate of malignant colorectal cancer is the highest nationally, and male and female incidence rates of malignant melanoma are above the national rate
- Rates of mortality for all causes and the major causes of mortality and for all ages are either average or below the national average

Deprivation

Levels of deprivation by Electoral Divisions




The percentage of the population in this area compared to Ireland who live within levels of deprivation and affluence




Health Statistics

The number of live births and live birth rate per 1,000 population for the years 2007-2012 compared to Ireland rate.




Health Statistics

Live birth rate per 1,000 for females aged less than 20 years for the census years 2002, 2006, and 2011.



The hospital age standardised discharge rate per 100,000 by area of residence for the four principal causes of disease 2007-2011 compared to Ireland.


(For a more detailed explanation of what these disease categories contain see page 8)



Health Statistics


Trends in death rates per 100,000 for the four principal causes of death over the period 2007-2012 for all ages compared to Ireland.

(For a more detailed explanation of what these disease categories contain see page 8)



Trends in death rates per 100,000 for the four principal causes of death over the period 2007-2012 for under 75 years (premature mortality) compared to Ireland.

(For a more detailed explanation of what these disease categories contain see page 8)



Facts and Health Summary

The following charts show how people in this area compare with the rest of Ireland for key indicators. The black circle shows the score for this area and the black line shows the average for Ireland. For some indicators, being above average is preferable, whereas for others the opposite is the case. A more detailed interpretation is given on page 7.

Note: Indicator * data is for Kildare/West Wicklow . N/A: not available.

Kildare

Key:

● Local Measure

Ireland Key:

	Ireland Average			
Lowest				Highest
	25th	Percentile	75th	

Indicator	Local Number	Local Rate/%	Irl Rate	Irl Low	Ireland Range	Irl High
POPULATION INDICATORS CENSUS 2011 %						
1 Population number and % of National	210,312	4.6	2.9	0.7		11.5
2 5 year population change 2006-2011	23,977	12.9	8.2	-4.5		20.1
3 Deprivation relative score	n/a	2.3	0.2	-6.7		10.6
4 Dependency population ratio	68,224	48.0	49.3	34.9		57.3
5 Persons aged 0-4 years	18,914	9.0	7.8	5.1		9.7
6 Persons aged 5-14 years	32,654	15.5	13.6	9.4		15.7
7 Persons 65 years and older	16,656	7.9	11.7	7.2		15.1
8 Lone parent households	7,391	10.4	10.9	9.1		13.8
9 Persons with no formal or primary education only	15,534	11.8	15.2	8.1		24.9
10 Semi, unskilled and agricultural workers	22,640	10.8	11.7	5.3		16.0
11 Unemployment	18,639	17.9	19.0	11.2		28.6
12 Households local authority rented	3,801	5.4	7.8	4.2		16.0
13 White Irish	177,232	84.9	84.5	73.9		90.6
14 White Irish Traveller	874	0.4	0.7	0.2		2.3
15 All other ethnic backgrounds	30,692	14.7	14.9	9.0		24.5
SELF HEALTH REPORTING CENSUS 2011 %						
16 Persons whose health is bad or very bad	2,729	1.3	1.5	1.1		2.6
17 Total persons with a disability (PD)	24,369	11.6	13.0	10.2		18.2
18 PD with blindness or a serious vision impairment	1,870	7.7	8.7	7.7		9.7
19 PD with deafness or a serious hearing impairment	3,497	14.4	15.5	13.3		17.5
20 PD with a condition that limits basic physical activities	8,982	36.9	41.1	34.4		47.8
21 PD with an intellectual disability	2,639	10.8	9.7	7.4		11.5
22 PD with a difficulty in learning, remembering or concentrating	6,047	24.8	23.0	20.8		25.0
23 PD with psychological or emotional condition	3,998	16.4	16.1	13.4		19.5
24 PD with other disability including chronic illness	11,591	47.6	46.2	43.5		48.4
25 PD with a difficulty in dressing/bathing/getting around the home	4,745	19.5	21.1	18.0		26.1
26 PD with a difficulty in working or attending school/college	7,689	31.6	32.7	28.0		37.4
27 PD with a difficulty in going outside home alone	6,048	24.8	27.8	24.4		33.5
28 PD with a difficulty in participating in other activities	8,075	33.1	34.8	31.7		39.8
BIRTH AND NEONATAL STATISTICS						
29 Neonatal mortality by area of residence of mother 2012	12	3.3	2.7	0.0		9.4
30 Infant mortality by area of residence of mother 2012	13	3.5	3.5	1.1		9.4
31 Live births per 1,000 females aged under 20 by area of residence 2011	68	10.6	12.3	5.2		24.1
32 Births rate per 1,000 population registered in 2012	3,689	17.5	15.8	12.2		20.2
33 Breast feeding rates at time of discharge 2012	1,732	47.8	46.6	32.4		54.4

Facts and Health Summary

Kildare

Ireland Key:

	Ireland Average			
Lowest				Highest
	25th	Percentile	75th	

Key:

● Local Measure

Indicator	Local Number	Local Rate/%	Irl Avg	Irl Low	Ireland Range	Irl High
CANCER INCIDENCE AGE STANDARDISED RATES 2011						
34 Female all invasive except non malignant skin cancer	325	356.6	370.4	292.0		463.8
35 Male all invasive except non malignant skin cancer	401	510.9	480.1	370.3		561.4
36 Female incidence of malignant melanoma	22	24.7	19.7	4.9		29.0
37 Male incidence of malignant melanoma	20	20.9	18.3	3.2		25.9
38 Male incidence of malignant prostate cancer	132	167.5	159.8	110.9		211.2
39 Female incidence of malignant breast cancer	109	116.9	122.3	87.6		174.5
40 Female incidence of malignant colorectal cancer	34	39.0	40.0	24.7		63.7
41 Male incidence of malignant colorectal cancer	57	74.8	63.1	38.0		74.8
42 Female incidence of malignant lung cancer	35	39.6	37.2	12.9		58.5
43 Male incidence of malignant lung cancer	40	55.1	56.5	23.8		75.4
5 YEAR AGE STANDARDISED DEATHS 2008-2012						
44 Deaths heart disease and stroke - all ages	1,449	185.5	182.8	162.6		252.6
45 Deaths heart disease and stroke - under 65 years	247	30.8	32.7	26.0		37.4
46 Deaths heart disease and stroke - under 75 years	476	64.6	65.7	53.4		78.7
47 Deaths cancer - all ages	1,361	176.1	175.6	156.2		204.6
48 Deaths cancer - under 65 years	496	62.8	62.1	51.1		70.2
49 Deaths cancer - under 75 years	880	118.1	112.0	87.8		127.5
50 Deaths injuries and poisoning all ages	304	31.1	35.8	25.3		46.1
51 Deaths injuries and poisoning - under 65 years	243	25.8	30.8	22.3		43.4
52 Deaths injuries and poisoning - under 75 years	265	27.3	32.1	21.8		42.6
53 Deaths respiratory disease - all ages	502	65.3	64.9	51.8		84.6
54 Deaths respiratory disease - under 65 years	38	4.9	6.4	3.3		9.6
55 Deaths respiratory disease - under 75 years	122	17.7	17.8	12.3		25.4
56 All deaths - all ages	4,463	561.8	563.6	508.1		669.7
57 All deaths - under 65 years	1,274	152.6	163.9	133.8		192.3
58 All deaths - under 75 years	2,120	273.7	274.0	229.0		316.1
MENTAL HEALTH AND SELF HARM RATES PER 100,000						
59 Suicide by area of residence 2007-2013	n/a	11.2	11.3	5.6		17.8
60 Deliberate self harm males 2012	182	171.7	195.1	107.4		469.2
61 Deliberate self harm females 2012	237	222.1	228.0	141.4		527.8
62 Psychiatric In-patient all admission rate 2011	n/a	346.2	413.9	150.5		631.0
63 Psychiatric In-patient first time admission rate 2011	n/a	128.4	133.6	51.3		199.6
HOSPITAL IN-PATIENT DISCHARGE RATE PER 1,000 2012						
64 All discharges	61,602	292.9	334.8	244.3		508.9
65 Discharges malignant cancers	3,626	17.2	17.8	10.3		30.5
66 Discharges cardiovascular disease	3,119	14.8	16.9	12.3		25.6
67 Discharges respiratory disease	2,920	13.9	17.2	13.4		26.3
68 Discharges injuries and poisoning	2,215	10.5	12.2	10.2		17.7
IMMUNISATION UPTAKE 2012*						
69 Immunisation uptake at 24 months: 3rd 6 in 1	n/a	96.0	95.6	92.0		99.0
70 Immunisation uptake at 24 months: MMR1	n/a	94.0	93.3	90.0		98.0

Information

How to interpret the Spine tool

This user guide is designed to aid interpretation of the spine charts on pages 5 and 6 in the health profiles (2015). The spine charts were developed utilising a spine tool developed by the West Midlands Public Health Observatory which is now part of Public Health England. The following explanation on how to interpret these charts is adapted from a document published by the West Midlands Public Health Observatory.

A spine chart is a data visualisation technique to present a number of indicators for an area. Each indicator's statistics are scaled so that the indicator's Ireland average (mean) value forms one dark vertical central line on the chart. An area's value for each indicator is presented as a circle against a shaded background showing the range and inter-quartile range of the local authority values across Ireland.

Range and Inter-quartile range

Behind each local authority indicator value there is a shaded bar representing the range of values for local authorities across Ireland. The darker grey inner area of this bar represents the interquartile range. If areas were put in order of worst to best, the interquartile range would represent the worst and best values of the middle 50% of areas, i.e. those that are neither in the 25% worst nor the 25% best in all of Ireland. If the frequency distribution was a perfect normal distribution then the centre of the dark grey band (the median) would overlap the Ireland value (the mean) and the light grey tails would be equal length. The symmetry of the grey bars can give you a general indication of:

- where there is skew or outliers in a particular direction: the light grey tail will be greater on one side than the other and the dark grey band may also be off-centre. In extreme cases the dark grey band (the interquartile range) may not overlap the mean Ireland value as the centre of the interquartile range is the median rather than the mean average.
- If the majority of areas are very close to the Ireland value but others are more spread out (central dark grey band is much narrower than the length combined of the light grey tails).
- **Mean:** This is another word for the average. It is defined as the sum of the observations divided by the number of observations.
- **Median:** This is the middle value in a range of values which have been put in order of lowest to highest. It is used instead of the mean if the data is skewed.
- **Range:** The range is described as the smallest and largest observations.
- **Interquartile range:** This is the range where the middle 50% of the observations lie.
- **Normal distribution:** This describes data which have a symmetrical distribution, with a characteristic 'bell' shape. If you were to depict the data on a chart the chart would look symmetrical.

- **Skew:** This is used to describe data which does not have a symmetrical distribution. If you were to depict the data on a chart the chart would look lopsided or "skewed".

To watch a training video on Spine Tool interpretation click the link below:

<http://www.youtube.com/watch?v=480Mswgcg8M>

West Midlands Public Health Observatory (now Public Health England). Tools: Spine Chart Creator. Available online at <http://www.wmpho.org.uk/tools/> West Midlands Public Health Observatory. The Older People's Health and Wellbeing Atlas: User Guide (November 2012 update). Available online at http://www.wmpho.org.uk/olderpeopleatlas/Atlas/UserGuide_OlderPeopleAtlas.pdf

Definitions adapted from Public Health textbook on <http://www.healthknowledge.org.uk/>:

Additional information:

National Suicide Research Foundation further information on suicide and self harm is available at www.nsrif.ie

Infectious Disease Data for all notifiable diseases can be obtained from Health Protection Surveillance Centre

<http://www.hpsc.ie/AboutHPSC/AnnualReports/>

Further information on health determinants from Census data, such as housing, water supply, time to travel to work, pc ownership, car ownership etc. are available at www.cso.ie.

Acknowledgements:

Public Health England - Public Health England Health Profiles <http://www.apho.org.uk/>

West Midlands Public Health Observatory and to Jo Watson (SEPHO) and Doris Hain (ERPHO) for Spine Chart Tool V. 4 obtained at

<http://www.wmpho.org.uk/tools/>

For editorial input we would like to thank the following: Gemma Leane and Dr Julie Heslin (HSE South East); Paul Marsden, Carmel Brennan Dr. Ina Kelly (HSE Dublin Mid-Leinster); Judy Cronin, Dr. Breda Cosgrove, Heather Hegarty and Dr Mary T. O'Mahony (HSE South); Aishling Sheridan and Dr Patrick O'Sullivan (HSE North East); Dr Máire O'Connor (HSE East)

Health Profile created by:

Deirdre Goggin, Public Health HSE West,
Louise Cullen, Public Health HSE North West
Maeve O'Leary, Public Health HSE Mid-West.

HSE Public Health Profile Working Group:

HSE West: Dr Diarmuid O'Donovan, Dr David Evans, Deirdre Goggin.
HSE North West: Dr Louise Doherty, Dr Eve Robinson, Louise Cullen.
HSE Mid-West: Dr Marie Casey, Maeve O'Leary.

Enquiries and feedback on the health profile can be sent to ph.profile@hse.ie

Definitions and References

Page 1

Population, Population Change, Population Age Comparison - data is taken from the Census of Ireland 2011. www.cso.ie

Page 2.

Deprivation by Electoral Division, Trutz Haase Deprivation Index 2011. This is a composite measure based on the Census of Ireland 2011 – for more detailed information on composition data see www.pobal.ie.

Live Births and birth rate per 1,000 population for years 2007-2012. Sources: Report of Vital Statistics 2007, May 2010 Table 2.19. Report on Vital Statistics 2008, Feb 2011 Table 2.19. Report on Vital Statistics 2009, May 2012 Table 2.21. Report on Vital Statistics 2010, Nov 2012 Table 2.21. Report on Vital Statistics 2011, Oct 2013 Table 2.21. Vital Statistics 4th Quarter & Yearly Summary 2012, May 2013 Table 2.2. www.cso.ie.

Page 3-4

Live birth rate per 1,000 population to females under 20 years of age for years 2002, 2006, and 2011 census years. Note: 2011* is based on single year of age for census year 2011. Sources: Report on Vital Statistics 2002, Jan 2005 Table 2.2. Report on Vital Statistics 2006, June 2009 Table 2.2. Report on Vital Statistics 2011, Oct 2013 Table 2.2 www.cso.ie.

Age standardised hospital discharge rate per 100,000 population for the principal causes of disease – the number of in-patient & day case hospital discharges by area of residence for the years 2007-2011 per 100,000 population for the four principal diagnoses: Neoplasms (ICD 10 (C00-D48)); Diseases of the circulatory system (ICD 10 (I00-I99)); Diseases of the respiratory system (ICD 10 (J00-J99)); External causes (ICD 10 (S00 - T98 & V01 - Y89)). PHIS2013 H1. Age-standardised Data for Principal Diagnoses 1994-2011. Data Tools at Health Well <http://www.thehealthwell.info/data-resources>.

Age standardised mortality data for all ages and those aged under 75 males and females 2007-2012 for the principal causes of death. <http://www.thehealthwell.info/phis-tables>.

(Age-standardisation adjusts rates to take into account how many old or young people are in the population being looked at. When rates are age-standardised differences in the rates over time (in this case 5 years) or between geographical areas do not simply reflect variations in the age structure of the populations. If rates are not age-standardised, a higher rate in one county is likely to reflect the fact that it has a greater proportion of older people).

Page 5.

(1-28) Data taken from the Census of Ireland 2011. www.cso.ie

- (1) Percentage of population of this area as a percentage of the national population.
- (2) Percentage of population change between the Census of Ireland years 2006-2011.
- (3) Deprivation relative score. The calculated deprivation level for this area. A scoring is given to the area based on a national average of zero and ranging from roughly -40 (being most disadvantaged) to +40 (most affluent). For more information see www.pobal.ie.
- (4) Dependency ratio – the proportion of the population in the 0-14 and 65 years and over age groups as a proportion of the 15-64 age group.
- (5-7) Percentage of the population of this area in the 0-4, 5-14 and 65 years plus age groups.
- (8) Percentage of lone parent households over the total number of households.
- (9) Percentage of persons aged 15 and over who have either no formal education or whose highest level of education is at primary school level over the number of persons aged 15 and over who have ceased education.
- (10) Percentage of persons in labour force who are semi, unskilled or agricultural workers.
- (11) Percentage of persons aged 15-64 available in the labour force who are unemployed including first time job seekers.

- (12) Percentage of households which are local authority rented over the total number of households.
- (13-15) The percentage of persons of white Irish, Traveller and all "other ethnicity".
- (16) Percentage of persons who reported that their health is either bad or very bad.
- (17) Percentage of persons in this area who state they have a disability.
- (18-28) Percentage of persons with this type of disability out of all disabilities.
- (29) Neonatal mortality 2012 rates: Deaths of infants, under 28 days, per 1,000 live births, classified by area of residence of mother. Fourth Quarter and Yearly Summary 2012, May 2013 page 52 Table 2.14. www.cso.ie. Note: Neonatal mortality rates in some areas are based on very small numbers, which means they are subject to considerable fluctuation and caution should be exercised in their interpretation.
- (30) Infant mortality rates 2012: Deaths of infants under one year, per 1,000 live births, classified by area of residence of mother. Vital Statistics Fourth Quarter and Yearly Summary 2012, May 2013 Table 2.2. www.cso.ie. Note: Infant mortality rates in some areas are based on very small numbers, which means they are subject to considerable fluctuation and caution should be exercised in their interpretation.
- (31) Age standardised rate live births per 1,000 females under 20 for 2011. Note: based on single year of age for Census year 2011. Report on Vital Statistics 2011, Oct 2013 Table 2.2 www.cso.ie.
- (32) Births registered within the year of 2012 by area of residence of mother - Rate per 1,000 population. Note: Annual Rates based on 2012 population. Vital Statistics 2012 4th Quarter & Yearly Summary, May 2013 Table 2.2 www.cso.ie.
- (33) Breast feeding rates by Infant's type of feeding on discharge, numbers and percentages of Total live births. Perinatal Statistics Report 2012, Health Research and Information Division, ESRI November 2013 www.esri.ie.

Page 6.

- (34-43) Cancer European age standardised incidence rates per 100,000 for 2011. National Cancer Registry Ireland – Data and Statistics. www.ncri.ie/. Note: NMSC -Non Malignant Skin Cancers.
- (44-58) 2008-2012 5 year age standardised mortality rate per 100,000 for the principal causes of death. <http://data.thehealthwell.info/NTI/indicators/tables>.
- (59) Suicide rate per 100,000 by area of residence Ireland and Counties for 2007-2013 -National Suicide Research Foundation www.nsrif.ie.
- (60-61) Male and female deliberate self harm age standardised rate per 100,000 by city and county per registry report, 2012. www.nsrif.ie.
- (62-63) Psychiatric Inpatient Admission rates per 100,000 and Psychiatric Inpatient first time admission rate per 100,000 2011. Data Tools at Health Well <http://www.thehealthwell.info/data-resources>
- (64-68) Number of Patients discharged by area of residence by principal diagnosis crude rate per 1,000 population 2012. : Neoplasms (ICD 10 (C00-D48)); Diseases of the circulatory system (ICD 10 (I00-I99)); Diseases of the respiratory system (ICD 10 (J00-J99)); External causes (ICD 10 (S00 - T98 & V01 - Y89)). Data Tools at Health Well <http://www.thehealthwell.info/data-resources>.
- (69-70) Immunisation uptake at 24 months for 3rd dose of 6 in 1 and 1st dose of MMR for 2012. Health Protection Surveillance Centre <http://www.hpsc.ie/A-Z/VaccinePreventable/Vaccination/immunisationUptakeStatistics>