



ELSEVIER

Contents lists available at ScienceDirect

Women and Birth

journal homepage: www.elsevier.com/locate/wombi



Review article

Women's experiences of their maternity care: A principle- based concept analysis

Claire Beecher^{a,*}, Declan Devane^a, Mark White^b, Richard Greene^c, Maura Dowling^a

^aSchool of Nursing and Midwifery, National University of Ireland, Galway, Ireland

^bProgramme for Health Service Improvement, Health Service Executive, Dublin, Ireland

^cNational Perinatal Epidemiology Centre, Dept. of Obstetrics and Gynaecology, Cork University Maternity Hospital, Cork, Ireland

ARTICLE INFO

Article history:

Received 29 May 2019

Received in revised form 3 October 2019

Accepted 4 November 2019

Available online xxx

Keywords:

Experiences of care

Maternity care

Midwifery

Nursing

Concept analysis

ABSTRACT

Background: Despite many countries employing the use of national and large scale regional surveys to explore women's experiences of their maternity care, with the results informing national maternity policy and practice, the concept itself is ambiguous and ill-defined having not been subject of a structured concept development endeavour.

Aim: The aim of this review is to report on an in-depth analysis conducted on the concept of 'women's experiences of their maternity care'.

Methods: Using the principle-based method of concept analysis by Penrod and Hupcey (2005), the concept of 'women's experiences of their maternity care' was analysed under the epistemological, pragmatic, linguistic and logical principles. The final dataset included 87 items of literature published between 1990 and 2017 retrieved from a systematic search of the MEDLINE, CINAHL, EMBASE and PSYCinfo databases.

Findings: The epistemological principle identified that a theoretical definition of the concept is elusive with a variety of implicit meanings. The pragmatic principle supports the utility of the concept in scientific literature, however the lack of a theoretical definition has led to inconsistent use of the concept, as highlighted by the linguistic principle. Furthermore, the logical principle highlighted that as the concept lacks definition blurring is identifiable when theoretically positioned with related concepts.

Conclusion: The outcome of this concept analysis is a theoretical definition of a previously undefined concept. This definition highlights the subjective nature of the concept, its dependency upon a woman's individual needs, expectations and circumstances and the influence of the organisation and delivery of maternity care.

© 2019 The Authors. Published by Elsevier Ltd on behalf of Australian College of Midwives. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Statement of significance

Problem or issue

The concept of 'women's experiences of their maternity care' is ambiguous and has not been examined in the context of a structured concept analysis to date.

What is already known

Since the 1960s there has been a growing focus on the measurement of people's experiences of health care to inform quality assurance and improvement. More recently, the measurement of women's experiences of their maternity care has dominated the literature in relation to the

measurement of maternity care quality. The value of this measurement has been recognised internationally with many countries using nationwide surveys to assess women's experiences of their maternity care with the results informing national policy and practice.

What this paper adds

The concept of 'women's experiences of their maternity care' was analysed under the epistemological, pragmatic, linguistic and logical principles as per the principle-based method of concept analysis by Penrod and Hupcey (2005). The outcome of this analysis is a theoretical definition of a previously undefined concept that serves as a foundation for future research.

* Corresponding author at: School of Nursing and Midwifery, Room 234, Aras Moyola, National University of Ireland, Galway, Ireland.

E-mail addresses: c.beecher1@nuigalway.ie (C. Beecher), declan.devane@nuigalway.ie (D. Devane), vpresearch@wit.ie (M. White), R.Greene@ucc.ie (R. Greene), maura.dowling@nuigalway.ie (M. Dowling).

<http://dx.doi.org/10.1016/j.wombi.2019.11.001>

1871-5192/© 2019 The Authors. Published by Elsevier Ltd on behalf of Australian College of Midwives. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Introduction

A paradox of modern healthcare is that as healthcare knowledge advances, bringing with it considerable benefits, the

delivery of healthcare has become increasingly complex and fragmented. Since the 1960s, the growing focus on the measurement, recording, interpretation and analysis of people's experiences of healthcare has been described as an attempt to "address the imbalance of knowledge, skills, and research effort with the aim of making care more patient-centred",¹ p.8. People's experiences of care are now regarded widely as a fundamental component of healthcare quality assurance and improvement.² This is evident within maternity services where the concept of women's experiences of their maternity care dominates discussions on the measurement of maternity care quality.

The value of evaluating the quality of maternity care from the perspective of service users has been recognised by many countries including the UK,^{3,4} USA⁵ and Australia,⁶ who have employed the use of large scale regional surveys to explore women's experiences of their maternity care with findings informing maternity policy and practice. However, despite the recognition of the significance of women's experiences of their maternity care,^{7–10} the concept itself is ambiguous.

The ambiguity surrounding the meaning and use of the concept became apparent when performing preliminary searches of the concept prior to embarking on a research project to develop a self-report survey instrument for use within the Republic of Ireland specifically to evaluate women's experiences of their maternity care, namely, the National Maternity Experience Survey (see www.yourexperience.ie/maternity); the results of which will be used to influence national maternity policy and practice.

Following consideration and comparison of numerous methods of interrogating the literature, and given that "the primary utility of concept analysis is to determine the existing state of the science so that further work may be strategically and appropriately planned",¹¹ a concept analysis was undertaken to optimise effective application of the concept to theory, practice and research.^{12–14}

The aim of this paper is to present the findings of a concept analysis of 'women's experiences of their maternity care'.

Methods

It is argued that in relation to concept analysis "the selection of methods must be based on sound philosophical rationale and appropriateness for the purpose of the study",¹⁵ p.31. Consequently, the principle-based concept analysis method by Penrod and Hupcey¹¹ has guided the analysis of this concept. This method provides a robust means to determine the state of the science surrounding the concept at a given point in time. Principle based concept analysis focuses exclusively on the use of empirical literature, rather than interpretations from media, art forms or other representations.¹¹ Retrieved literature is analysed in accordance with four principles that represent the philosophical perspectives of epistemology, pragmatics, linguistics and logic. The degree to which the criteria of each is met by the concept of 'women's experiences of their maternity care' indicates the level of advancement, and maturity, of the concept. The outcome of the analysis is a theoretical definition of the concept as evident in the empirical literature, described as the "best estimate of probable truth",¹¹ p.404. By defining the best estimate of probable truth, gaps are identified and used as a guide to inform future concept advancement research.¹⁶

Data sources

The citation databases MEDLINE, CINAHL, EMBASE and PSYCinfo were searched systematically within the time limit of 1990 to May 2017. Previous research has deemed the inclusion of data from 1990 onwards sufficient to capture the evolving recognition of the importance of women's experiences to the

woman and her family.¹⁷ Penrod and Hupcey¹¹ recommend the inclusion of scientific literature originating from disciplines relevant to the concept being analysed. Based on the multidisciplinary nature of maternity care, and as such the potential of literature from these disciplines for contributing to the analysis of the concept, literature was sought from within the disciplines of midwifery, obstetrics, nursing, medicine, psychology and sociology. However, the majority of literature retrieved originated from within the midwifery domain.

Keywords and phrases used to guide the search were 'women* experience*', '(women*) N5 (opinion* OR perspective* OR perception* OR attitude* OR perceiv*)', 'antenatal care', 'prenatal care', 'intrapartum care', 'postnatal care', 'obstetric care', 'maternity care', 'childbirth'. N5 represents the number of words that could appear between keywords/phrase. Truncation, wildcard and proximity functions were used in accordance with the guidelines of each individual database. Boolean logic was used to combine search strings.

Papers were eligible for inclusion if they were primary research, in English, and focused upon either women's experiences of their maternity care or terms that are often used interchangeably with 'experiences' including women's opinions on, perspective on or perception of their maternity care. Papers that focused on women's experiences of their maternity care in general, as opposed to a focus on care received from a specific profession, e.g. midwives were also included. Furthermore, papers that focus on multiple experiences of maternity care, as opposed to just one were included. For example, 'women's experiences of care during labour and birth' would be included, but 'women's experience of care during caesarean section' would not be included. This criterion has been influenced by the work of Kalmakis and Chandler¹⁸ and has been included to maintain the intent of analysing the concept of women's experiences of maternity care as a plural term.

Conversely, papers were excluded if they were deemed as being non-empirical data, if they focused solely on women's satisfaction with their maternity care, rather than their experience of that care or if they focused on a woman's maternity experience, rather than their experiences of their maternity care during that period. Finally, papers that addressed childbirth experiences that merit specific consideration, for example stillbirths, were excluded as, while important, these experiences require approaches focused on the particular needs and experiences of women in these groups.

Findings

Searches yielded 2184 citations after the removal of duplicates. Following title and abstract screening by two authors (CB and MD), 2053 citations were excluded based on the predetermined exclusion and inclusion criteria.

A full text review (CB) of the remaining 131 papers resulted in a further 44 exclusions. These results are documented within the PRISMA flow diagram (Fig. 1).¹⁹

The final dataset comprised of 87 papers addressing the concept of 'women's experiences of maternity care'. Key aspects of each paper (complete citation, important quotes, etc.) were exported to a spreadsheet developed specifically to facilitate the analysis of this concept. The individual analysis of each paper was also added to this file allowing for easy access to, and comparison of, a relatively large dataset.

Each paper within the final dataset was analysed (by CB and confirmed by MD) using the epistemological, pragmatic, linguistic and logical principles outlined by Penrod and Hupcey.¹¹ Please see Table 1 for definitions of each of the four guiding principles and a description of their application to the concept. The findings of these four principles are presented in the following section. The conceptual components attributed to the concept, as revealed




Fig. 1. PRISMA flow diagram.

Table 1
Definitions of the guiding principles and their application to the concept.

Principle	Definition of principle provided by Penrod and Hupcey	Description of the application of principle to the concept 'women's experiences of their maternity care'
Epistemological principle	"Epistemology refers to the nature of knowledge. The related analytic criterion is rooted the rationalists' reliance on reason as a source of knowledge. When applied to concept analysis, the epistemological principle focuses on the discipline's distinction of a concept within the knowledge base" ¹⁵ p. 405	The epistemological maturity of 'women's experiences of their maternity care' guided an examination of how clearly the concept has been defined in the scientific literature and how well it has been differentiated from other concepts.
Pragmatic principle	"Focusing on pragmatics, that is, on the concept's applicability in explaining or describing phenomena encountered within the discipline, the data are analysed from the perspective of usefulness. For a concept to be pragmatically mature, members of the discipline should be able to recognize manifestations of the concept; it should ring true with experience" ¹⁵ p.405	The pragmatic principle was used to describe 'women's experiences of their maternity care' as encountered in the scientific literature and its usefulness to midwifery.
Linguistic principle	"Linguistics refers to human speech and language and, when applied to concept analysis, this principle evaluates the appropriate use of the concept. In this assessment, consistency in use and meaning are considered. There is also a more oblique consideration of context, examining the fit of the concept within context (Penrod 2001b). Concepts should be appropriate to their use in context; however, in this sense, context is a more complicated issue than merely the setting. Concepts may be context-bound (that is, limited to a pre-scribed setting or theoretical use) or stripped of context (stripped of contextual ties, of broader scope, more abstract)" ¹⁵ p. 406.	The linguistic principle was used to evaluate whether the consistency of use and meaning of the concept of 'women's experiences of their maternity care' was maintained in the scientific literature.
Logical principle	"Derived through the philosophical perspectives of logic, that is, focused on correct and incorrect reasoning, this principle refers to the integration of the concept with related concepts. Focusing on conceptual boundaries, the data are analysed to determine if the concept becomes blurred when positioned theoretically with other concepts" ¹⁵ p. 406	The logical maturity of 'women's experiences of their maternity care' was evaluated based on the how well the concept held its boundaries when theoretically integrated with related concepts.

through this analysis, are then discussed and finally all findings are summated in a theoretical definition.

Epistemological principle

The epistemological principle guided an exploration of how well defined the concept of 'women's experiences of their maternity care' is within the empirical literature and how well differentiated it is from other concepts. Despite the recognition of the significance of the concept, no explicit definition of the concept was evident within the literature retrieved. However, implicit meaning contributes to the identification of the key aspects defining this evidently complex concept.

Penrod and Hupcey¹¹ have highlighted that concepts within the realm of healthcare may manifest differently at various stages of the health trajectory. This is especially true for the concept analysed here as women's experiences of their maternity care encapsulates the antenatal, intranatal and postnatal periods during which numerous models of care and services can be encountered with several professions and professionals at various timepoints.^{20–25} As such, the concept is multifaceted and diversely manifested throughout each individual woman's pregnancy and the postpartum period.^{26–29}

The concept of women's experiences of their maternity care is referred to consistently, and at times interchangeably, throughout the literature with 'women's perceptions of their maternity care'^{30–36} and 'women's views of their maternity care'^{20,37,38} highlighting the ambiguous nature of the concept.^{38–40}

Given this ambiguity, it is unsurprising that the majority of the literature retrieved focused on the measurement of women's individual experiences of the maternity care they received.^{21,37,41–46} Measuring experiences of care can be accomplished using mixed methods, quantitative or qualitative approaches. The literature retrieved included 44 qualitative, 30 quantitative and 13 multi or mixed method studies.

Penrod and Hupcey¹¹ have stated that a concept is epistemologically mature when well defined and well differentiated from other concepts. We believe the concept of 'women's experiences of their maternity care' is epistemologically immature with differentiation from similar concepts often unclear.

Pragmatic principle

The pragmatic principle focused on exploring the applicability of the concept of 'women's experiences of their maternity care' in explaining or describing the phenomenon from the perspective of how it is used.¹¹ Considering the range, depth and frequency of the application of the concept of 'women's experiences of their maternity care', the utility of the concept appears high.

Throughout the literature, the 'use' of the concept is related to the subjective measurement of women's experiences, perception or views of various aspects of the maternity care that has been delivered to them. The concept has, for example, been measured in terms of organisational factors including access and referral to maternity services,^{31,47,48} organisation of care (waiting times, hospital food),^{49,50} human and physical resources (medicines, water, electricity, staff),^{31,51,52} continuity of care,^{37,53–55} privacy^{33,35} and cost of care.^{24,33}

Interpersonal aspects of the concept that have been measured throughout the literature include cognitive support (information sharing, informed choice, consent),^{21,56–58} perception of control,^{7,21,57} emotional support,^{44,58,59} being treated with respect and dignity^{60–63} and staff having the knowledge and ability to inspire confidence.^{24,25,42,48,54,64}

Furthermore, the concept has been used to describe the measurement of physical interventions throughout maternity care

for example induction and augmentation of labour,^{23,44,65} pain management (pharma logical/ non pharma logical),⁴⁷ labour interventions (birthing position, episiotomy)^{29,44,65} and management of the third stage of labour.²³

There is robust evidence of a high utility of the concept of 'women's experiences of their maternity care' throughout the empirical literature, suggesting that women's experience is influenced by organisational, interprofessional and birth intervention elements. Even in the absence of a precise definition, these elements suggest development in the concept's pragmatic maturity.

Linguistic principle

The appropriate and consistent use of the concept of 'women's experiences of their maternity care' is explored through the linguistic principle along with the fit of the concept in context.¹¹

The concept of women's experiences of their maternity care is dependent on the individual woman who is a consumer of the care, and the actual care delivered. This is evident throughout the empirical literature with a wide variation of factors attributed to the interpretation of the concept across the continuum of maternity care.

Women's individual circumstances play a significant role in their experience of their maternity care.⁶⁶ It is evident that although women may experience the same maternity care within the same maternity service, their interpretation of this can vary widely.^{28,54} This has been attributed to women's diverse needs,^{33,67} expectations,^{40,52} socio economic statuses,^{32,33,37,68,69} whether they reside in an urban versus rural setting,⁷ level of education,^{31,70,71} age,⁶⁵ marital status,⁶⁰ previous experiences such as abuse,⁶⁰ previous experiences of maternity care^{28,40,70,72} and the risk status of their pregnancy.⁷

Linguistic analysis of consistency in meaning has identified that culture makes a significant contribution to the complexity of this concept and the way in which it is interpreted.^{54,58,70,73,74} Cultural norms lead to variation in the standard of care provided to women with studies from India, Cambodia and Zambia each reporting the lack of availability of medicines, equipment, water, electricity and skilled staff as normal experiences for women as part of their maternity care experiences.^{31,71,75} This is in contrast to the standard of care provided routinely and expected in developed countries.^{20,22,23,30,49,69}

Inconsistency is also apparent in relation to the timing of data collection across studies. Whilst it has been acknowledged that a woman's reported experience of her maternity care is influenced by when she is asked,^{35,42,43} an optimal timing has not been recommended within the retrieved literature. Considering the complex trajectory of maternity care and the various aspects of women's experiences of their care that are evaluated, this absence may be attributed to the inappropriateness of having a single optimum timing for data collection. Consequently, dependant on the aspect of care being evaluated data collection timings varied from antenatally,^{22,30} prior to discharge postnatally,^{35,44,54,58,60,64} up to 3 months post-partum,^{24,41,76} between 3 months and one year postpartum^{20,43} and up to two and a half years postpartum.^{42,56,74}

The implied meaning of the concept of 'women's experiences of their maternity care' within the retrieved literature is inconsistent. The concept is complex and may be interpreted differently depending on numerous factors which ultimately limits generalisability, therefore we are suggesting that it is linguistically underdeveloped.

Logical principle

The logical principle explores the theoretical integration of the concept of 'women's experiences of their maternity care' with

related concepts.¹¹ Given that the concept has been found to be epistemologically immature, it is unsurprising that at times the boundaries between it and other related concepts appear blurred.

The blurring between, and interchangeable use of the concept with, concepts such as 'women's perceptions of their maternity care'^{30–36} and 'women's views of their maternity care'^{20,37,38} has been identified previously. It is also evident that the concept is bound tightly with the concepts of 'women's satisfaction with their maternity care'^{7,20,40,42,48,76} and 'quality of maternity care'.^{44,46,56,65,77}

The quality of maternity care can be measured from a number of perspectives including clinical outcomes such as morbidity and mortality, cost and efficiency of the service and service user feedback.⁴⁴ The measurement of 'women's experiences of their maternity care' and 'women's satisfaction with their maternity care' are two methods regularly utilised to evaluate service user feedback.

Despite the concepts of both 'women's experiences of their maternity care' and 'women's satisfaction with their maternity care' being considered widely as a marker for quality care^{78,79} there are significant differences in the underlying approaches to the measurement of each. The measurement of 'women's satisfaction with their maternity care' has been criticised in the retrieved literature as being limited in its usefulness to understanding and improving quality care.^{7,27} This criticism focuses upon a tendency to extract high reported level of contentment and acquiescence bias that may mask critical issues.^{22,27,67} As satisfaction with care has generally been found to be reported as high, regardless of the actual quality of care that was being provided, focus has shifted from the measurement of 'women's satisfaction with their maternity care' to 'women's experiences of their maternity care' as a means to elicit more specific and relevant reports on the quality of maternity care received.²⁷

It is clear that the concept of 'women's experiences of their maternity care' is closely related to, yet a separate entity from, the concepts of 'women's satisfaction with their maternity care' and 'quality of care'. However, the apparent blurring between the concept being analysed and 'women's perception of their maternity care' and 'women's views of their maternity care' highlights that clear conceptual boundaries between each of these latter concepts do not exist. Consequently, we propose that the concept of 'women's experiences of their maternity care' is judged logically immature.

Summary of principle-based analysis

The evidence reviewed supports the utility of the concept of 'women's experiences of their maternity care' (pragmatic principle) yet the lack of a precise definition of the concept, and as such the reliance on implied meaning (epistemological principle), had led to inconsistent use of a concept (linguistic principle) that blurs when theoretically positioned with other concepts (logical principle).

Conceptual components of 'women's experiences of their maternity care'

Through the analysis of 'women's experiences of their maternity care', conceptual components attributed to the concept are identified. These are categorised as antecedents (preconditions that influence the concept) and consequences (effects of the concept).

Antecedents

The physical antecedent to women's experiences of maternity care is pregnancy. Once pregnant, a woman accesses and

experiences maternity care. There are, however, barriers to this care. These may be practical such as being unaware of why, where and how to access services,^{40,48,80} difficulty in physically attending the services due to personal circumstances^{50,75,81} or being unable to afford to pay for those services.^{38,75,82} There may be perceived barriers to care such as fear of experiencing disrespectful or abusive care^{29,60} and culturally inappropriate care, for example the unavailability of female staff for women who did not want to be treated by male staff due to their cultural beliefs.^{59,80}

Affective antecedents to women's experiences of their maternity care are a woman's needs and expectations of their maternity care. Each has a significant effect on a woman's individual interpretation of their experiences of care. Akin to Maslow's hierarchy of needs,⁸³ women's maternity care needs, based on their personal and cultural circumstances, vary widely from basic needs such as food, water, medicines and electricity³¹ to self-actualisation needs such as feeling in control of their maternity care and the choices that are to be made as part of that care.^{7,21,68,77}

Similarly, women's expectations of their maternity care are affected by their personal and cultural circumstances including their previous experience of maternity care,^{42,81,84} the standard of maternity care provided^{35,46} and personal preparation.²¹

Consequences

Consequences of women's experiences of their maternity care are based upon each woman's interpretation of that care. The perception of either negative and positive experiences of maternity care carry the potential to influence a woman's future development as a woman and mother.⁷⁴ More specifically, positive experiences of maternity care can lead to a woman's increased self-confidence,^{30,63} improved concordance with and attendance at maternity care services⁷⁰ and improved outcomes.⁴³ Conversely, negative experiences of maternity care can lead to women feeling alone, hurt, afraid, angry and anxious^{28,34,42,85,86} which promotes distrust of maternity services affecting future use.^{21,30,48,50,61}

Theoretical definition

The concept of 'women's experiences of their maternity care' is ambiguous. Through the integration of theoretical insights from the literature, this concept analysis has revealed a greater understanding of the complex and multi-dimensional nature of, and the interaction between, the concept, its antecedents and subsequent consequences. This understanding has facilitated the development of the following theoretical definition;

'Women's experiences of their maternity care' is a complex concept referring to women's interpretation of their care encounters within the maternity services. It is subjective in nature and evolves throughout the course of pregnancy, childbirth and the postpartum period. It is dependent upon a woman's individual needs and expectations, shaped by their personal circumstances and influenced by how their care is organised and delivered.'

Discussion

The purpose of the analysis of 'women's experiences of their maternity care' using the principle based method by Penrod and Hupcey¹¹ was to reveal the current state of empirical knowledge surrounding this concept in order to facilitate its advancement. Although it is evident that much work has taken place on defining people's experiences of healthcare in general,^{87,88} these definitions are not applicable directly to the area of maternity care as the spectrum of care varies significantly.

Despite the utility of the concept being high, and the recognition of the importance of women's experiences of their maternity care evident from a recent policy guideline published by the World Health Organization,¹⁰ a conceptually derived definition of the concept was absent from the literature and implicit meaning abounds. This affects the epistemological maturity of the concept directly and the differentiation between it and related concepts such as 'women's perception of their maternity care' and 'women's views of their maternity care', emphasising the need for the development of a universally accepted definition.

Through analysis of the concept under the epistemological and pragmatic principles, its multifaceted nature is highlighted with the concept encompassing organisational and interpersonal aspects of care as well as physical interventions throughout the continuum of maternity care. Through an examination of the linguistic principle and the identification of the concept's antecedents and consequences, it is evident that these aspects of care are context dependant with interpretations of the concept reliant on a woman's needs and expectations of care, as influenced by individual circumstances. This clearly accentuates the impact that individualised maternity care has upon each woman's perceived experience of that care.

The frequent measurement of 'women's experience of their maternity care' has been identified throughout this analysis as a means for assessing quality care. Furthermore, within the logical principle the contrast between this measurement (report of actual care) and that of the concept of 'women's satisfaction with their maternity care' (contentment with care) has been highlighted.

Conclusion

Despite the international focus on the concept of 'women's experiences of their maternity care', as evidenced from the inclusion in this analysis of literature from 25 different countries, it is apparent that this concept is philosophically immature. This immaturity stems from the lack of a definitive agreed definition of the concept, ultimately hindering its effective utility. Further advancement of the concept of 'women's experiences of their maternity care' has the potential to facilitate greater utility for research application. This concept analysis, and theoretical definition, serve as a foundation for future research, particularly in defining this evidently complex concept.

Conflict of interest

I confirm that there are no potential conflicts of interest arising from the authors (CB, DD, MW, RG & MD) of this manuscript.

Sources of outside support for research- funding

Claire Beecher (corresponding author) is being funded by the Programme for Health Service Improvement, Health Service Executive. Dr. Mark White, Programme Integration Manager, of this programme has contributed as a co- author on this manuscript. No other contribution by this funding body was made to this manuscript.

Ethical statement

Not applicable/required.

Acknowledgements

The corresponding author is being funded by the Programme for Health Service Improvement, Health Service Executive. The Programme Integration Manager of this programme has

contributed as a co- author on this manuscript. No other contribution by this funding body was made to this manuscript.

References

- 1 C. Coulter, Understanding the experience of illness and treatment, in: S. Ziebland, C. Coulter, J.D. Calabrese, L. Locock (Eds.), *Understanding and Using Health Experiences*, Oxford University Press, Oxford, 2013, pp. 6–16.
- 2 H.J. Sixma, J.J. Kerssens, C.V. Campen, L. Peters, Quality of care from the patients' perspective: from theoretical concepts to a new measuring instrument, *Health expectations: an international journal of public participation in health care and health policy* 1 (2) (1998) 82–95.
- 3 Care Quality Commission (CQC), *Maternity Services Survey 2015*, (2015) . <http://www.cqc.org.uk/content/maternity-services-survey-2015>.
- 4 National Perinatal Epidemiology Unit, *National Maternity Surveys*, (2017) . <https://www.npeu.ox.ac.uk/maternity-surveys>.
- 5 E. Declercq, C. Sakala, M. Corry, S. Applebaum, A. Herrlich, *Listening to Mothers SM III: New Mothers Speak Out*, Childbirth Connection, New York, 2013.
- 6 Bureau of Health Information, *Patient Perspectives – Experiences of Maternity Care in NSW Public Hospitals, January to December 2015*, Bureau of Health Information, Sydney (NSW), 2017.
- 7 M.G. Jenkins, J.B. Ford, J.M. Morris, C.L. Roberts, Women's expectations and experiences of maternity care in NSW – what women highlight as most important, *Women Birth* 27 (3) (2014) 214–219.
- 8 R.D. Maimburg, M. Vaeth, H. Dahlen, Women's experience of childbirth - A five year follow-up of the randomised controlled trial "Ready for Child Trial", *Women Birth* 29 (5) (2016) 450–454.
- 9 L. Lewis, Y.L. Hauck, F. Ronchi, C. Crichton, L. Waller, Gaining insight into how women conceptualize satisfaction: western Australian women's perception of their maternity care experiences, *BMC Pregnancy Childbirth* 16 (2016) 29.
- 10 World Health Organization, *WHO Recommendations: Intrapartum Care for a Positive Childbirth Experience*, World Health Organization, Geneva, 2018.
- 11 J. Penrod, J.E. Hupcey, Enhancing methodological clarity: principle-based concept analysis, *J. Adv. Nurs.* 50 (4) (2005) 403–409.
- 12 J.E. Hupcey, J. Penrod, Concept analysis: examining the state of the science, *Res. Theory Nurs. Pract.* 19 (2) (2005) 197–208.
- 13 A.I. Meleis, *Theoretical Nursing: Development and Progress*, 4th ed., Lippincott, Williams & Wilkins, Philadelphia, 2007.
- 14 M.A. Baldwin, Concept analysis as a method of inquiry, *Nurse Res.* 15 (2) (2008) 49–58.
- 15 B.L. Rodgers, Philosophical foundations of concept development, in: B.L. Rodgers, K.A. Knafl (Eds.), *Concept Development in Nursing: Foundations, Techniques and Applications*, 2nd ed., Saunders, Philadelphia, 2000, pp. 7–37.
- 16 J. Penrod, J.E. Hupcey, Concept advancement: extending science through concept-driven research, *Res. Theory Nurs. Pract.* 19 (3) (2005) 231–241.
- 17 P. Larkin, C.M. Begley, D. Devane, Women's experiences of labour and birth: an evolutionary concept analysis, *Midwifery* 25 (2) (2009) e49–e59.
- 18 K.A. Kalmakis, G.E. Chandler, Adverse childhood experiences: towards a clear conceptual meaning, *J. Adv. Nurs.* 70 (7) (2014) 1489–1501.
- 19 D. Moher, A. Liberati, J. Tetzlaff, D.G. Altman, Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement, *Bmj* 339 (2009) b2535.
- 20 S. Brown, J. Lumley, Changing childbirth: lessons from an Australian survey of 1336 women, *Brit. J. Obstet. Gynaec.* 105 (1998).
- 21 S.R. Baker, P.Y. Choi, C.A. Henshaw, J. Tree, 'I Felt as though I'd been in Jail': Women's Experiences of Maternity Care during Labour, Delivery and the Immediate Postpartum, *Fem. Psychol.* 15 (3) (2005) 315–342.
- 22 C.S.E. Homer, G.K. Davis, P.M. Brodie, What do women feel about community-based antenatal care? *Aust. N. Z. J. Public Health* 24 (6) (2000) 590–595.
- 23 A.J. Macfarlane, L. Rocca-Ihenacho, L.R. Turner, Survey of women's experiences of care in a new freestanding midwifery unit in an inner city area of London, England: 2. Specific aspects of care, *Midwifery* 30 (9) (2014) 1009–1020.
- 24 S. Anwar, R. Jan, R.N. Qureshi, S. Rattani, Perinatal women's perceptions about midwifery led model of care in secondary care hospitals in Karachi, Pakistan, *Midwifery* 30 (3) (2014) e79–e90.
- 25 A.L. Todd, A.J. Ampt, C.L. Roberts, 'Very Good' Ratings in a Survey of Maternity Care: Kindness and Understanding Matter to Australian Women, *Birth Issues Perinatal Care* 44 (1) (2017) 48–57.
- 26 W. Sword, M.I. Heaman, S. Brooks, et al., Women's and care providers' perspectives of quality prenatal care: a qualitative descriptive study, *BMC Pregnancy Childbirth* 12 (1) (2012) 29.
- 27 T.A. Wieggers, The quality of maternity care services as experienced by women in the Netherlands, *BMC Pregnancy Childbirth* 9 (2009) 18.
- 28 E.C. Heberlein, A.H. Picklesimer, D.L. Billings, S. Covington-Kolb, N. Farber, E.A. Frongillo, Qualitative comparison of women's perspectives on the functions and benefits of group and individual prenatal care, *J. Midwifery Womens Health* 61 (2) (2016) 224–234.
- 29 H.E. Rosen, P.F. Lynam, C. Carr, et al., Direct observation of respectful maternity care in five countries: a cross-sectional study of health facilities in East and Southern Africa, *BMC Pregnancy Childbirth* 15 (2015) 1–11.
- 30 C.A. Bäckström, L.B. Mårtensson, M.H. Golsäter, S.A. Thorstenson, "It's like a puzzle": Pregnant women's perceptions of professional support in midwifery care, *Women Birth* 29 (6) (2016) e110–e118.
- 31 S. Bhattacharyya, A. Issac, P. Rajbangshi, A. Srivastava, B.I. Avan, "Neither we are satisfied nor they"-users and provider's perspective: a qualitative study of

- maternity care in secondary level public health facilities, Uttar Pradesh, India, *BMC Health Serv. Res.* 15 (1) (2015) 1–13.
- 32 M. De Marco, S. Thorburn, W. Zhao, Perceived discrimination during prenatal care, labor, and delivery: an Examination of Data from the Oregon Pregnancy Risk Assessment monitoring System, 1998–1999, 2000, and 2001, *Am. J. Public Health* 98 (10) (2008) 1818–1821.
- 33 M. Gheibzadeh, H.A. Abedi, E. Mohammadi, P. Abedi, Iranian women and care providers' perceptions of equitable prenatal care, *Nurs. Ethics* 23 (4) (2016) 465–477.
- 34 S. Halldorsdottir, S.I. Karlsdottir, Empowerment or discouragement: women's experience of caring and uncaring encounters during childbirth, *Health Care Women Int.* 17 (4) (1996) 361–379.
- 35 L.C. Kumbani, E. Chirwa, A. Malata, J.O. Odland, G. Bjune, Do Malawian women critically assess the quality of care? A qualitative study on women's perceptions of perinatal care at a district hospital in Malawi, *Reprod. Health* 9 (1) (2012).
- 36 T. McAre, C. McCourt, S. Beake, Perceptions of group practice midwifery from women living in an ethnically diverse setting, *Evidence Based Midwifery* 8 (3) (2010) 91–97.
- 37 S. Beake, L. Acosta, P. Cooke, C. McCourt, Caseload midwifery in a multi-ethnic community: the women's experiences, *Midwifery* 29 (8) (2013) 996–1002.
- 38 N.P. Shabila, H.M. Ahmed, M.Y. Yasin, Women's views and experiences of antenatal care in Iraq: a Q methodology study, *BMC Pregnancy Childbirth* 14 (1) (2014).
- 39 I. Hildingsson, J.E. Thomas, Women's perspectives on maternity services in Sweden: processes, problems, and solutions, *J. Midwifery Womens Health* 52 (2) (2007) 126–133.
- 40 P.L. Rice, C. Naksook, The experience of pregnancy, labour and birth of Thai women in Australia, *Midwifery* 14 (2) (1998) 74–84.
- 41 P. Simic, I.J. Benett, D. Garrod, Women's experience of maternity care in an inner city: a team-based qualitative study, *Midwives* 108 (1285) (1995) 38–41 (13558404).
- 42 T. Bondas, Finnish women's experiences of antenatal care, *Midwifery* 18 (1) (2002) 61–71.
- 43 S.J. Brown, D. Weetra, K. Glover, et al., Improving aboriginal women's experiences of antenatal care: findings from the Aboriginal families study in South Australia, *Birth Issues Perinatal Care* 42 (1) (2015) 27–37.
- 44 R. Hatamleh, I.A. Shaban, C. Homer, Evaluating the experience of Jordanian women with maternity care services, *Health Care Women Int.* 34 (6) (2013) 499–512.
- 45 J. Henderson, M. Redshaw, Change over time in women's views and experiences of maternity care in England, 1995–2014: a comparison using survey data, *Midwifery* 44 (2017) 35–40.
- 46 J. Jomeen, M. Redshaw, Ethnic minority women's experience of maternity services in England, *Ethn. Health* 18 (3) (2013) 280–296.
- 47 J. Henderson, H. Gao, M. Redshaw, Experiencing maternity care: the care received and perceptions of women from different ethnic groups, *BMC Pregnancy Childbirth* 13 (2013).
- 48 H. Mohale, L. Sweet, K. Graham, Maternity health care: the experiences of Sub-Saharan African women in Sub-Saharan Africa and Australia, *Women Birth* 09 (2016) 09.
- 49 A.J. Macfarlane, L. Rocca-Ihenacho, L.R. Turner, C. Roth, Survey of women's experiences of care in a new freestanding midwifery unit in an inner city area of London, England – 1: methods and women's overall ratings of care, *Midwifery* 30 (9) (2014) 998–1008.
- 50 L.C. McKinnon, S.J. Prosser, Y.D. Miller, What women want: qualitative analysis of consumer evaluations of maternity care in Queensland, Australia, *BMC Pregnancy Childbirth* 14 (1) (2014) 366.
- 51 P. Messent, Professional issues. Evaluating women's experiences for a MSLC . . . Maternity services liaison committee, *Br. J. Midwifery* 10 (10) (2002) 626–630.
- 52 N.P. Shabila, H.M. Ahmed, M.Y. Yasin, Assessment of women's perspectives and experiences of childbirth and postnatal care using Q-methodology, *East. Mediterr. Health J.* 21 (9) (2015) 647–654.
- 53 M. Farquhar, C. Camilleri-Ferrante, C. Todd, Continuity of care in maternity services: women's views of one team midwifery scheme, *Midwifery* 16 (1) (2000) 35–47.
- 54 D.M. Fraser, Women's perceptions of midwifery care: a longitudinal study to shape curriculum development, *Birth Issues Perinatal Care* 26 (2) (1999) 99–107.
- 55 T. Wilton, T. Kaufmann, Lesbian mothers' experiences of maternity care in the UK, *Midwifery* 17 (3) (2001) 203–211.
- 56 L. Attanasio, K.B. Kozhimannil, Patient-reported communication quality and perceived discrimination in maternity care, *Med. Care* 53 (10) (2015) 863–871.
- 57 L.B. Tiedje, E. Price, M. You, Childbirth is changing what now? *Mcn Am. J. Matern. Nurs.* 33 (3) (2008) 144–150.
- 58 E. Fuentes-Afflick, R. Odouli, G.J. Escobar, A.L. Stewart, N.A. Hessol, Maternal acculturation and the prenatal care experience, *J. Womens Health* 23 (8) (2014) 688–706.
- 59 T. Shafiei, R. Small, H. McLachlan, Women's views and experiences of maternity care: a study of immigrant Afghan women in Melbourne, Australia, *Midwifery* 28 (2) (2012) 198–203.
- 60 T. Abuya, C.E. Warren, N. Miller, et al., Exploring the prevalence of disrespect and abuse during childbirth in Kenya, *PLoS One* 10 (4) (2015).
- 61 N. Amroussia, A. Hernandez, C. Vives-Cases, I. Goicolea, "is the doctor God to punish me?!" An intersectional examination of disrespectful and abusive care during childbirth against single mothers in Tunisia, *Reprod. Health* 14 (1) (2017).
- 62 M.M. Butler, L. Sheehy, M. Kington, et al., Evaluating midwife-led antenatal care: choice, experience, effectiveness, and preparation for pregnancy, *Midwifery* 31 (4) (2015) 418–425.
- 63 A.S. Forssen, Lifelong significance of disempowering experiences in prenatal and maternity care: interviews with elderly Swedish women, *Qual. Health Res.* 22 (11) (2012) 1535–1546.
- 64 I. Jahlan, V. Plummer, M. McIntyre, What women have to say about giving birth in Saudi Arabia, *Middle East J. Nurs.* 10 (1) (2016) 10–18.
- 65 M. Redshaw, J. Hennegan, Y. Miller, Young women's recent experience of labour and birth care in Queensland, *Midwifery* 30 (7) (2014) 810–816.
- 66 P.L. Rice, What women say about their childbirth experiences: the case of Hmong women in Australia, *J. Reprod. Infant Psychol.* 17 (3) (1999) 237–253.
- 67 G. Novick, L.S. Sadler, H.P. Kennedy, S.S. Cohen, N.E. Groce, K.A. Knaf, Women's experience of group prenatal care, *Qual. Health Res.* 21 (1) (2011) 97–116.
- 68 D.A. Blackwell, Prenatal care services in the public and private arena, *J. Am. Acad. Nurse Pract.* 14 (12) (2002) 562–567.
- 69 I.M. Hildingsson, A.-K. Sandin-Bojö, 'What is could indeed be better'—swedish women's perceptions of early postnatal care, *Midwifery* 27 (5) (2011) 737–744.
- 70 M. Carolan, L. Cassar, Antenatal care perceptions of pregnant African women attending maternity services in Melbourne, Australia, *Midwifery* 26 (2) (2010) 189–201.
- 71 N. MacKeith, O.J. Chinganya, Y. Ahmed, S.F. Murray, Zambian women's experiences of urban maternity care: results from a community survey in Lusaka, *Afr. J. Reprod. Health* 7 (1) (2003) 92–102.
- 72 J. Fenwick, J. Butt, S. Dhaliwal, Y. Hauck, V. Schmed, Western Australian women's perceptions of the style and quality of midwifery postnatal care in hospital and at home, *Women Birth* 23 (1) (2010) 10–21.
- 73 E.M. Fitzgerald, S.N. Cronin, S.H. Boccella, Anguish, yearning, and identity: toward a better understanding of the pregnant Hispanic woman's prenatal care experience, *J. Transcult. Nurs.* 27 (5) (2016) 464–470.
- 74 J.B. Etowa, Black women's perceptions of supportive care during childbirth, *Int. J. Childbirth Educ.* 27 (1) (2012) 27–32.
- 75 P. Ith, A. Dawson, C.S.E. Homer, Women's perspective of maternity care in Cambodia, *Women Birth* 26 (1) (2013) 71–75.
- 76 C.S.E. Homer, G.K. Davis, M. Cooke, L.M. Barclay, Women's experiences of continuity of midwifery care in a randomised controlled trial in Australia, *Midwifery* 18 (2) (2002) 102–112.
- 77 E.M. Harriott, T.V. Williams, M.R. Peterson, Childbearing in U.S. Military hospitals: dimensions of care affecting women's perceptions of quality and satisfaction, *Birth* 32 (1) (2005) 4–10.
- 78 T.A. Wieggers, The quality of maternity care services as experienced by women in the Netherlands, *BMC Pregnancy Childbirth* 9 (2009).
- 79 N.P. Shabila, H.M. Ahmed, M.Y. Yasin, Assessment of women's perspectives and experiences of childbirth and postnatal care using Q-methodology, *East. Mediterr. Health J.* 21 (9) (2015) 647–654.
- 80 V. Tsianakas, P. Liamputtong, What women from an Islamic background in Australia say about care in pregnancy and prenatal testing, *Midwifery* 18 (1) (2002) 25–34.
- 81 T. Mathole, G. Lindmark, F. Majoko, B.M. Ahlberg, A qualitative study of women's perspectives of antenatal care in a rural area of Zimbabwe, *Midwifery* 20 (2) (2004) 122–132.
- 82 M.C. Mazul, T.C. Salm Ward, E.M. Ngui, Anatomy of good prenatal care: perspectives of low income african-american women on barriers and facilitators to prenatal care, *J. Racial Ethn. Health Disparities* 4 (1) (2017) 79–86.
- 83 A.H. Maslow, A theory of human motivation, *Psychol. Rev.* 50 (4) (1943) 370–396.
- 84 D. da Silva Albuquerque Melo, J.M. de Oliveira e Silva, A.A. Santos, M.E.T. de Lima Sanches, K.O. Ramos Cavalcante, K. de Santana Jacintho, Women's perception on childbirth care, *J. Nurs. UFPE/Revista de Enfermagem UFPE* (2016) 814–820.
- 85 E.G. Maia Brasil, M.V. Oliveira Queiroz, A.F. Carvalho Fernandes, R.F. da Costa, E. O. Xavier, Perception of women on the care in the childbirth: contributions to nursing, *Acta Scientiarum Health Sci.* 35 (2) (2013) 195–200.
- 86 C. Tobin, J. Murphy-Lawless, C. Tatano Beck, Childbirth in exile: asylum seeking women's experience of childbirth in Ireland, *Midwifery* 30 (7) (2014) 831–838.
- 87 J.A. Wolf, V. Niederhauser, D. Marshburn, S.L. LaVela, Defining patient experience, *Patient Exp. J.* 1 (1) (2014).
- 88 J.M. Holt, An evolutionary view of patient experience in primary care: a concept analysis, *Nurs. Forum* 53 (4) (2018) 555–566.